
Index

- AB4 axiom, 135
- AB4* axiom, 136
- Abelian category, *see also* category
- acyclic object, 121
- additive category, *see also* category
- adjoint functor theorem, 38
- adjunction, 34
- arithmetic rank, 374
- associated prime, 385
- Auslander–Buchsbaum formula, 266, 348
- Auslander–Buchsbaum theorem, 299

- Baer sum, 144
- Baer’s criterion, 84
- balanced Ext, *see also* Ext functor
- balanced Tor, *see also* Tor functor
- base change spectral sequence, *see also* spectral sequence
- Bass’ conjecture, 333
- Bass–Papp theorem, 190
- Betti numbers of a module, 208
- big Cohen–Macaulay module, *see also* module
- big site, 71
- Boolean algebra, 4, 21
- Boolean ring, *see also* ring
- bordism category, 5

- canonical decomposition, 56
- canonical filtration, *see also* complex, filtered
- canonical module, 356, 362
- Cartan–Eilenberg resolution, 170
- category, 2
 - Abelian, 55, 91
 - additive, 50
 - cocomplete, 29
 - cofiltered, 31
 - complete, 29
 - concrete, 3
 - countably complete, 150
 - discrete, 27
 - embedding, 10, 19, 91
 - equivalence, 20
 - essentially small, 73
 - extension small, 132
 - filtered, 31
 - finite, 32
 - isomorphism, 20
 - locally small, 2
 - monoidal, 43
 - of A -modules, 3, 91
 - of Abelian groups, 3
 - of additive functors, 57
 - of complexes, 106
 - of differentiable manifolds, 3
 - of groups, 3
 - of left exact functors, 92
 - of open sets, 4
 - of rings, 3
 - of sets, 3
 - of simplexes, 6, 45
 - of small categories, 7
 - of topological spaces, 3
 - of vector spaces, 3
 - opposite, 5
 - product of, 5
 - small, 2
- catenary ring, *see also* ring
- Čech complex, 371

- chain homotopy, 108
- change of ring theorem, 185
 - first, 187, 198
 - second, 188, 199
 - third, 189, 200
- Chase theorem, 192
- class
 - proper, 10
- class existence theorem, 13
- cocone, 27
- coequalizer, 29
- coextension of scalars, 36, 86, 165
- cogenerator of a category, 19
- Cohen-Macaulay module, *see also* module
- Cohen-Macaulay ring, *see also* ring
- cokernel, 53
 - of a map of sheaves, 69, 74
- colimit of a functor, 27, 30
 - filtered, 31
- complete intersection, 340, 341, 346
- completed tensor product, 288
- completion, 389
- complex, 57
 - acyclic, 107
 - bounded, 106
 - filtered, 154
- conductor ideal, 380
- cone, 26
- coproduct, 27
- corepresentable functor, *see also* functor
- counit of an adjunction, 35, 45
- covering, *see also* Grothendieck topology
- crossed homomorphism, 142
- δ -functor, 141
- De Rham cohomology, 108
- De Rham theorem, 18, 125
- depth, 262, 266, 331, 333, 348
- depth sensitivity, 262, 264, 265, 375
- derived functor
 - left, 116
 - right, 114
- derived limit functors, 119
- differential graded algebra, 253
- dimension shifting, 121
- direct sum, 52
- divisible module, 84
- divisor, 279
 - of a module, 279
 - of an element, 279
- double complex, 126, 158, 159
- dualizing module, 361, *see also* canonical module
- Eckmann–Hilton argument, 43
- elimination theory, 278
- embedding dimension, 290
- embedding of categories, *see also* category
 - category
- enough injectives, 82
- enough projectives, 82
- epimorphism, 53
- equalizer, 29
- equational criterion of flatness, 240
- equivalence of categories, *see also* category
 - category
- essential extension, 88
- étalé space, 66
- exact couple, 148
 - derived, 150
- exact functor, *see also* functor
- exact sequence, 58
 - split, 58
- exchange property, 260
- exhaustive filtration, *see also* complex, filtered
- Ext functor, 118, 165–168
 - balanced, 129
- extension, 132
- extension by a module, 365
- extension of scalars, 36, 166, 232
- exterior power, 247
- external homogenization, 204
- fibered coproduct, 28
- fibered product, 28
- filtered complex, *see also* complex
- final object, 23
- five lemma, 75, 169
- flat cover conjecture, 222
- flat morphism, 232, 305, 324
- flatness, *see also* module, flat
 - infinitesimal criterion, 242
 - local criterion, 240, 241
- formally smooth morphism, 249
- four lemma, 75, 79
- Foxby’s theorem, 339
- fractional ideal, 388
- free resolution
 - minimal, 207
- Freyd–Mitchell theorem, 91
- Frobenius homomorphism, 305

- functor, 6
 - additive, 52
 - cocontinuous, 38
 - continuous, 38
 - corepresentable, 8
 - essentially surjective, 20
 - exact, 59
 - faithful, 10
 - forgetful, 7
 - full, 10
 - left exact, 59
 - representable, 8
 - right exact, 59
- functor category, 19
- fundamental groupoid, 4

- Gabel's theorem, 215
- Galois connection, 41
- generator of a category, 19
- germ of a function, 65
- global dimension, 200, 292
 - graded, 201
- global weak dimension, 231
- Godement resolution, 124
- going down theorem, 387
- Gorenstein ring, *see also* ring,
 - Gorenstein
- Govorov-Lazard theorem, 245
- grade, 262
- graded module, 3
 - free, 83
 - projective, 83
- graded object, 154
- Grothendieck local duality, *see also*
 - local duality
- Grothendieck spectral sequence, *see also*
 - spectral sequence
- Grothendieck topology, 71
- Grothendieck universe, *see also* universe
- group cohomology, 131
- groupoid, 4

- height of an ideal, 391
- Hermite ring conjecture, 220
- Hilbert function, 391
- Hilbert polynomial, 222, 392
- Hilbert's syzygy theorem, 202, 206, 222, 285
- Hilbert's theorem 90, 142
- Hironaka's lemma, *see also* miracle
 - flatness
- Hom-category, 5

- homological dimension, 200
- homology, 107
- homotopy category, 4
- homotopy equivalence, 109

- ideal
 - irreducible, 385
 - of definition, 391
 - of parameters, 329
 - primary, 385
 - unmixed, 321
- ideal class group, 388
- image of a morphism, 56
- image of a subobject, 77
- inaccessible cardinal, 15
- index of reducibility, 327
- inertia form, 273
- initial object, 23
- injective
 - module, 190
 - object, 82
- injective dimension, 196–200, 231, 331, 333, 339, 348
- injective envelope, *see also* injective hull
- injective hull, 88, 90, 368
- injective object, 112
- integral closure, 387
- integral extension, 387
- irreducible decomposition, 326
- isomorphism, 3
- isomorphism theorems, 101

- Jacobson radical, 384

- kernel, 53
 - of a map of sheaves, 69, 74
- Kleisli category, 44
- Koszul complex, 254, 286
 - stable, 371
- Koszul duality, 258
- Koszul homology, 254
- Krull dimension, 390
- Krull's intersection theorem, 390
- Kummer theory, 142
- Kunz theorem, 305

- Lambek–Moser theorem, 41
- Lazard's theorem, *see also*
 - Govorov-Lazard theorem
- left-adjoint functor, *see also* adjunction
- limit
 - direct, 24
 - inverse, 25

- limit functor, 42
- limit of a functor, 26, 30
 - cofiltered, 31
- local coefficient system, 168
- local duality, 377, 378
- local morphism, 237, 324
- Macaulay resultant, *see also* resultant
- mapping cone, 110, 169
- Matlis duality, 354, 355, 359
- Matlis module, 354
- Mayer-Vietoris theorem for local
 - cohomology, 374
- member in an Abelian category, 103
- miracle flatness, 305, 324
- Mittag-Leffler condition, 138, 143
- module
 - big Cohen–Macaulay, 318
 - Cohen–Macaulay, 313, 315, 362
 - faithfully flat, 235, 261
 - finitely presented, *see also*
 - presentation of a module
 - flat, 226, 230
 - indecomposable, 192
 - irreducible, 326
 - locally free, 179, 220, 230
 - projective, 230
 - stably free, 209, 210, 215, 216
 - stably isomorphic, 209
- monad, 44
 - list, 44
 - power set, 44
 - probability, 44
- monoidal category, *see also* category
- monomorphism, 53
- morphism
 - epic, 53
 - monic, 53
- morphism in a category, 2
- multiplicity, 268, 392
- Murthy’s theorem, 381
- natural isomorphism, 17
- natural transformation, 16
- nerve of a category, 46
- Newton identities, 287
- nine lemma, 79, 160
- Northcott–Rees theorem, 329
- Nullstellensatz, 394
- order category, 4
- path category, 4
- plus construction, 73
- Poincaré duality, 361
- preimage of a subobject, 77
- presentation of a module, 179
- presheaf, 62, 72
 - basically bounded, 73
 - separated, 72
- primary decomposition, 385
- prime avoidance, 383
- product, 27
- projective
 - module, 83, 192
 - object, 82
- projective cover, 222
- projective dimension, 184, 185,
 - 187–189, 266, 339, 348
- pullback, 28
- quasi-isomorphism, 107
- Quillen–Suslin theorem, 216, 219
- quotient object, 58
- quotients in Abelian categories, 76
- Ratliff’s criterion, 348
- realization functor, 46
- Rees’s lemma, 336
- Rees’s theorem, 265
- regular element, 187
- regular sequence, 258, 265, 268
- representable functor, *see also* functor
- resolution
 - flat, 231
 - injective, 112
 - left, 112
 - projective, 112
 - right, 111
- resultant, 278
- right-adjoint functor, *see also*
 - adjunction
- ring
 - absolutely flat, 250
 - Boolean, 21
 - catenary, 321, 348
 - Cohen–Macaulay, 313, 315, 324, 347,
 - 378, 381
 - Dedekind, 388
 - discrete valuation, 388
 - Gorenstein, 334, 377, 381
 - Hermite, 219
 - integrally closed, 300, 387
 - local, 384
 - normal, 300, 303

- reduced, 301, 302
- regular, 271, 290, 292, 295, 299, 305, 324
- semilocal, 391
- semisimple, 203
- universally catenary, 321
- Von Neumann regular, 250
- R_k axiom, 301
- salamander, 103
- salamander lemma, 102
- saturated chain, 321
- Schanuel's lemma, 161, 212
- sections of a sheaf, 63, 72
- Serre spectral sequence, *see also* spectral sequence
- Serre's criterion, 302
- Serre's multiplicity conjectures, 271, 288
- Serre's theorem on global dimension, 292, 308, 309
- Serre's theorem on stably free modules, 210
- sheaf
 - skyscraper, 100
- sheaf, 63, 72
 - acyclic, 122
 - associated to a presheaf, 67, 74
 - cohomology, 120
 - direct image, 100
 - fine, 124
 - flasque, 122
 - inverse image, 101
 - locally constant, 68, 120
- sheaf Ext, 141, 169
- sheafification, 67, 74, 101
- short exact sequence, *see also* exact sequence
- simplex
 - singular, 107
- simplicial complex, 45
- simplicial set, 45, 46
- singular complex, 107
- site, *see also* Grothendieck topology
- S_k axiom, 301, 315
- smooth morphism, 249
- snake lemma, 81, 160
- socle, 327, 331
- solution set condition, 39
- spectral sequence, 151
 - (co)homological, 152
 - abutment, 153
 - base change, 165
 - degenerate, 153
 - first quadrant, 153
 - Grothendieck, 163
 - Ischebeck, 167, 168, 339, 361
 - Serre, 169
- stably free dimension, 211
- stably free module, *see also* module
- stalk of a presheaf, 65, 101
- subcategory, 9
- subobject, 58, 76
- Swan's theorem, 221
- symmetric power, 222, 247
- system of parameters, 316, 346, 391
 - regular, 290
- syzygy, 206, 239
 - trivial, 240
- tensor product of complexes, 255
- Tor dimension, *see also* weak dimension
- Tor functor, 119, 165–168
 - balanced, 129
- total complex of a double complex, 126, 159
- tower of objects, 135
- trace of a projective module, 181, 221
- transgression, 169
- uniformizer, 388
- unimodular vector, 216
- unique factorization domain, 299
- unit of an adjunction, 35, 45
- universal object, 23
- universe, 15
- unmixed ideal, *see also* ideal
- unmixedness theorem, 323
- variety
 - factorial, 304
 - normal, 304
- weak dimension, 231
- weakly regular element, 187
- weakly regular sequence, 258
- Whitehead's problem, 184
- Yoneda lemma, 19
- Yoneda product, 129
- Zariski topology, 393
- zig-zag lemma, 109