
Index

- 2-isomorphism, 256
 - Whitney's theorem, 257
- Abel-Jacobi map, 50–53
 - definition, 52
 - injectivity and edge-connectivity, 53
 - is universal for harmonic functions, 52
 - surjectivity and genus, 62
- abelian property
 - for dollar game, 6
 - for sandpiles, 94–95
- abelian sandpile, *see also* Markov chain,
 - abelian sandpile model
- accessible vertex, 93
- banana graph, 298
- basic alive divisor, 140
- burning sandpile, 116–119
 - and test for recurrent sandpiles, 116
 - definition, 116
 - existence and uniqueness, 117
- burning script, 116
 - algorithm, 119
 - for undirected graphs, 119
- burst size, 142
 - upper bound for, 156
- canonical divisor, 67
- Cayley's formula, 168, 187, 214
 - higher-dimensional, 286
- Chinese remainder theorem, 28
- Clifford's theorem, 69
- complete graph, 298
 - and parking functions, 213
- Cori-Le Borgne algorithm for
 - computing rank of a divisor on, 214
 - divisors on, 211–222
 - Jacobian/sandpile group for, 36
 - size of sandpile group of, 214
 - stationary density of, 270
 - Tutte polynomial for, 260
- complete linear system
 - and convex polytopes, 24–27
 - and edge-connectivity, 45
 - definition, 11
 - harmonic morphisms and trees, 204
 - of divisors on C_n , 37
- configuration, 20–24, 93
 - definition, 21, 93
 - degree of, 21, 93
 - relation to Jacobian group, 22
 - script-firing, 21
 - stabilization of, 94, 111
 - existence, 97
 - uniqueness, 96
 - superstabilization of, 46
 - superstable, 45–50
 - and acyclic orientations, 60
 - definition, 45
 - maximal, 57, 61
 - relation to q -reduced divisors, 45
 - vertex and set-firing, 21
 - legal, 45
- Cori-Le Borgne algorithm
 - for computing ranks of divisors on K_n , 214
- cuts, *see also* cycles and cuts

- cycle graph, C_n , 298
- cycle rank, cyclomatic number, 61
- cycles and cuts, 239–248
 - bond, 241
 - cut, directed, 240
 - cycle and cut spaces, 240, 241
 - bases and dimensions, 242
 - duality for plane graphs, 245
 - orthogonality, 242
 - relation to sandpile group, 243
 - vertex cut, 241
- degree
 - of configuration, 21, 93
 - of divisor, 6
 - of harmonic morphism, 196
 - of sandpile, 93
- deletion-contraction
 - and the Tutte polynomial, 253
 - for matroids, 253
 - proof of matrix-tree theorem, 166
 - universal property, 255
- determinantal divisor, 31
- Dhar's algorithm, 46–50
 - and acyclic orientations, 59–63
 - and tree bijections, 171–186
 - efficient implementation of, 50
 - for recurrents, 116, 123
 - pseudocode for superstables, 47
- divisor, 5
 - alive, 78–80, 137–138
 - avalanche, 137
 - basic alive divisor, 140
 - basic decomposition, 141
 - canonical, 67
 - class of, 8
 - complete linear system of, 11
 - corresponding to an orientation, 59
 - degree of, 6
 - effective, 8
 - and edge-connectivity, 44
 - legal firing/toppling of vertex, 137
 - lending or borrowing move from, 6
 - linear equivalence of, 7
 - maximal stable, 79
 - principal, 16
 - q -reduced, 42–45
 - algorithm for, 42, 50
 - and edge-connectivity, 44
 - existence and uniqueness of, 43
 - relation to dollar game, 44
 - relation to superstables, 45
- rank, 65–67
 - and degree, 66, 67, 69
 - and edge-connectivity, 66, 204
 - definition, 65
 - for divisors on complete graphs, 214
 - formula for, 82
 - lower bound for, 66
 - NP-hard to compute, 66
- script-firing, 16
- stability, 79
- stable/stabilizable, 137
- vertex and set-firing, 7
 - legal, 43
- Weierstrass points of, 83
- winnable, unwinnable, 9
 - maximal unwinnable, 57, 61
- dollar game
 - decided by q -reducing, 44
 - first example, 3–5
 - greedy algorithm for, 39–41
 - higher-dimensional, 289
 - household-solutions for, 202
 - restatement of, 9, 11, 18, 50, 51
- duality between recurrents and superstables, 120, 234
- Dyck path, 216
- effective divisor, *see also* divisor, effective
- elementary divisors, 28
- Eulerian digraph, 303
 - equivalent condition for, 303
- exact sequence, 308
 - short, 308
 - split exact, 309
- externally active edge, 176, 260
- field, 306
- finitely generated abelian group, 28–29
 - definition, 28
 - elementary divisors, invariant factors, primary factors of, 28
 - rank of, 29
 - structure theorem for, 28
 - torsion element of, 29
- firing script, 16, 94
 - divisor of, 16
 - uniqueness, 99
- forbidden subconfiguration, 121–123
- forest, 299
 - spanning, 300

- genus, 61
- globally accessible vertex, 93
- graph morphism, 191, 192
 - push-forward mapping for divisors, 192
- graph, undirected
 - edge-connectivity, 300
 - spanning forest of, 300
- graph, directed
 - subdigraph
 - induced, 301
- graph, directed, 301–303
 - connected
 - strongly, 302
 - weakly, 302
 - cycle in, 302
 - directed spanning tree for, 302
 - Eulerian cycle of, 303
 - path in, 302
 - subdigraph, 301
 - underlying simple undirected graph, 301
 - underlying undirected graph, 301
 - see also* graph, undirected, *see also* tree
- graph, undirected, 297–301
 - acyclic, 299, 302
 - associated digraph, 303
 - connected, 297
 - connected components, 297
 - cycle in, 299
 - cycle matroid for, 252
 - degree of vertex, 297
 - hyperelliptic, 208
 - loop, 297
 - morphism, 191
 - path in, 297
 - plane duality, 244
 - quotient, 208
 - simple, 297
 - spanning tree of, 300
 - subgraph, 297
 - induced, 297
 - see also* graph, directed, *see also* tree
- greedy algorithm
 - and injectivity of pull-back, 198
 - and matroids, 271
 - and the dollar game, 39
 - and uniqueness of stabilization, 80, 111
 - better than benevolence, 54
 - for burning script, 118
 - uniqueness of script for, 41
- group, 305
 - action, 306
 - homomorphism, 305
- h -vector conjecture, 264–268
 - proof for cographic matroids, 267
- harmonic function, 20, 52
 - universal property, 52
- harmonic morphism, 191–207
 - and hyperelliptic graphs, 208
 - and quotient graphs, 208
 - compositions of, 208
 - definition, 192
 - degenerate, 196
 - degree, 196
 - horizontal multiplicity of, 192
 - pull-back mapping for divisors, 197
 - injectivity of, 198
 - preserves linear equivalence, 197
 - push-forward mapping for divisors, 194
 - comparing ranks, 203
 - preserves linear equivalence, 192
 - surjectivity of, 196
- trees and complete linear systems, 204
 - vertical multiplicity of, 197
- indegree, 92
 - of a vertex, 301
 - with respect to subset, 301
- internally active edge, 260
- invariant factors
 - of a finitely generated abelian group, 28
 - of a matrix, 31
- Jacobian group, 10–11
 - definition, 10
 - of complete graph, 36
 - of cycle graph, 36
 - of one-point join, 36
 - relation to sandpile group, 224
 - size of, 34
 - structure of, 27
- Kreweras' formula, 180
- Kruskal's algorithm, 271
- Laplacian, 15–35

- and vertex firing, 99
- definition, 15, 98
- higher-dimensional, 281
- kernel of, 19, 170
- Laplacian matrix, 17
- lattice, 99
- reduced Laplacian, 22–24, 97–99
 - cokernel is isomorphic to sandpile group, 101
 - definition, 22, 97
 - higher-dimensional, 286
 - kernel of, 23
 - relation to the Jacobian group, 22, 34
 - relation to continuous Laplacian, 19
 - relation to the Picard group, 18
- least action principle, 95–96
 - for configurations, 95
 - for divisors, 138
 - for M -matrices, 233
- legal firing sequence, 94
- lending and borrowing moves, 6, 21
- linear equivalence of divisors, 7–10
 - definition, 7
- local confluence property, 95
- M -matrix, 232
 - equivalent conditions for, 234
 - recurrents and superstables for, 233
 - duality, 234
 - existence and uniqueness, 234
- Markov chain, 127–155
 - abelian sandpile model, 129
 - recurrent states are recurrent sandpiles, 132
 - stationary density of, 143
 - stationary distribution is uniform, 136
 - toppling probabilities encoded in the Laplacian, 136
 - accessible state, 130
 - aperiodic, 135
 - associated directed graph, 128
 - definition, 128
 - essential/inessential state, 131
 - fixed-energy sandpile
 - threshold state, 140
 - fixed-energy sandpile, 137–147
 - comparison with abelian sandpile, 140
 - definition, 138
 - epicenter, 140
 - threshold, 139
 - threshold density, 140
 - irreducible, 130
 - random walk on a group, 133
 - recurrent state, 131
 - renewal theorem, 150
 - stationary distribution, 132
 - existence and uniqueness, 135
 - transient state, 131
 - transition matrix for, 128
 - matrix-tree theorem, 162
 - edge-weighted version, 168
 - higher-dimensional, 286
 - proof by deletion-contraction, 166
 - proof by sign-reversing transposition, 162
 - matroid, 251–268
 - graphic/cycle matroid, 252
 - and greedy algorithms, 271
 - basis for, 252
 - bridge, 253
 - cographic, 267
 - definition, 251
 - deletion-contraction, 253
 - determines sandpile group, 256
 - dual, 252
 - independent sets of, 252
 - linear, 252
 - loop, 253
 - rank of, 252
 - uniform, 252
 - universal property, 255
 - matroid complex, 267
 - Merino’s theorem, 257–260
 - and Gessel’s formula, 262
 - for complete graphs, 260
 - implies h -vector conjecture for cographic matroids, 267
 - module, 306
 - direct products and sums, 307
 - homomorphism, 307
 - quotient by submodule, 307
 - snake lemma, 309
 - modules
 - exact sequences of, 308
 - finitely generated, 308
 - free, 307
 - Noetherian, 308
 - monoid, 305
 - multicomplex, 264
 - O -sequence, 266

- odometer function, 142
- orientation, 58, 301
 - acyclic, 58
 - and maximal superstables, 60
 - corresponding configuration, 59
 - corresponding divisor, 59
 - indegree sequence for, 58
 - reversed, 67
 - sink or source vertex for, 58
- outdegree, 92, 301
 - with respect to subset, 301
- parking functions, 211–214
 - and superstables on K_n , 213
 - characterization of, 212
 - count, 213, 222
 - definition, 211
- path graph, P_n , 298
- Picard group, 10–11
 - definition, 10
 - structure of, 27
- plane duality, 244–248
 - and the sandpile group, 246
- poset (partially ordered set), 264
 - order ideal in, 264
- q -reduced, *see also* divisor, q -reduced
- quotient graph, 208
- Ramanujan Q -function, 270
- rank, *see also* divisor, rank
- reduced Laplacian, *see also* Laplacian, reduced Laplacian
- Riemann surfaces, 70–78
 - branched coverings of, 200–202
 - divisors and mappings to projective space, 77
 - Riemann-Hurwitz formula, 201
 - Riemann-Roch theorem, 71
- Riemann-Hurwitz formula
 - and quotient graphs, 208
 - for graphs, 199
 - for Riemann surfaces, 201
- Riemann-Roch theorem for graphs, 65–81
 - statement and proof, 67–68
- ring, 306
 - ideal in, 306
 - quotient by ideal, 306
- rotor-router model, 182–184
 - and a free transitive action of $S(G)$
 - on spanning trees, 184
- sandpile
 - and tropical curves, 106
 - building a Turing machine, 112
 - burst size for recurrent, 142
 - definition, 93
 - degree of, 93
 - duality between recurrences and superstables, 120
 - images of, 105
 - maximal stable, 100
 - monoid, 101, 112
 - recurrent, 100–105
 - accessible from maximal stable sandpile, 100
 - definition, 100
 - test for, 116, 122, 123
 - scaling limit, 105
 - stabilization of, 94, 111
 - existence, 97
 - uniqueness, 96
 - stable addition, 101
 - superstable
 - definition, 120
- sandpile graph, 93
- sandpile group
 - and plane duality, 246
 - as a principal ideal, 112
 - bijections with spanning trees, 170–186
 - calculating the identity, 104
 - cyclic, 230
 - definition, 103
 - dependence on sink, 223–226
 - effect of removing a bridge or loop, 125
 - effect of removing an edge, 229
 - introduction to, 87–91
 - isomorphic to Jacobian iff graph is Eulerian, 226
 - isomorphic to $\text{cok}(\tilde{L})$, 101
 - minimal number of generators for, 226–232
 - number of superstables of each degree, 144, 259
 - of complete graph, 36
 - of cycle graph, 36
 - of one-point join, 36
 - orders of elements, 111
 - relation to cycles and cuts, 243, 249
 - relation to Jacobian group, 224

- size equals number of rooted spanning trees, 168
- size is $\det(\tilde{L})$, 103
- script-firing
 - for configurations, 94, 119
 - for divisors, 16
 - legal, 120
- self-organized criticality (SOC), 235–237
- selfish vertex, 116
- set-firing
 - for configurations, 119
 - for divisors, 7, 43
 - legal, 43, 45, 120
- simplicial complex
 - f -vector, 266
- simplicial complex, 266
 - h -vector, 266
 - k -skeleton of, 282
 - acyclic in positive codimension (APC), 285
 - Betti numbers of, 276
 - boundary mapping, 239, 274
 - chain complex of, 274
 - chains, group of, 274
 - critical groups of, 280–290
 - definition, 281
 - relation to reduced Laplacian, 286
 - structure as an abelian group, 282
 - cycles and boundaries of, 276
 - dimension, 266
 - Euler characteristic, 267, 293
 - examples
 - n -simplex, 291
 - equatorial bipyramid, 284
 - Klein bottle, 292
 - real projective plane, 280
 - sphere, 291
 - torus, 292
 - face, 266
 - facet, 266
 - firing faces of, 287–290
 - flow game for, 289
 - homology groups of, 276
 - how to compute, 279–280
 - Laplacians for, 281
 - matrix-tree theorem for, 286
 - matroid complex, 267
 - pure, 266
 - spanning trees of
 - and acyclicity, 284
 - spanning trees of, 283–287
 - and acyclicity, 285
- sink, 93
 - in digraph, 301
- Smith normal form, 29–32
 - definition, 31
 - existence and uniqueness of, 31
- snake lemma, 309
- source in digraph, 301
- spanning tree
 - and depth-first search, 178
 - and eigenvalues of the Laplacian, 169
 - and kernel of the Laplacian, 170
 - another counting formula for, 169
 - bijections with $\mathcal{S}(G)$, 170–186
 - count for complete bipartite graph, 188
 - Dhar’s tree bijection algorithm, 171
 - and external activity, 175–178
 - and tree inversions, 178–182
 - directed, rooted, 162
 - inversion number for, 180
 - κ -inversion number, 181
 - matrix-tree theorem, 162
 - of a simplicial complex, 283
 - random sampling, 184–186
 - see also* tree
- stable addition, 101
- stable/unstable vertex, 94
- stationary density, 143
 - and unicycles, 269
 - of a tree, 156
 - of banana graph, 145, 157
 - of complete graph, 270
 - of cycle graph, 144
- superstable configuration, *see also* configuration, superstable
- threshold density, 140
 - of a tree, 156
 - of banana graph, 145, 157
 - of cycle graph, 144
- threshold density theorem, 147–155
 - statement and proof, 147
- torsor, 50, 184
- tree, 299
 - equivalent conditions for, 299
 - internal and external activity, 260
 - of a simplicial complex, 287
 - rooted spanning, 302
 - spanning, 300
 - stationary and threshold density, 156

- see also* spanning tree
- tree ordering, 43, 55
- tropical curves, 106
- Turing machine, 112
- Tutte polynomial, 251–268
 - and internal/external activity, 261
 - definition, 253
 - determined by deletion-contraction, 253
 - for the complete graph, 262
 - special values of, 255
- unicycle, 269
- vertex firing, 6, 94
 - legal, 94
 - reverse-firing, 94
- Weierstrass points, 83
- Whitney twist, 256
 - and 2-isomorphisms, 257
- winnable, unwinnable divisor, 9
 - see also* dollar game
- Zelda, 3