

Index

- AA criterion, 288
- above (a horizontal line), 334
- absolute error, 130
- absolute value, 121, 125, 125–126
 - rationale for, 130–131
- Ackerman, Nate, 216
- acute angle, 191
- acute triangle, 191
- addition algorithm for (finite)
 - decimals, 34
- addition of fractions, 32–36
- addition of rational numbers, 92–96
 - using vectors, 102–104
- addition of vectors (on number line), 101
- additivity property of length, 98
- adjacent
 - angles (with respect to an angle), 186, 186–188
 - sides, 171
 - vertices, 171
- al-Khwarizmi, 301
- algorithm, 139
- alternate interior angles, 276, 277, 281
- analytic geometry, 336
- angle, 182
 - acute, 191
 - convention about, 182
 - full, 183
 - interior (of a polygon), 197
 - obtuse, 191
 - right, 191
 - straight, 183
 - zero, 183
- angle bisector, 192
- angle-angle criterion (= AA criterion), 288
- angles
 - alternate interior, 276
 - corresponding, 276
 - opposite, 276
- Arbaugh, Fran, xviii
- arc, 190
 - intercepted by an angle on a circle, 190
 - length of, 190, 197
 - major, 190
 - minor, 190
- arctan function, 207
- area, 17, 47
 - of rectangle, 48
- arithmetic mean, 132
- arithmetic mean-geometric mean inequality, 127, 132
- ASA, 51, 245
- associative law, 2, 44
 - for addition, 87
 - failure for subtraction, 96, 98
 - for addition of fractions, 33
 - for addition of rational numbers, 91–94
 - for multiplication, 87
 - for multiplication of fractions, 46
 - for multiplication of rational numbers, 105
 - for multiplication of real numbers, 133
 - for number expressions, 302, 304, 312, 323
 - makes no sense for variables, 325
- assumptions
 - about basic isometries, 237
 - about reflections, 231
 - about rotations, 217
 - about translations, 236

- for geometry, 165–176, 184–188, 237, 250
- on addition of rational numbers, 92
- on multiplication of rational numbers, 105
- auxiliary lines, 264
- average rate, 81–82
 - lawn-mowing, 82
- average speed (over an interval), 79
 - pitfall of the terminology, 79
 - relation with constant speed, 79
- axiomatic system, xxxiv, 159–161
- Babylonians, 290, 384
- basic etiquette in the use of symbols, 299
- basic isometries, 161–163, 199, 200, 216, 217, 229, 231, 237
 - assumption about, 237
- below (a horizontal line), 334
- between (a point between two points), 167
- between (two points on a number line), 13
- betweenness, 166, 167
- bigger than
 - among numbers, 13
- bijection, 205, 333
- bijective, 205
- bilateral symmetry, 230
- binomial coefficient, 42
- bipolar mathematics education, xxxvii
- bisect, 192
- bisect each other (two segments), 228, 260
- bisector
 - angle, 192
 - perpendicular, 192
- boundary, 194
 - of disk, 198
- boundary point, 194, 194
- bounded, 194
- cancellation law, 20
 - generalized, 118
- cancellation rule
 - for fractions, 47
 - for rational quotients, 118
- Cataldi, Pietro, 308
- CCSSM, xvi–xxvii, 5–362
- center
 - of a rotation, 202
 - of a circle, 186
 - of a dilation, 268
- circle, 186
 - center of, 186
 - exterior of, 186
 - inside, 186
 - of radius r , 186
 - unit, 186
- clockwise rotation, 202
 - pedagogical issues with its definition, 204
- clockwise rotation around O , 215
- clockwise rotation around any point, 215
- closed bounded interval, 5, 169
- closed disk, 186
 - confused with circle, 193
- closed half-plane, 176
- closed interval, 126
- closed set, 195
 - inside a circle, 195
- closed under composition, 240
- coefficient, 303, 312
- coherence, xiii, 318
 - importance of, xxxii
- collecting like terms, 311
- collinear (points), 169
- Collins, David, 68
- Common Core State Standards for Mathematics (= CCSSM), xvi
- common denominator, 23, 33
- common divisor (of two integers), 138
- commutative (in composition of transformations), 209, 371
- commutative law, 2
 - for addition, 87
 - for addition of fractions, 33
 - for addition of rational numbers, 91–94
 - for multiplication, 87
 - for multiplication of fractions, 46

- for multiplication of rational numbers, 105
- for multiplication of real numbers, 133
- for number expressions, 302, 304, 312, 323
- makes no sense for variables, 325
- commutative ring, 133
- comparing fractions, 38, 52
- comparing rational numbers, 121–125
- complement (of a geometric figure), 181
- complete expanded form (of decimal), 35
- complex fraction, 68
 - denominator of, 68
 - numerator of, 68
- complex fractions, 72–74
 - basic formulas, 70–71
- composite, 148
- composite transformation, 208
- composition of transformations, 208
- concatenation, 12
- congruence, 17, 240
 - closed under composition, 240
 - equivalence relation, 241
 - reflexive relation, 241
 - students' confusion in TSM, 158–159
 - symmetric relation, 240
 - transitive relation, 241
- congruent to, 240
 - symbol for, 240, 245
- connected (region), 195
- constant, 301
 - term, 312
- constant rate, 76, 81–82
 - house-painting, 82, 86
 - lawn-mowing, 81
 - water flow, 82, 84
- constant speed, 77, 78
 - importance of definition, 81
- constant transformation, 200
- converse, 22
- conversion of fractions to decimals
 - by long division, 62–65
- convex (geometric figure), 172, 181–182
- convex polygon, 197
- coordinate axis, 331
- coordinate system, 331
 - coordinate axes of, 331
 - four quadrants of, 335
 - origin of, 331
 - scaled, 361
 - setting up, 332
- coordinates (of a point), 332
- coordinates in the plane, 331
 - introduction of, 331
 - x -axis, 331
 - y -axis, 331
- copies (of a fraction), 12
- corresponding angles, 276, 277, 281
- corresponding sides
 - proportional, 287
- counterclockwise rotation, 201
 - pedagogical issues with its definition, 204
 - properties of, 201
- counterclockwise rotation around O , 212–215
- counterclockwise rotation around any point, 215
- cross-multiplication algorithm, 22, 134
 - mistaken for rote skill, 23
- cross-multiplication inequality, 32, 36, 118
- crossbar axiom, 250, 251
- cubic polynomial, 313
- data points, 272, 274
- decagon, 171
- decimal digits, 14
- decimal fraction, 14
- decimal point, 14
- decimals, 4, 14
 - addition algorithm for, 34
 - finite, 14
 - infinite, 14
 - multiplication algorithm for, 51
 - subtraction algorithm for, 40
 - terminating, 14
- definitions, xiii
 - absence of, in TSM, xxviii

- importance of, xxviii–xxix, 75
- the role of, xxix–xxx
- degree (of a polynomial), 312, 316
- degree (of a rotation), 202
 - negative, 203
- degree (of an angle), 190, 191
 - preserve, 203, 231, 236, 237
- denominator
 - of a complex fraction, 68
 - of a fraction, 10
 - of a rational quotient, 118
- derivative, 310
- Desargues, Girard, 308
- Descartes, René, 301, 308, 336
- determinant, 377
 - and solutions of a linear system, 377
 - nonvanishing, 377
 - vanishing, 377
- diagonal, 171
- difference (of two fractions), 41
- difference quotient (of two points), 347
- different sides
 - of a line in the plane, 176
 - of a point on a line, 174
- dilation, 268
 - basic properties of, 269–271
 - center of, 268
 - effect on lengths and degrees, 275
 - scale factor of, 268
- direction (of a vector on number line), 100
- disjoint (sets), 173
- disjoint union
 - of sets in a line, 173
 - of sets in the plane, 175
- disk, 186
 - closed, 186
 - open, 186
 - unit, 186
- distance, 6–7, 125
 - between parallel lines, 228
 - between two points, 6, 184
 - function, 185
 - of a point to a line, 228
 - preserve, 200
 - relation with length of a segment, 184
 - unit, 7
- distance formula, 336
- distinct lines, 165
- distinct rays, 175
- distributive law, 2, 88
 - for fractions, 46, 59
 - for number expressions, 302, 304, 312, 323
 - for rational numbers, 105
 - for real numbers, 133
 - makes no sense for variables, 325
- divide (one integer by another), 138
- division as multiplication, 47, 57, 115
- division interpretation of a fraction, 28, 30
- division of decimals, 60
- division of fractions, 57
 - by a whole number, 46
 - relation to division of whole numbers, 55, 58
- division of rational numbers, 112–115
- division of whole numbers, 29, 58
- division-with-remainder, 15, 137, 139
 - dividend of, 140
 - divisor of, 140
 - quotient of, 140
 - remainder of, 140
- divisor (of an integer), 138
- divisor of zero, 133
- double inequality, 126
 - associated, 126
- edge (of polygon), 170, 171
- elimination, method of, 380
- empty set, 352
- endpoint, 6, 126, 169
 - left, 6
 - of vector, 100, 219
 - right, 6
- equal angles, 244
- equal expressions, 303
- equal fractions, 12
- equal ordered pairs of numbers, 332
- equal parts (of a segment), 9
- equal segments, 244
- equal sets, 141
- equal transformations, 208, 208

- equality of two sets, *141*
- equation, *322*
 - in one variable, *322*
 - in two variables, *323*
 - linear, *323*
 - quadratic, *322*
 - solution of, *322*
 - solve, *323*
- equation in two variables, *323*
 - solve, *323*
- equation of a line, *354*
 - slope-intercept form, *356*
 - two-point form, *357*
- equidistant
 - from 0, *90*
 - points, *6*
- equidistant parallel lines, *258*
- equilateral triangle, *193*
- equivalence of two theorems, *257*
- equivalence relation, *241*
- equivalent equations, *328*
- equivalent expressions, *303*
- equivalent fractions, *12*, 20–21, 25, 35, 47, 61
- equivalent to, *22*
- Euclid, *xlii*, 137, 155, 160, 161, 244
 - proof of infinity of primes, 155
- Euclidean algorithm, *140*, 143–144
- Euler, Leonhard, 308
- existence, 56, 112, 114, 139, 150, 155, 166, 197, 216, 218, 222, 224, 225, 236, 284, 322
- expression, *302*
 - coefficients in, 303
 - notational conventions for, 302
 - number, *302*
 - order of operations in, 303
- expressions
 - equal, 303
 - equivalent, 303
- extension (of a concept), *29*, 58, 92, 96
- exterior of a circle, *186*, *194*
- factor (of an integer), 138
- factorial, *42*
- factorization, *314*
 - potential harmful effects of overemphasis, 315
- factorization (of an integer), 138
- FASM, *xix*, 3, 76, 86, 107, 121, 127, *133*, 258, 304, 316, 347–348, 350
- Fermat, Pierre, 308, 336
- FFFP, *23*, 23–24, 33–34, 36, 39
- field, 133
- finite decimals, *14*
 - division of, 60
- five fundamental principles of mathematics, *xiii*, *xxxiii*
- FOIL, 314
- folding transformation, *207*
- fraction, *10*
 - complex, *68*
 - convert to a decimal by long division, 62–65
 - convert to a finite decimal, 60
 - copies of, *12*
 - denominator of, *10*
 - division interpretation of, *28*, 30
 - in lowest terms, 30, *138*
 - numerator of, *10*
 - proper, *36*
 - reduced, *138*
 - reduced form of, *138*
 - TSM concept of, 4–5
 - unit, *10*
- fraction addition, *33*
 - formula for, 33
- fraction division, *57*
 - formula for, 57
- fraction multiplication, *45*
 - formula for, 46
- fraction subtraction, *38*
 - formula for, 39
- fractional multiple, *56*
- fractions, *10*
 - addition of, *33*
 - cancellation rule for, *47*
 - common denominator of, *23*, 33
 - division of, *57*
 - equal, *12*
 - equal to finite decimals, 152
 - equivalent, *12*, 20–21
 - high school teachers' need for, *xxiv*
 - multiplication of, 26, *45*
 - order among, 12
 - reducing, 20

- research on the teaching of,
 - xxi–xxii
 - subtraction of, 38
 - sum of, 33
- Francis, Larry, 246, 291
- FTS, 51, 256, 263
- FTS*, 257
- full angle, 183
- fundamental assumption of school
 - mathematics (= FASM), 3
- fundamental assumption of school
 - mathematics (= FASM), 133
- fundamental fact of fraction-pairs
 - (= FFFP), 23
- fundamental principles of
 - mathematics, xiii, xxxix, 2, 75, 160, 178
- fundamental theorem of arithmetic, 149
- fundamental theorem of similarity
 - (= FTS), 256
- Gardiner, Tony, 198
- GCD, 138
- generality and abstraction, 299, 305–310
- geometric figure, 47
 - bounded, 194
 - data points on, 272, 274
 - paved by other geometric figures, 47
 - rectilinear, 269
 - unbounded, 194
- geometric mean, 132
- geometric series, 309
 - finite, 309
- geometry curriculum
 - issues with, 157–164
- Gödel’s incompleteness theorem, 169
- Goldbach conjecture, 147
- graph of a linear equation in two
 - variables, 353–354
- graph of an equation in two
 - variables, 352
- greater than
 - among numbers, 13, 91
- greatest common divisor (= GCD), 40, 138
- group, 211, 235, 240, 286
- Hald, Ole, 67, 86, 156, 198, 276
- half-line, 173, 253, 359
- half-plane, 176, 253
 - closed, 176
 - left, 334
 - lower, 334
 - right, 334
 - upper, 334
- half-planes
 - opposite, 176
- harmonic mean, 72
- heptagon, 171
- Heron’s formula, 296
- hexagon, 170, 171
- HL (criterion for triangle
 - congruence), 293
- horizontal line, 332
 - above, 334
 - below, 334
 - slope of, 347
- house-painting, 82, 86
- hypotenuse (of a right triangle), 290
- hypotenuse-leg (= HL), 293
- identity, 303–304
- identity transformation, 200
- if and only if, 22
- image (of a transformation), 205
- inequalities, 121
 - about absolute value, 127–130
 - about rational numbers, 121–125
- inequality, 12
 - arithmetic and geometric means, 127, 132
 - double, 126
 - triangle, 129
- infinite decimals, 14
- infinity of primes, 155
- injection, 205
- injective, 205
- inscribed (in a circle), 193
- inside
 - of a circle, 195
 - of a polygon, 196
- inside a circle, 186
- integers, 91
- integral domain, 133
- integral linear combination, 140
- interior angle of a polygon, 197

- intermediate value theorem, 195
- intersection (of sets), 165
- interval
 - closed, 126
 - closed bounded, 5, 169
 - length of, 126
 - open, 126
- inverse, 56
 - multiplicative, 56, 113
- inverse (of a transformation), 211, 211
- inverse transformation, 211
 - of a congruence, 240
 - of a reflection, 231
 - of a rotation, 211
 - of a similarity, 284
 - of a translation, 234
- invert and multiply rule, 1, 57, 59, 68, 71, 119
 - generalized form, 119
- irrational number, 153
- isolating the variable, 329
- isometry, 200
 - relation with congruence, 237, 250
- isosceles triangle, 193
 - controversy in TSM about its definition, 193
- Jordan curve theorem, 196
- key lemma, 144
- Koswatta, Sunil, 101
- (L1) (geometric assumption), 165
- (L2) (geometric assumption), 165
- (L3) (geometric assumption), 167
- (L4) (geometric assumption), 176
- (L5) (geometric assumption), 184
- (L6) (geometric assumption), 188
- (L7) (geometric assumption), 237
- (L8) (geometric assumption), 250
- lawn-mowing, 81
- LCM, 40, 41, 156
- least common denominator, xxii, 1, 32, 34, 40, 41, 134
- least common multiple (=LCM), 34, 156
- left (of a vertical line), 334
- left endpoint, 6
- left half-plane (of a vertical line), 334
- left-pointing (vector on number line), 100
- leg (of a right triangle), 290
- length
 - additivity property of, 98
 - of a segment, 7, 185
 - of a vector, 100, 220
 - of an interval, 126
 - preserve, 201
- less than
 - among numbers, 12
- line
 - defined by a linear equation in two variables, 354
 - joining two points, 166
 - segment (joining two points), 169, 358
 - slants / or \, 363
- line separation, 173
- line symmetry, 230
- linear equation, 300
 - in one variable, 323
 - in two variables, 352
- linear equations
 - simultaneous, 373
 - system of, 373
- linear polynomial, 313
- linear system, 373
 - determinant of, 377
 - in two variables, 373
 - of two equations in two unknowns, 373
 - relation with geometry, 374–375
 - solution by elimination, 380
 - solution by substitution, 380
 - solution set of, 373
 - relation with determinant, 377
- lines
 - distinct, 165
 - intersecting, 165
 - parallel, 165
 - perpendicular, 191
- locating a fraction on a number line, 15, 52
- lower half-plane, 334
- lowest terms (of a fraction), 138
- lowest terms (of fraction), 30

- m -th multiple (of a unit fraction), 10
- major arc, 190
- map (transformation), 200, 205
- mathematical engineering, xii
- mathematical integrity, xiii, xv, xix, xx, xxiii, xxviii, 159
- mathematics educator, xi, xxvii
- Mersenne prime, 309
- Mersenne, Marin, 308
- midpoint, 84, 192
- minor arc, 190
- minus sign, 97
- mirror reflection, 90
 - relation with addition, 93–96
 - relation with multiplication, 105–106
- mixed number, 36
- mixed numbers, 15
 - subtraction of, 39–40
- monomial, 312
- move, 205
- move (transformation), 200
- mph, 77
- multiple, 311
 - integral, 138
 - rational, 114
 - whole number, 10, 56
- multiplication algorithm for
 - decimals, 51
- multiplication of fractions, 26, 45
 - motivation for the definition, 43–45
- multiplication of rational numbers, 105–110
- multiplicative inverse
 - of a fraction, 56
 - of a rational number, 113, 114, 133, 134
- n factorial, 42
- n -gon, 171
- n -sided polygon, 171
- National Mathematics Advisory Panel, xxiv, 1
- negative degree (of a rotation), 203
- negative numbers, 91
- negative sign, 91
- negative times negative is positive, 107–110, 135
- nonagon, 171
- nonconvex, 190
- nonconvex angle, 182, 183, 186
- nonempty (set), 173
- nonvanishing, 377
- notational conventions
 - for expressions, 302
 - for polynomials, 312
- number, 6
 - irrational, 153
 - negative, 91
 - positive, 91
 - real, 6
 - whole, 6
- number expression, 302
- number line, 5, 6
 - mirror reflection on, 90
- numerator
 - of a complex fraction, 68
 - of a fraction, 10
 - of a rational quotient, 118
- obtuse angle, 191
- obtuse triangle, 191
- octagon, 171
- of (as in fraction of a fraction), 20, 24, 24–28
- one-to-one (= injective), 205
- one-to-one correspondence, 205
 - (= bijective), 205
- onto, 205
- onto (= surjective), 205
- open disk, 186
- open interval, 126
- opposite angles at a point, 276
- opposite half-planes, 176
- opposite rays, 174
- opposite sides
 - of a line in the plane, 176
 - of a point on a line, 174
 - of a quadrilateral, 193
- opposite signs, 125
- opposite vertices (of a quadrilateral), 227
- order
 - among fractions, 12
 - among numbers, 12, 91
- order of operations, 313
- ordered pair, 134, 332, 333

- origin of a coordinate system, 331
- parallel lines, 165
 distance between, 228
 equidistant, 258
- parallel postulate, 165
- parallel segments
 as abuse of notation, 256
- parallelogram, 193
 characterizations of, 260, 261
 equality of angles at opposite vertices, 227
 equality of opposite sides, 226
 opposite vertices of, 227
- partitive interpretation of whole number division, 28
- parts of a whole, 4
- Pascal, Blaise, 308
- pave, 47
- PEMDAS, 313, 314
- pentagon, 171
- percent, 73
 of a quantity, 73
- perfect square, 153
- perimeter of rectangle, 53
- perpendicular bisector, 192
- perpendicular lines, 191
- plane separation assumption, 176
- pointing in the same direction, 231
- polygon, 171
 confused with polygonal region, 197
 convex, 197
 diagonal of, 171
 edge of, 171
 inside of, 196
 region enclosed by, 196
 regular, 193, 197
 side of, 171
- polygonal region, 196
 confused with polygon, 195
- polygonal segment, 195
- polynomials, 312
 coefficients in, 312
 cubic, 313
 expanded forms of whole numbers as, 313
 factorization of, 314
 in several numbers, 317
 linear, 313
 notational conventions for, 312
 order of operations, 313
 quadratic, 313
- positive numbers, 91
- precision, xiii
 importance of, xxxi
- preserve degree (basic isometries), 203, 231, 236, 237
- preserve distance (transformations), 200
- preserve length (transformations), 201
- prime, 148, 151
- prime decomposition (of a whole number), 150, 151, 154
- prime number, 148
- primes
 infinity of, 155
- problem solving, xxxiv,
 xxxvi–xxxvii, xxxviii, xxxviii
- product formula, 43, 46, 47–51, 53, 69, 71, 134
- product of fractions, 45
- progression from the simple to the complex, 51, 249
- proper fraction, 36
- purposefulness, xiii
 importance of, xiii, xxxii–xxxiii, 140
- Pythagoras, 290
- Pythagorean theorem, 290
 converse of, 293
 dependence on the parallel postulate, 293
- Pythagorean triple, 384
- quadrants (of a coordinate system), 335
- quadratic equation
 in one variable, 322
- quadratic polynomial, 313
- quadrilateral, 171
- quotient (of a division), 57, 115
- quotient (of a division-with-remainder), 140
- quotient field (of an integral domain), 133

- radian, 191
- radius, 186
 - of closed disk, 186
 - of open disk, 186
- rate, 76, 81
- ratio, 75, 75
 - use in everyday context, 75
- rational expressions, 316
 - in several numbers, 317
- rational multiple, 114
- rational number addition, 92, 102
 - formulas for, 96, 97
- rational number division, 115
 - formula for, 119
- rational number multiplication, 105
 - formulas for, 107
- rational number subtraction, 96
- rational numbers, 90
 - as quotients of integers, 116
 - field of, 133
 - rationale for, 89
- rational quotient, 117
- ray, 174
 - from one point to another, 174
 - issuing from a point, 174
- rays
 - distinct, 175
 - opposite, 174
- real number, 6, 76, 153
- reasoning, xiii
- reciprocal (of a fraction), 57
- rectangle, 193, 251
 - area of, 48
 - existence of, 225
 - perimeter of, 53
- rectilinear figure, 269
- reduced form (of a fraction), 138
- reduced fraction, 138
- reducing fractions, 20
- reflection, 229
- reflexive property, 121
- reflexive relation, 241
- region, 197
 - connected, 195
 - enclosed by a polygon, 196
 - polygonal, 196
 - triangular, 197, 198
- regular polygon, 193, 197
- relation
 - equivalence, 241
 - reflexive, 241
 - symmetric, 240
 - transitive, 241
- relatively prime (integers), 138, 152
- removing parentheses, 97, 111
- research on the teaching of fractions,
 - xxi–xxii
- rhombus, 193
- right (of a vertical line), 334
- right angle, 191
- right half-plane (of a vertical line),
 - 334
- right triangle, 191
 - hypotenuse, 290
 - leg, 290
- right-pointing (vector on number
 - line), 100
- rise-over-run, 298, 347
- rotation, 202
 - center of, 202
 - counterclockwise, 201
 - of θ degrees around a point, 202
- same direction, 231
- same length, 6
- same side
 - of a line in the plane, 176
 - of a point on a line, 174
- same sign (for two numbers), 122
- SAS, 245
- SAS for similarity, 287
- satisfies an equation, 322
- scale factor
 - in FTS, 256
 - of a dilation, 268
 - of a similarity, 284
- scaled coordinate system, 361
- Schoenfeld, Alan, xv, xviii
- school geometry curriculum
 - issues with, 157–164
- school mathematics, xii
- segment, 5, 169
 - divided into n equal parts, 9
 - endpoints of, 169
 - length of, 7, 185
 - midpoint of, 84
 - short, 8

- unit, 6
- sequence of n -ths, 9, 10
- sequence of fifths, 9
- sequence of thirds, 8, 9
- setting up a coordinate system, 332
- short segment, 8, 26
- Shulman, Lee, xiv, xxiv
- side
 - of a polygon, 170, 171
 - of an angle, 182
- sign (of a number), 339
 - opposite, 125
 - same, 122
- similar to, 284
- similarity, 284
 - equivalence relation, 285
 - reflexive relation, 285
 - scale factor of, 284
 - students' confusion in TSM, 158–159
 - symmetric relation, 285
 - transitive relation, 285
- slant, 363
- slantangle, 225
- slope, 297, 346
 - formula for, 347, 348
 - local slope at O , 339
 - local slope at a point, 342
 - what it is for, 338–342
- slope-intercept form (of the equation of a line), 356
- slopes
 - of parallel lines, 363
 - of perpendicular lines, 366
- smaller than
 - among numbers, 12, 37, 91
- solution (of an equation), 322
- solutions of an equation in two variables, 351
- solving an equation, 300, 323
 - meaning of, 324–329
 - pedagogical comments on, 327
- speed, 76–77, 78
- square, 193
- square root, 148
- SSS, 51
- standard representation (of a fraction), 8
- starting point (of vector), 100, 219
- straight angle, 183
- straight line, 164
- substitution, method of, 380
- subtraction
 - of rational numbers, 91
- subtraction algorithm for decimals, 40
- subtraction as addition, 39, 96
- subtraction of fractions, 36, 38–41
- subtraction of rational numbers, 96–98, 99
- sum of fractions, 33
 - formula for, 33
- sum vector (of two vectors on number line), 101
- surjection, 205
- surjective, 205
- symbols
 - basic etiquette in the use of, 299
 - need for, 301
 - need to quantify, 299
- symmetric relation, 240
- symmetric with respect to a line, 219, 230
- Taylor polynomial, 312
- terminating decimals, 14
- Textbook School Mathematics (= TSM), xiv
- theorem on equivalent fractions, 20, 21–23, 24, 26, 37, 139, 153
- transformation, 200
 - bijjective, 205
 - composite, 208
 - constant, 200
 - folding, 207
 - identity, 200
 - image of, 205
 - image under, 205
 - injective, 205
 - inverse, 211
 - issues with using coordinates, 207
 - maps a point to a point, 200
 - moves a point to a point, 200
 - rationale for, 199–200
 - surjective, 205
- transformations
 - composition of, 208

- equal, 208
- transitive property, 121
- transitive relation, 241
- translation, 6
 - coordinate description, 368
- translation (along a vector), 234
- transversal (of lines), 224
- trapezoid, 193
- triangle, 171
 - acute, 191
 - equilateral, 193
 - isosceles, 193
 - obtuse, 191
 - right, 191
 - sum of angles, 279
- triangle congruence, 245
 - special conventions of, 245
- triangle inequality, 129
- triangle similarity, 287
 - special conventions of, 287
- triangular region, 197, 198
- trichotomy law, 121
- trinomial, 313
- TSM, *xiv*, xxvii–xxxv, xxxvii, 1–5, 7, 13, 14, 29, 30, 32, 35–37, 40, 43, 48, 53–56, 62, 64, 67–70, 72–76, 81–82, 114–115, 119–120, 130, 139, 147, 154–155, 157–163, 166, 200, 244, 255–283, 297–298, 302, 313–314, 318–320, 322, 324–325, 327, 329, 337–338, 347, 351–352, 361–363, 374, 380
- unbounded, 194
- union (of sets), 9
- uniqueness, 55–57, 71, 112, 113, 115, 139, 144, 147–151, 165, 184, 188, 192, 216, 232, 234, 236, 326, 331, 377
- unit, 6
 - circle, 186
 - disk, 186
- unit distance, 7
- unit fraction, 10, 42
- unit length, 7
- unit segment, 6
- unit square, 47
- unknown, 301, 322
- upper half-plane, 334
- vanishing, 377
- variable, 297–298, 301, 323
 - defect of teaching in TSM, 302, 318–320
 - isolating the, 329
 - not a mathematical concept, 319
- vector
 - in the plane, 219
 - length of, 220
 - on a number line, 100
- vertex, 170, 171
 - of a polygon, 171
 - of a ray, 174
 - of an angle, 182
- vertical line, 332
 - left of, 334
 - right of, 334
- Viète, François, 301
- weak inequality, 13
- well-defined, 45, 57, 138, 168–169, 185, 202, 215, 218, 219, 229, 253, 333
- whole (as in parts of a whole), 4, 7
- whole number multiple, 56
- whole number multiple (of a unit fraction), 10
- whole numbers, 6
 - division of, 29
- x*-axis, 331
 - negative, 332
 - positive, 332
- x*-coordinate of a point, 332
- x*-intercept, 357
- y*-axis, 331
 - negative, 332
 - positive, 332
- y*-coordinate of a point, 332
- y*-intercept, 356
- zero angle, 183
- zero product property, 114
- zero product rule, 114
- zero vector, 100