

Index of Topics

- q -Eulerian numbers, 334–338, 349
- q -Fibonacci numbers, 66, 127
 - r^{th} order, 361, 363
- q -Pascal recurrences, 17–18, 26–27, 37, 41, 45–46
 - for q -multinomial coefficients, 30, 321–323
 - iterated, 21–22
- q -Pfaff–Saalschütz identity, xiv, 36, 240–243, 256, 472, 478
- q -Taylor theorem, 59, 142, 144
- q -binomial coefficients, xi, 15–29, 311–315
 - Fundamental Property of, xii, 16–19, 26, 29, 37, 41
- q -binomial series, 133, 227
- q -derangement numbers, 324–330
- q -derivative, xii, xiv, 57–61, 141–148, 331–333, 340–341
- q -exponential functions, 141–148, 329, 339
- q -factorials, 8–14, 305–310
- q -multinomial coefficients, 29–36, 316–323
 - Fundamental Property of, 29
 - set partition property, 30
- q -trigonometric functions, xiv, 339–348

- Abel’s limit theorem, 370, 372, 375
- Agarwal’s q -binomial theorem, 56, 92, 472
- AKP identity, 364, 375
- Andrews’s q -binomial theorem, 54, 92
- Andrews’s q -Pfaff transformation, 233
- Andrews’s lemma, 235
- Askey–Wilson integral, 465

- Bachet’s theorem, 288
- Bailey chain, 476, 482
- Bailey pair, 471, 472, 475, 476
- Bailey’s formula, 437–439, 442, 444, 449
- Bailey’s lemma, 474–476
- Bailey’s transform, 471
- Bailey’s very well poised ${}_6\phi_5$ sum, 452, 478
- Bailey’s very well poised ${}_6\psi_6$ sum, xiv, 449–465, 475
- Bailey–Daum summation formula, 233, 236, 237, 244, 274

- calculus of finite differences, 57
- Carlitz coefficients, 20
- Carlitz’s theorem, 334–338
- Cauchy sequence, 429
- Cauchy’s mistaken identity, 263–266
- Cauchy/Crelle series, xiii, 132–140, 145, 148, 221, 227, 259, 260, 264, 268
- Cayley’s theorem, 116, 161
- Chen–Chu–Gu identity, xiii, 90–92, 214
- crossing diagrams, 12
- cyclic derivative, 44, 92

- derangements, 323–330
 - reduced, 324, 327
- divisor sums, 167–175
- Double Lebesgue identity, 233, 236
- double Lebesgue identity, 223, 226, 244
- Durfee square, 157–167, 352, 354, 355

- Euler numbers, 343
- Euler’s “odd equals distinct” theorem, 99, 102, 217, 223, 275, 276, 423, 432, 470
 - Sylvester’s refinement of, 182
- Euler’s constant, 496, 500
- Euler’s divisor sum theorem, 170
- Euler’s lemma, 115, 148, 150, 153
- Euler’s pentagonal number theorem, xiii, 149–157, 160, 165–167, 169, 194, 205, 290, 293, 351, 420
- Eulerian numbers, 311
- Eulerian polynomials, 310, 349

- Ferrers diagram, 106, 116, 158, 165, 180, 187, 201, 286, 309, 320, 352, 353, 386–389
- Fibonacci numbers, 292
- Foata alphabet, 34
- Franklin triangle, 159–167, 352, 354, 355
- Franklin’s rule, 165
- Frobenius symbol, 202, 205, 244
 - modified, 203

- Göllnitz–Gordon continued fraction, 412
- Göllnitz–Gordon identities, xiii, xiv, 406–416

- Gauss's q -binomial theorems, xii, 61–66,
124, 185, 188, 342
- Gessel's theorem, 324, 330, 349
- GIS identity, 365, 375
- Glaisher's bijection, 100, 181, 187, 366, 370
- Gordon's theorem, 436
- Heine's q -Euler transformation, 229, 239
- Heine's q -Gauss summation formula, 228,
240
- Heine's q -Pfaff transformation, 228, 232
- Heine's intermediate transformation, 229,
231, 232, 372
- identity theorem for analytic functions,
461, 470, 482
- inclusion-exclusion principle, 329, 349
- inversions, 1–37, 40, 313, 316–319, 346–348
between-set, 25–30, 348
- Jackson's q -Dougall identity, 478, 482
- Jacobi's q -binomial theorem, xii, 71–73, 85,
92, 134
- Jacobi's q -Gauss summation formula, 228
- Jacobi's q -Gauss summation formula, 234,
251, 252
- Jacobi's cube identity, 205, 290, 301
- Jacobi's Durfee square identity, 158–159,
162, 197–199, 259–260, 389
- Jacobi's eight square theorem, xiv, 445,
447–448, 462, 482
- Jacobi's four square theorem, xiv, 283–288,
465
- Jacobi's triple product identity, xiii–xiv,
131, 158, 191–213, 217, 218, 247, 250,
253, 265, 266, 268, 275, 276, 282, 303,
351, 354, 379, 390–392, 404, 410, 417,
440, 462
- Jacobi's two square theorem, xiv, 278–282,
288, 464
- Jordan–Kronecker function, 288
- Lagrange's four square theorem, 286, 288
- Lebesgue's identity, 221–227, 233, 237, 244,
407
- Legendre's four square theorem, 285, 286,
288
- little Göllnitz identities, 407
- Lucas numbers, 292
- MacMahon's q -binomial theorem, xiii,
74–79, 90, 92, 201, 207, 243, 258
- MacMahon's theorem, xiv, 316, 319, 321,
349
- major index, 305–309, 311–323, 338
- Nicole's identity, 115, 148
- Pólya's property, 18, 19, 38, 116
- partitions, xiii, 94–132, 136, 148, 152,
157–167, 180–189, 319–321, 351–356,
365–375, 383–388, 399–403, 412–415
broken, 326
conjugate, 107, 202
deranged, 327
excesses, 117
fixed, 326
labeled, 309, 325
Schur, 366, 370, 374
self-conjugate, 108, 113
standard labeled, 308, 325
permutations, 1–26, 29, 30, 33, 305–349
conjugate of, 4
down-up, 344
falls, 305–338
self-conjugate, 7, 13, 32
up-down, 344
- Potter–Schützenberger q -binomial theorem,
xii, 41, 47, 49, 57, 91, 147
- problème des rencontres, 323, 349
- Putnam exam, 148, 173, 493
- Pythagorean triples, 279–280, 288
- quintuple product identity, xiii–xv,
214–221, 244, 266, 269, 294, 461, 462
- Ramanujan's q -Gauss summation formula,
228, 268
- Ramanujan's ${}_1\psi_1$ summation formula, xiii,
xiv, 247–269, 271, 457, 461, 482, 499
- Ramanujan's "lost notebook", 244, 269,
436, 481
- Ramanujan's "most beautiful" identity,
xiv, 292–298, 303, 443, 481
- Ramanujan's congruences, 289–291, 301,
303
- Ramanujan's notebooks, 244, 268, 443
- Ramanujan's reciprocity theorem, 266, 269
- Ramanujan's transformation, 231, 244
- reciprocal polynomials, 13, 19, 334
- Rodrigues's theorem, 9, 29
- Rogers–Fine identity, 237, 244
- Rogers–Ramanujan continued fraction, 381
- Rogers–Ramanujan identities, xiv, 292,
351–363, 375, 377–394, 396, 416,
421–423, 432, 434–436, 478, 479, 482,
499
- Rogers–Selberg function, 417–436
fundamental recurrence, 419, 420, 424,
427, 434
- Rothe diagram, 5, 7
- Rothe's q -binomial theorem, xii, 47–57, 59,
60, 72, 74, 78, 91, 129, 130, 134, 136,
224, 261, 406
- Rowell's identity, 69, 92, 224
- Schur shape, 352–355
- Stanley–Gessel theorem, 347–349

Stern's problem, 1, 12, 31, 37, 120, 309
Sylvester's fishhook bijection, xii, 180–189,
370
Tannery's theorem, xiii, 201, 207, 214, 224,
258, 271, 361, 479, 497–499
theta product, 194
totally noncommutative binomial theorem,
40
triangular numbers, 109, 286, 446–447
unimodal, 13, 19
Wachs's theorem, 325, 349
Warnaar's formula, 440
Watson's transformation, xiv, 471,
477–478, 482
Z-identity, 33, 241