

Contents

Introduction	1
Historical background	2
The main results	3
Overview of the paper	4
Guide	5
Notation	6
Chapter 1. The curve, explicit divisors, and relations	7
1.1. A generalization of the Legendre curve	7
1.2. Explicit points and the visible subgroup	9
1.3. Relations	11
1.4. Torsion	12
1.5. First main theorem	14
1.6. Complement: Other curves	15
Chapter 2. Descent calculations	17
2.1. The isogeny ϕ	17
2.2. The homomorphism $(x - T)$	18
2.3. The image of $(x - T)$	21
2.4. Proof of the main theorem	21
Chapter 3. Minimal regular model, local invariants, and domination by a product of curves	23
3.1. Models	23
3.2. Local invariants of the Néron model	32
3.3. Domination by a product of curves	33
Chapter 4. Heights and the visible subgroup	39
4.1. Height pairing	39
4.2. A group-theoretic pairing	49
4.3. Structure of the visible subgroup	51
4.4. Discriminants	56
Chapter 5. The L -function and the BSD conjecture	59
5.1. The L -function	59
5.2. The conjecture of Birch and Swinnerton-Dyer for J	61
5.3. Elementary calculation of the L -function	62
5.4. Ranks	65
Chapter 6. Analysis of $J[p]$ and $\text{NS}(\mathcal{X}_d)_{\text{tor}}$	71
6.1. Kodaira-Spencer and p -torsion	71

6.2. Néron-Severi of \mathcal{X}_d is torsion-free	81
Chapter 7. Index of the visible subgroup and the Tate-Shafarevich group	91
7.1. Visible versus Mordell-Weil	91
7.2. Tamagawa number	94
7.3. Application of the BSD formula	98
Chapter 8. Monodromy of ℓ -torsion and decomposition of the Jacobian	101
8.1. Statement of results	101
8.2. New and old	102
8.3. Endomorphism rings	104
8.4. The Λ -module structure of $J[\ell]$	107
8.5. Monodromy of $J[\lambda]$	108
8.6. Independence	113
8.7. Conclusion	118
Appendix A. An additional hyperelliptic family	121
A.1. Introduction	121
A.2. The BSD conjecture	121
A.3. Descent	122
A.4. Degree of the L -function	126
A.5. Additional remarks	127
Bibliography	129