

Contents

Chapter 1. Introduction	1
Chapter 2. Notation and Preliminary Results	9
2.1. General linear groups	9
2.2. Classifications of admissible duals of general linear groups	10
2.3. Classical groups – basic definitions	11
2.4. Twisted Hopf algebra structure	12
2.5. Some formulas for M^*	14
2.6. Langlands classification for classical groups ([49], [11], [26], [43], [72])	14
2.7. Irreducible subquotients of induced representations of classical groups	15
2.8. Involution	15
2.9. Reducibility point and generalized Steinberg representations	16
2.10. Representations of segment type	16
2.11. Jordan blocks	18
2.12. Induction of GL-type	20
2.13. Technical lemma on irreducibility	20
2.14. Distinguished irreducible subquotient in induced representation	21
2.15. Some well-known ways of obtaining unitarizability	24
2.16. Reduction of unitarizability to the weakly real case	25
2.17. Computing irreducible subquotients	26
Chapter 3. Unitarizability in the Critical Case (Corank 1 and 2)	27
3.1. Extreme cases	27
3.2. Tempered representations in critical case, corank ≤ 3	28
3.3. Composition series in critical case, corank one	30
3.4. Composition series in critical case, corank two	31
Chapter 4. Unitarizability in the Critical Case (Corank 3, $\alpha > 1$)	37
4.1. $\mathbf{x} = (\alpha, \alpha + 1, \alpha + 2)$ and $\alpha \geq \frac{1}{2}$	37
4.2. $\mathbf{x} = (\alpha, \alpha + 1, \alpha + 1)$ and $\alpha \geq 1/2$	37
4.3. $\mathbf{x} = (\alpha, \alpha, \alpha + 1)$ and $\alpha \geq 1$	38
4.4. $\mathbf{x} = (\alpha, \alpha, \alpha)$ and $\alpha \geq 1$	40
4.5. $\mathbf{x} = (\alpha - 1, \alpha, \alpha + 1)$ and $\alpha > 1$	40
4.6. $\mathbf{x} = (\alpha - 1, \alpha, \alpha)$ and $\alpha > 1$	44
4.7. $\mathbf{x} = (\alpha - 1, \alpha - 1, \alpha)$ and $\alpha > 1$	46
4.8. $\mathbf{x} = (\alpha - 2, \alpha - 1, \alpha)$ and $\alpha \geq 2$	49
Chapter 5. Remaining Cases for $\alpha = \frac{1}{2}$ and $\alpha = 1$	53
5.1. $\mathbf{x} = (0, 1, 2)$ and $\alpha = 1$	53
5.2. $\mathbf{x} = (0, 1, 1)$ and $\alpha = 1$	57

5.3.	$\mathbf{x} = (0, 0, 1)$ and $\alpha = 1$	59
5.4.	$\mathbf{x} = (\frac{1}{2}, \frac{1}{2}, \frac{3}{2})$ and $\alpha = \frac{1}{2}$	60
5.5.	$\mathbf{x} = (\frac{1}{2}, \frac{1}{2}, \frac{1}{2})$ and $\alpha = \frac{1}{2}$	65
Chapter 6.	The Case $\alpha = 0$	67
6.1.	$\mathbf{x} = (0, 1, 2)$ and $\alpha = 0$	67
6.2.	$\mathbf{x} = (0, 1, 1)$ and $\alpha = 0$	74
6.3.	$\mathbf{x} = (0, 0, 1)$ and $\alpha = 0$	75
6.4.	$\mathbf{x} = (0, 0, 0)$ and $\alpha = 0$	77
Chapter 7.	Introductory Remarks on Unitarizability and Corank 2	79
7.1.	Corank 1	79
7.2.	Corank 2	80
7.3.	General principles related to graphic interpretations (cf. §2.15)	80
7.4.	Proof of Proposition 7.2 for $\alpha \geq 1$	80
7.5.	Proof of Proposition 7.2 for $\alpha = \frac{1}{2}$	81
7.6.	Proof of Proposition 7.2 for $\alpha = 0$	82
Chapter 8.	Unitarizability in Corank 3	85
8.1.	One-parameter complementary series	85
8.2.	Regular components, unitarizability	86
8.3.	Two-parameter complementary series – slanted hyperplanes case	88
8.4.	Two-parameter complementary series – level hyperplanes case	94
8.5.	Three-parameter complementary series	98
8.6.	Conclusion	101
8.7.	Conjectures	104
Chapter 9.	Unitarizability in Mixed Case for Corank ≤ 3	105
9.1.	Jantzen decomposition	105
9.2.	Preservation of unitarizability by decomposition in corank ≤ 3	106
Appendix A.	The Arthur Packet of $L(\nu^\alpha \rho, \nu^{\alpha-1} \rho; \delta(\nu^\alpha \rho; \sigma))$ by Colette Mœglin	111
A.1.	The representations	111
A.2.	The parameters	111
A.3.	The result	111
Appendix B.	Jacquet Module of $L(\nu^\alpha \rho, \nu^{\alpha-1} \rho; \delta(\nu^\alpha \rho; \sigma))$	113
Bibliography		117