

## Subject Index

- absolute Frobenius morphism,  
1
- annihilator, 153
- Atkin–Lehner involution, 23
- Brauer group, 150
- character
  - of  $f$ , 70
- congruence relation, 73
- connected component, 205
- cup product, 149
- curve, 179
- cyclic group scheme, 9
- diamond operator, 22, 67
- Dieudonné module, 191
- divisor, 199
- divisor class group, 199
- divisor group, 199
- Drinfeld level structure, 13
- dual chain complex, 182
- dual local condition, 158
- Eisenstein ideal, 77
- étale
  - filtered  $\varphi$ -module, 192
- exact order  $N$ , 13
- extension, 147, 196
- filtered  $\varphi$ -module, 192
- finite  $G$ -module, 143
- finite  $R$ - $G$ -module, 143
- Frobenius morphism, 23
- full Hecke algebra, 110, 130
- full set of sections, 6
- $G$ -coinvariant, 144
- generator, 9
- genus, 179
- good, 208
- good reduction, 182, 205
- Hecke algebra, 62, 67
- Hecke module, 114, 134
- Hecke operator, 67
- Igusa curve, 33
- index, 182
- infinitesimal deformation, 146
- infinitesimal lifting, 146
- Jacobian, 203
- $\ell$ -divisible group, 208
- local condition, 157
- minimal resolution of  
singularities, 188
- multiplicative
  - filtered  $\varphi$ -module, 192

- Néron model, 205
- node, 180
- non-Eisenstein, 123
- non-Eisenstein ideal, 78
- norm
  - of an invertible sheaf, 202
- old part, 91
- 1-cocycle, 144
- ordinary, 2
  
- perfect complex, 136
- Petersson product, 65, 68
- Picard functor, 202
- Picard group, 201
- preserve the determinant, 146
- primary form, 70
- principal divisor, 199
- profinite group, 143
  
- relative Frobenius morphism,
  - 2
- right bounded, 136
  
- scheme of generators, 10
- Selmer group, 157
  - of an elliptic curve, 158
- semistable, 182, 208
- semistable reduction, 182, 205
- singular chain complex, 137
- strongly divisible, 192
- supersingular, 2
  
- Tate curve, 51
- Tate twist, 150
  
- unramified part, 151
  
- weakly semistable, 182