

Index

- Acyclic resolution, 11
- Adjoint functors, 12, 15, 98, 112
- Algebraic torus, 115
 - of dimension one, 117
 - of dimension two, 136
 - rationality, 116, 136
- Amitsur's conjecture, 62
- Archimedean valuation, 139
- Artin–Mumford example, 101
- Artin–Schreier theory, 37
- Azumaya algebra, 75, 164

- Brauer group, *see also* Unramified Brauer group
 - cohomological definition, 48
 - of a complete discrete valuation field, 71
 - of a field, 48
 - of a field of type C_1 , 56
 - of a finite field, 57
 - of a non-archimedean local field, 72
 - of a scheme, 75
 - of \mathbb{R} , 51
- Brauer–Manin obstruction, 148, 149, 154

- Category fibered over fields, 19
- Central simple algebra, 47
- Châtelet surface, 121
- Chevalley–Warning theorem, 57
- Clifford invariant, 95
 - geometric meaning, 97
 - unramified, 98
- Coboundary map, 7
- Cohomology, *see also* Étale cohomology,
 - l -adic cohomology
 - corestriction, 16
 - direct image, 14
 - H^1 , 5, 18, 26, 29, 35, 36, 40, 161
 - H^2 , 5
 - inflation, 16
 - inverse image, 11
 - of a cyclic group, 6
 - of a finite group, 16
 - of a group, 3
 - of a profinite group, 34
 - of an abelian sheaf, 160
 - of an inverse limit, 41
 - restriction, 15
 - with coefficients in \mathbb{Q}/\mathbb{Z} , 17
 - with coefficients in a stably permutation module, 18, 36
 - with non-abelian coefficients, 8, 161
- Coinduction, 12
- Complete discrete valuation field, 65
- Crossed homomorphism, 5
- Cyclic algebra, 52

- Descent, 21
 - for a universal torsor, 119
 - for projective varieties, 25
 - for quasi-projective varieties, 24
 - for vector spaces, 23
- Descent data, 20, 161
- Dihedral
 - group, 122
 - pair, 122, 128
- Direct limit, 33
- Direct system, 33
- Discrete module, 33
- Discrete valuation, 65
- Discriminant (of a quadric), 93
- Discriminant
 - geometric meaning, 96
- Division algebra, 47
- Divisorial valuation, 73
- Dual Galois module (of an algebraic torus), 117
- Dual torus (of a Galois module), 117

- Endo–Miyata theorem, 125
- Esnault's theorem, 57
- Étale
 - covering, 159
 - cohomology, 76, 159
 - morphism, 159
 - sheaf, 159
 - topology, 159
- Extension of a discrete valuation, 68

- Faddeev's theorem, 75
- Fibered category, *see also* Category fibered over fields
- Field of type C_1 , 56, 68
- Form (of an object), 21, 26, 30, 36

- Galois cohomology, 19
- Geometrical irreducibility, 59
- Global field, 140
- Global pairing, 147
- Group extension, 5

- Hasse norm theorem, 145
- Hasse principle, 145
 - failure, 149, 154, 157
- Hensel's lemma, 65
- Hilbert symbol, 69
- Hilbert's Theorem 90, 27

- Index (of an element in a Brauer group), 55
- Inverse limit, 31
- Inverse system, 31
- Iskovskih's theorem, 124

- K_2 , *see also* Milnor K-group
- Kummer exact sequence, 37, 162
- Kummer theory, 36

- l -adic cohomology, 161
- L -form, *see also* form (of an object)
- Lang's theorem, 68
- Local field, 72, 140
- Local pairing, 147, 152

- Merkurjev–Suslin theorem, 53
- Milnor K-group, 53
- Minkowski–Hasse theorem, 140
- Model, 78

- Néron–Severi torus, 119
- Non-archimedean
 - local field, 72
 - valuation, 139
- Non-rationality, 87, 105, 124, 127
- Norm map
 - for algebraic tori, 116
 - for modules, 6
- Norm residue symbol, 53

- Opposite algebra, 47
- Ordinary double point, 101
- Ostrowski's theorem, 140

- Permutation module, 17, 36
- Permutation torus, 118
- Pfister quadric, 93
- Picard group as a stably permutation module, 39, 120, 125
- Principal homogeneous space, *see also* torsor
- Profinite
 - completion, 31
 - Galois theory, 32
 - group, 31
 - Projective model, 78
 - Pull-back, 11

- Quadric, 93
- Quaternion algebra, 51

- Ramification index (of a field extension), 66
- Rationality, *see also* Non-rationality
- Reduced norm, 56, 81
- Relatively minimal conic bundle, 124
- Residue, 69
 - geometric meaning, 78
 - triviality for almost all divisors, 77

- Semilinear action, 22
- Severi–Brauer variety, 30, 58, 80
 - class in a Brauer group, 59
 - morphisms, 62
 - triviality, 59
- Shapiro's lemma, 13
- Smooth model, 78
- Split algebraic torus, 115
- Stable non-rationality, 87, 105
- Stable rationality, 75, 127
- Stably birational varieties, 75
- Stably permutation module, 18, 36, 39
- Stably permutation torus, 118
- Stack, 162
- Standard complex, 4, 160
- Steinberg relation, 53
- Symbol (in a K-group), 53

- Torsor, 40
- Torus, *see also* Algebraic torus
- Totally ramified field extension, 66
- Tsen's theorem, 57
- Twist by a 1-cocycle, 27

- Uniformizer, 65
- Unirationality, 87, 106, 108
- Universal torsor, 119, 120, 125
- Unramified Brauer group
 - as a stable birational invariant, 73, 88, 103, 164
 - of a field, 73
 - of a variety, 76
 - ordinary double points, 102
 - under a purely transcendental extension, 73
 - via étale cohomology, 76, 101, 164
- Unramified field extension, 66

- Valuation, 139
- Valuation ideal, 65
- Valuation ring, 65
- Voskresenskii's theorem, 136

- Weak approximation theorem, 140
- Wedderburn's theorem, 47
- Weil restriction, 111
 - of affine varieties, 113
 - of projective varieties, 114
 - of rational varieties, 114