
Index

- \emptyset' , 129, *see also* halting set
- 1-randomness, 159
- 1-reduction, 133

- Ackermann function, 53
- alphabet, 87
- and, logical, 9
- antecedent, 10
- antisymmetry, 22
- arithmetic
 - Peano, 173, 175, 183
 - Robinson, 104, 173
 - second-order, 178
 - standard model, 104, 173
- arithmetic transfinite recursion, 183
- arithmetical
 - completeness, 133
 - comprehension axiom, 183
 - hierarchy, 131
- arity, 103, 170
- Arslanov completeness criterion, 143
- associativity, 33
- automorphism, 30
 - of a lattice, 147
- axiom of a production system, 88
- axiomatizable, 163

- base case, 31
- Berry's paradox, 163

- bijection, 30
- binary sequence, 43, 157
- binary string, 43, 157
- bit-flip, 46
- Boolean algebra, 147
- bounding, 186
- $B\Pi_n^0$, 186
- $B\Sigma_n^0$, 186

- c.e., *see* computably enumerable
- capping, 150, 153
- cardinality, 20, 25, 191
- Cartesian product, 16
- Chaitin's Ω , 165
- characteristic function, 43
- Church-Turing thesis, 65
- closure operator, 33
- co-c.e., 102
- code, 56
 - of a Turing machine, 59
- codomain, 29
- cofinite, 106
- coinfinite, 106
- complement, 17
- completeness theorem, 103, 172
- composition, 51
 - via indices, 80
- comprehension, 179
 - arithmetical, 183
 - Π_1^1 , 184

- recursive, 179
- computable
 - function, 65
 - set, 96
- computable model theory, 174
- computably (in)separable sets, 101, 136, 175
- computably categorical, 176
- computably enumerable set, 97
 - relativized, 129
- conjunction, 9
- consequent, 10
- contradiction, 10
- countable, 20
- countably infinite, 20
- cupping, 150, 153
 - low, 151
- De Morgan's Laws
 - for predicate logic, 10
 - for sets, 19
- decidable, 85
- definability, 147, 150
- degree, *see* Turing degree
- degree invariance, 154
- diagonalization, 63, 105, 190
- diagonally non-recursive, 185
- disjoint, 16
- disjoint union, 101
- disjunction, 10
- domain
 - of a function, 29
 - of quantification, 13
- domination, 64
- dovetailing, 96
- \mathcal{E} , 146, 153
- \mathcal{E}^* , 146
- effective, 97
- effective countability, 56, 62
- embedding, 150
- enumeration of Turing machines, 60
- equality
 - for partial functions, 42
 - for sets, 15, 19
- equivalence class, 25
- equivalence relation, 25
- equivalence, logical, 11
- finite difference, 114, 145
- first-order theory, 173
- fixed-point theorem, 81
- function
 - Ackermann, 53
 - characteristic, 43
 - computable, 65
 - equality, 42
 - pairing, 57
 - partial, 42
 - partial recursive, 54
 - primitive recursive, 50
- Gödel's incompleteness, 105, 145, 163, 178
- graph
 - general mathematical, 33
 - of a function, 29, 100, 113
 - of a relation, 24, 27
- greatest lower bound, 28
- halting probability, 165
- halting set, 78, 99, 114, 128, 129, 133
 - relativized, 129
- high set, 154
- implication, logical, 10
- incompleteness theorem, 105, 145, 163, 178
- independent sentence, 104
- index, 60
- index set, 82, 86, 135
- induction, 179
 - on \mathbb{N} , 31
 - on recursively defined sets, 35
- inductive step, 31
- injection, 29
- injury, 116, 121
- internal state, 44
- interpretation, 103, 170
- intersection, 16, 18
- interval, 158
- invariance, 147
 - for degrees, 154
- isomorphism, 29
- join, 101, 127, 128, 130, 146
- jump, 129

- omega, 130
- K , 78, *see also* halting set
- $K(\sigma)$, 159
- K -trivial, 169
- KC Theorem, 161
- Kolmogorov complexity
 - plain, 167
 - prefix-free, 159
- Kraft inequality, 160, 166
- lambda calculus, 69
- language, 103, 170
- lattice, 146
 - complemented, 146
 - distributive, 146
 - embedding, 150
 - nondistributive, 152
- least upper bound, 28
- left-c.e. set, 125, 166
- limit lemma, 139
- limit, discrete, 41, 140
- linear order, 27, 176
- low basis theorem, 183
- low for random, 169
- low set, 130, 140
 - noncomputable, 142
- lower bound, 28
- maximal set, 154
- measure, 158
- meet, 128, 146
- model, 103, 170, 180
- modular arithmetic, 26
- modulus, 140
 - lemma, 140
- μ , 55
- negation, 10, 15
- nondeterministic Turing machine, 68
- nonstandard model, 104, 174, 175
- nonuniformity, *see* uniformity
- not, 10
- Ω , 165
- or, logical, 10
- oracle, 109
 - finite, 111
 - notation, 111
- oracle Turing machine, 109
- orbit, 147
- overspill, 175
- padding lemma, 60
- pairing function, 57
- parameter, 180
- parametrization, 79
- partial computable functions, 65
- partial function, 42
 - argument for allowing, 55, 62
- partial order, 27
- partition, 26
- Peano arithmetic, 173, 175
 - in reverse math, 183
- permutation, 30
- φ_e , 60
- Π_1^1 comprehension axiom, 184
- pigeonhole principle, 186
- plain Kolmogorov complexity, 167
- poset, 27
- Post correspondence system, 91
- Post's problem, 115, 120
- Post's theorem, 134
- power set, 16, 192
- predicate, 13
- prefix-free
 - Kolmogorov complexity, 159
 - Turing machine, 158
- primitive recursion, 51
- priority, 116, 117, 121
- product, Cartesian, 16
- production, 87
 - normal, 88
 - semi-Thue, 88
- projection, 51
- quantifiers, 13
 - alternation of, 131
 - collapsing like, 133
- quotient structure, 25, *see also* Turing degree, \mathcal{E}^*
- randomness, 155, 159
 - and Turing degree, 165
 - for finite strings, 159
 - relative, 168
- range, 29

- read/write head, 44
- recursion theorem, 81
 - with parameters, 142
- recursive, 96
- recursive comprehension axiom, 179
- recursive definition
 - of a function, 35
 - of a set, 33
- reduction property, 100
- reflexivity, 22
- relation, 21
- relative randomness, 168
- relativization, 128
- requirement, 106, 117
 - injury, 116
 - priority, 116
 - satisfaction, 107
- restriction, 112, 157
- reverse mathematics, 177
- Rice's theorem, 82
- Robinson arithmetic, 104, 173
 - nonstandard model, 174
- s-m-n* theorem, 79, 82, 84
 - relativized, 128
- satisfaction, 107
- second-order arithmetic, 178
- second-order theory, 173, 178
- semantics, 103, 172
- semi-Thue system, 88, 92
- sentence, 13
- sequence, 43, 157
- set, 15
 - arithmetical, 131
 - bi-immune, 124
 - computable, 96
 - computably enumerable, 97
 - creative, 145
 - d.c.e., 125
 - high, 154
 - left-c.e., 125, 166
 - low, 130, 140
 - maximal, 154
 - productive, 145
 - simple, 106, *see also* simple set
- simple set, 106, 117, 146, 164
 - effectively, 145
 - incomplete, 120, 142
 - nowhere, 153
 - promptly, 151
- solvable, 85
- soundness theorem, 103, 172
- splitting theorem, 153
- stage bounding
 - notation, 96, 100, 111
 - use of, 111, 118, 121, 136
- standard model, 104, 173
- string, 43, 157
- structure, 170
 - computably categorical, 176
- subset, 16
- successor, 51
- surjection, 30
- symmetric difference, 114, 136, 144, 145
- symmetry, 22
- syntax, 103, 172
- tape, 44
- tautology, 10
- theorem of a production system, 88
- theory, 170
 - first-order, 173
 - second-order, 173, 178
- total computable functions, 65
- total order, 27
- transitive closure, 27
- transitivity, 22, 147
- truth table, 12
- tuple, 16
- Turing completeness, 114
- Turing degree, 127, 149
 - and randomness, 165
 - c.e., 128, 149
- Turing equivalence, 112
- Turing jump, 129
- Turing machine, 44
 - busy beaver, 78
 - code of, 59
 - enumeration of, 60
 - index of, 60
 - nondeterministic, 68
 - nonstandard, 67
 - oracle, 109
 - prefix-free, 158

- universal, 62
- Turing reduction, 112
- unbounded search, 54
- uncountable, 21
- undecidable problem, *see*
 - unsolvable problem
- uniformity, 3, 61, 80, 85, 86, 97, 101, 104, 108, 110, 112, 128, 130, 177
 - main discussion of, 3, 61, 86, 97, 108, 110
- union, 16, 18
- universal Turing machine, 62
- universe, 16
 - of a model, 170
- unlimited register machine, 73
- unsolvable problem, 85
 - halting problem, 78, *see also*
 - halting set
 - in behavior of Turing machines, 77, 78, 86
 - index sets, 82, 87
 - solutions to Post correspondence systems, 92
 - word problem for groups, 90
 - word problem for semi-Thue systems, 89
 - word problem for Thue systems, 90
- upper bound, 27
- use, 111
 - of divergent computations, 111
- W_e , 100
- weak jump, 114, 143
 - relativized, 130
- weak König's lemma, 181, 182
- weak weak König's lemma, 185
- without loss of generality, 39
- witness, 118
- word, 87
- word problem
 - for groups, 90
 - for semi-Thue systems, 89