

---

# Index

- accessory equations, 174
- accessory variational problem, 151
- Atwood's machine, 109, 137
- autonomous, 65, 86
  
- Bernoulli equation, 147
- Bernoulli–Euler beam theory, 72
- brachistochrone, 1–4, 18, 59–61, 64,  
196, 203, 267, 273, 274
  - on a cylinder, 66
  - terrestrial, 5–7, 19, 66
  - to a vertical line, 212
  - with variable endpoints, 211
  
- $c$ -discriminant, 157, 207, 258
- canonical equations, 90–92, 105,  
190, 270
- canonical momenta, 88–92, 269,  
270
- cantilever beam, 71–76, 103, 123
- Carathéodory equations, 269
- catenary, 53–56, 58, 65, 108,  
160–167
- catenoid, 15–17, 23, 63, 160–167
- characteristic, 219–222, 224, 226,  
238, 240, 244
- chute-the-chute, 212
- circle of latitude, 62, 63
- complementary curve of descent, 20
- condition(s)
  - Euler–Lagrange, 41, 245
  - Jacobi, 147, 154, 155, 160, 165,  
167–170, 172, 190, 232, 245,  
252, 258
  - Legendre, 142–144, 158, 160, 169,  
172, 184, 245, 251, 252, 254
  - natural boundary, 191, 194–197,  
200, 211
  - necessary, 31, 172, 245
  - second-variation, 141
  - strengthened Jacobi, 173, 235,  
237, 240, 259, 260, 263, 264
  - strengthened Legendre, 143, 158,  
173, 235, 236, 240, 266
  - sufficient, 173–175, 255, 263, 264,  
266, 273
  - transversality, 197, 200–207, 212,  
213, 215, 217, 227, 242
  - variable-endpoint, 176
  - weak sufficiency, 149
  - Weierstrass, 242–247, 254, 273
  - Weierstrass–Erdmann corner,  
176, 215–219, 221, 222
- conjugate point, 155, 159, 165, 168,  
237, 240, 258, 266
- conjugate value, 155, 159
- constraint(s)
  - holonomic, 109, 110, 129–132
  - inequality, 112, 136

- isoperimetric, 107, 117, 132, 136, 168
- nonholonomic, 110, 111, 132, 136
- one-sided, 112
- positional, 109
- convexity, 244, 266
- coordinate(s)
  - cyclic, 51
  - generalized, 80, 82, 89, 99, 202
  - ignorable, 51, 86, 87
- corner, 44, 175, 176, 220, 226, 230–233, 235
- curvature, 73, 102, 184, 185, 187
  - mean, 17, 99
  - principal, 17, 99
- cusp, 250
- cycloid, 3, 20, 61
  
- D'Alembert's wave equation, 99
- direct method(s), 45
  - Euler's, 28, 46
  - Galerkin method, 45
  - Kantorovich method, 45
  - of finite differences, 45
  - Rayleigh-Ritz method, 45
- diving board, 106
- du Bois-Reymond's simplification, 41
- dynamic programming, 273
  
- effective potential, 87
- elastic body, 72
- elastic strain energy, 72
- elastica, 123, 128, 136
- elastostatics, 212
- energy function, 92
- envelope, 157, 161, 206–208, 258, 272
- equivalent variational problems, 255, 267, 268, 273
- Euler's (isoperimetric) rule, 119
- Euler's identity, 181–183, 227
- Euler-Lagrange equation(s), 28, 31, 32, 38, 41, 44, 46–52, 59, 62–66, 68, 71, 78, 79, 81, 83–85, 88, 90, 91, 94, 95, 98, 100, 104, 105, 121, 131, 132, 135, 151, 152, 172, 173, 180–185, 187, 190, 194, 200, 216, 218, 235, 260, 263, 264, 266, 270, 273
  - for a degenerate functional, 48
  - integrated form, 44
  - ultradifferentiated form, 40, 47, 84, 183, 260
- Euler-Poisson equation(s), 71, 76, 102, 103, 123
- evolute, 208, 209
- extrema, 33, 47, 81, 204, 263, 274
- extremal(s), 47, 64, 81, 156, 270
  - broken, 215, 222, 230, 231, 238, 240
- extremaloids, 231
- extremum, 28, 30, 41, 49, 115, 117–119, 130, 176, 204, 212, 244, 245, 260, 263, 264
  
- Fermat-type integral(s), 203, 207, 266
- fibers
  - graded-index, 94, 101
  - longitudinal, 72
  - optical, 94
  - step-index, 94
- field
  - central, 257, 264
  - of extremals, 255, 258, 259, 263, 264
  - proper, 256, 257
- first fundamental form, 11, 23
- first-order fundamental quantities, 11, 62
- focal point(s), 206, 209
- Frosh Pond, 113
- functional, 27
  - degenerate, 48, 50, 101
- fundamental lemma, 38–40, 45, 78
  
- Gauss's law, 22
- geodesics, 7, 19, 62
  - in the plane, 31, 146, 184
  - numerical techniques for, 64
  - on a cylinder, 138
  - on a pseudosphere, 13
  - on a right circular cone, 67
  - on a right circular cylinder, 66

- on a sphere, 8–10, 68, 146
  - on a toroidal anchor ring, 19
  - on a triaxial ellipsoid, 14
  - on convex surfaces, 14
  - on general tubular surfaces, 19
  - on surfaces of revolution, 14, 62
- Goldschmidt solution, 15, 58
- Green's theorem, 97
- Hamilton's action, 81
- Hamilton's first principle function, 81
- Hamilton–Jacobi equation, 269–274
- Hamiltonian, 52, 89–92, 105, 190, 202, 203, 271
- Hamiltonian equations of motion, 270
- harmonic oscillator, 83, 90, 91
- helicoid, 17, 23, 24
- Hilbert's invariant integral, 261, 262, 273
- Hooke's law, 73
- hyperbolic paraboloid, 23, 24
- hypocycloid, 7
- indicatrix, 219, 222, 226, 238, 244
  - Carathéodory's, 224–228, 232
- inverse problem of Lagrangian mechanics, 84, 85
- inverse problem of the calculus of variations, 84, 85
- involutive, 89
- Jacobi conservation law, 92
- Jacobi equation, 148, 149, 151, 152, 155, 158, 163, 172, 236
- Jacobi integral, 92
- Jacobi's criterion, 152
- Jacobi's equation of the last multiplier, 84
- Jacobi's theorem, 152
- Lagrange multiplier rule, 117
- Lagrange multiplier(s), 114, 118, 120, 131, 132, 137, 138, 186
- Lagrange's simplification, 37, 41
- Lagrangian, 80, 81, 83, 85, 86, 91, 92, 99, 100, 104, 105, 109, 131, 134, 135, 138, 169
- Lagrangian density, 99–101, 106
- Laplace's equation, 98
- Legendre transformation, 89, 91, 269
- Legendre's fallacy, 143
- Legendre's transformation of the second variation, 143, 149
- lemma of du Bois-Reymond, 42, 45, 78
- lemniscate, 20, 116
- limaçon of Pascal, 229
- mechanics
  - Hamiltonian, 88, 101, 202
  - Lagrangian, 79, 80, 101, 202
- meridian, 62, 63
- meridional rays, 95, 105
- minimal surface equation, 16, 98
- minimal surface(s), 14, 16, 18, 19
  - of revolution, 52–55, 58, 146, 190, 196, 203, 267
- natural boundary conditions, 71
- Neile's parabola, 206, 208
- neutral axis, 72, 73
- norm
  - strong, 33, 35, 140
  - weak, 33, 237
- optical path length, 93
- optics, 190
- optimal control theory, 273
- osculating planes, 14
- parabola of safety, 169
- parabolic wire, 137
- paraboloid, 105, 138
- pencil, 57, 161, 257, 264
- pendulum
  - double, 80
  - simple, 80, 82, 87, 104
  - spherical, 85, 86, 105
- positive homogeneity, 179, 181, 185, 186, 197, 201, 225, 228
- principle
  - Fermat's, 3, 93, 95, 101
  - Hamilton's, 81, 132, 169
  - of minimum total potential energy, 71

- 
- problem
    - homogeneous, 177–181, 184, 186, 189, 190, 196, 198, 201, 224
    - isoperimetric, 212
    - Newton's, 247, 250, 252, 254
    - parametric, 179, 184, 189, 190, 224
    - parametric Queen Dido, 186
    - Plateau's, 16, 98
    - Queen Dido's, 107, 120
    - soap-film, 14, 190
    - Zermelo's navigation, 191, 194, 197, 211, 212
  - pseudosphere, 12
  - ray equation, 94
  - ray optics, 93, 101
  - refractive index, 93, 94
  - regular curve, 177
  - regular problem, 48
  - Riccati equation, 147, 169
  - rolling penny, 111
  - rotating hoop, 103
  - royal road, 255, 267–273
  - Scherk's minimal surface, 25
  - slack variables, 136
  - sliding rod, 133
  - slope of the field, 256
  - soap film(s), 19, 63, 64
  - solid of revolution, 247, 251, 252
  - stationary point, 47
  - strain energy, 74, 76
  - strain energy density, 74
  - surface area, 4, 15, 17, 24, 98, 248
  - tautochrone, 4, 18, 19
  - tube trains, 5, 7, 19
  - variation, 33, 139
    - first, 36, 37, 41, 70, 71, 81, 97, 141, 151, 184, 193, 194, 199, 216, 217
    - fourth, 154
    - second, 36, 141–143, 148–150, 153, 154, 167, 168, 184, 190
    - strong, 34, 35, 141, 175, 176, 235, 237, 238, 241, 242, 247, 253
    - third, 154, 168
    - total, 36, 70, 77, 97, 140, 141, 199, 260–262
    - weak, 35, 69, 77, 96, 118, 140, 149, 172, 173, 175, 199, 235, 242
    - variational derivative, 30, 31, 45
    - Weierstrass *E*-function, 243
    - Weierstrass equation, 182, 184–186, 190
    - Weierstrass excess function, 243, 245, 246, 253, 262–266, 269