

# Index

- $A(x_0, t_0; b, c)$ , 5
- $C(S)$ , 17
- $C^{2,1}(E)$ , 1
- $C_c(E)$ , 140
- $C_c^{2,1}(E)$ , 140
- $G_E$ , 127
- $G_E^*$ , 132
- $H(p_0, r)$ , 196
- $H^*(p_0, r)$ , 197
- $L^\Theta$ , 239
- $L_f$ , 66
- $L_f^E$ , 199
- $Lu(\phi)$ , 140
- $M_b(v; t)$ , 105
- $Q(x_0 - x, t_0 - t)$ , 4
- $R(x_0; \rho; a, b)$ , 64
- $R_u^L$ , 170
- $S_f$ , 66
- $S_f^E$ , 205
- $U_f$ , 66
- $U_f^E$ , 199
- $W$ , 2
- $\Delta(x, t; c)$ , 48
- $\Lambda$ -sequence, 161
- $\Lambda(p_0; E)$ , 25, 197
- $\Lambda^*(q; E)$ , 130
- $\Omega(p_0; c)$ , 2
- $\Omega_m(x_0, t_0; c)$ , 19
- $\Phi_a$ , 119
- $\Sigma_b$ , 107
- $\Theta$ , 1
- $\Theta^*$ , 1
- $\Theta_{x,t}$ , 1
- $\langle \cdot, \cdot \rangle$ , 3
- $\mathcal{C}(K)$ , 175
- $\mathcal{C}(S)$ , 179
- $\mathcal{C}^*$ , 179
- $\mathcal{C}^*(K)$ , 176
- $\mathcal{C}_+(S)$ , 178
- $\mathcal{C}_-(S)$ , 178
- $\mathcal{L}(u; x, t; c)$ , 48
- $\mathcal{M}(u; x_0, t_0; c)$ , 4
- $\mathcal{V}(u; x_0, t_0; c)$ , 15
- $\mathcal{V}_m(u; x_0, t_0; c)$ , 20
- $\mathfrak{L}_f$ , 66
- $\mathfrak{L}_f^E$ , 199
- $\mathfrak{U}_f$ , 65
- $\mathfrak{U}_f^E$ , 199
- $\mu_p^E$ -measurable, 208
- $\nabla_x$ , 3
- $\nu = (\nu_x, \nu_t)$ , 3
- $\omega_n$ , 2
- $\partial_n D$ , 18
- $\partial_n R$ , 64
- $\pi_D w$ , 62
- $\sigma$ , 3
- $\tau(c)$ , 2
- $\widehat{R}_u^L$ , 170
- $\widehat{u}$ , 162
- abnormal boundary point, 197
- affine, 9
- analytic set, 184
- Arzelà-Ascoli Theorem, 29
- barrier, 214
- boundary
  - abnormal, 197
  - essential, 197
  - lateral
    - of a circular cylinder, 18
  - normal
    - of a circular cylinder, 18
    - of a convex domain of revolution, 64
    - of an arbitrary open set, 197
  - semi-singular, 197
  - singular, 197
- boundary point
  - abnormal, 197
  - irregular, 214
  - normal, 197
  - regular, 214
  - semi-singular, 197
  - singular, 197
- caloric measure
  - for a circular cylinder, 45

- for an arbitrary open set, 208
- capacitable, 179
- Cauchy problem, 35
- Choquet's topological lemma, 162
- circular cylinder, 18
  - caloric measure for, 45
    - invariance under parabolic dilation, 46
    - translation invariance, 45
  - initial surface, 18
  - lateral boundary, 18
  - normal boundary, 18
  - Poisson integral, 45
- class  $\Phi_a$ , 119
- class  $\Sigma_b$ , 107
- coarser, 231
- coheat potential, 134
- completion, 208
- concave, 9
- convex, 9
  - domain of revolution, 64
  - function of  $\psi$ , 9
- cotemperature, 1
- cothermal
  - capacitable, 179
  - capacitary distribution, 176
  - capacitary potential, 176
  - capacity, 179
    - of a compact set, 176
  - inner capacity, 179
  - outer capacity, 179
- directional derivative, 39
- Dirichlet problem
  - classical solution, 198
  - on a circular cylinder, 37
  - on a convex domain of revolution, 64
- distributional heat operator, 140
- double layer heat potential, 39
  - density, 39
- downward-directed, 28
- equicontinuous
  - at a point, 29
  - on a set, 29
  - uniformly, 29
- finer, 231
- first boundary value problem, 37
- first initial-boundary value problem, 37
- fundamental convergence theorem, 244
- Gauss-Weierstrass
  - integral
    - boundary behaviour, 91
    - of a function, 88, 123, 125
    - of a measure, 88, 99, 122
  - kernel, 88
- gradient, 3, 39
- Green
  - cofunction, 132
  - formula, 3
  - function, 127, 128
    - for a convex domain of revolution, 128
    - for a rectangle in  $\mathbb{R}^2$ , 129
- Harnack
  - inequality, 26, 51
  - monotone convergence theorem, 25
- Hausdorff maximality theorem, 59
- heat
  - annulus, 5
    - centre, 5
    - inner radius, 5
    - outer radius, 5
  - ball, 2
    - centre, 2
    - modified, 19
    - radius, 2
  - cylinder, 48
    - centre, 48
    - radius, 48
  - equation, 1
    - adjoint, 1
  - operator, 1
    - adjoint, 1
    - distributional, 140
  - potential, 134
    - characterization in terms of thermic
      - minorant, 148
      - double layer, 39
      - double layer density, 39
    - sphere, 3
  - hyperplane mean, 105
  - hypertemperature, 199
  - hypotemperature, 57
    - characterization, 61
      - in terms of  $\mathcal{M}$ , 76
      - in terms of  $\mathcal{V}$ , 77
- initial value problem, 35
- inner thermal capacity, 178
- invariant
  - translation, 1
    - under parabolic dilation, 2
- irregular, 214
- lower class
  - on a convex domain of revolution, 66
  - on an arbitrary open set, 199
- lower PWB solution
  - on a convex domain of revolution, 66
  - on an arbitrary open set, 199
- lower semicontinuous, 53
  - smoothing, 162
- majorant, 82
- maximum principle
  - boundary

- for hypotemperatures, 59, 161, 197
  - for hypotemperatures on a circular cylinder, 60
  - for hypotemperatures on a convex domain of revolution, 65
  - for real continuous subtemperatures on a circular cylinder, 18
- strong, 58
- mean value
  - hyperplane, 105
  - over heat ball, 15
  - over heat spheres, 4
  - over normal boundary of heat cylinder, 48
  - volume, 15
- minimal, 101
- minimum principle
  - for temperatures on a circular cylinder, 18
- minorant, 82
- modified heat ball, 19
- natural order decomposition, 168
- normal boundary point, 197
- outer thermal capacity, 178
- parabolic tusk, 223
- parabolically continuous, 29
- peaks at, 249
- Poisson integral
  - for circular cylinder, 45
- polar set, 159
  - Borel
    - characterization in terms of heat potentials, 187
    - characterization in terms of smoothed reductions, 170
- problem
  - Cauchy, 35
  - Dirichlet
    - on a circular cylinder, 37
  - first boundary value, 37
  - first initial-boundary, 37
  - initial value, 35
- PWB solution
  - on a convex domain of revolution, 66
  - on an arbitrary open set, 205
- quasi-bounded, 126
- quasi-everywhere, 159
- quasi-Lindelöf property, 256
- quasi-regular, 227
- reduction, 170
  - smoothed, 170
  - strong subadditivity property, 174
- regular
  - boundary point, 214
  - set, 214
- resolutive
  - for a convex domain of revolution, 67
  - for an arbitrary open set, 205
- Riesz decomposition theorem, 146
- Riesz measure, 142
  - associated with a heat potential, 144
- saturated family, 64
- semi-singular boundary point, 197
- semicontinuous
  - lower, 53
  - upper, 53
- semigroup property, 92
  - characterization, 112, 157
  - of Gauss-Weierstrass integrals, 92
  - of nonnegative temperatures, 98
- semipolar, 240
- singular boundary point, 197
- smoothed reduction, 170
  - strong subadditivity property, 174
- Stone-Weierstrass theorem, 68
- strong subadditivity property, 174
- subtemperature, 55
  - characterization
    - in terms of  $\mathcal{M}$ , 79
    - in terms of  $\mathcal{V}$ , 79
  - characterization in terms of  $\mathcal{V}_m$ , 151, 152
- real continuous, 17, 77
- smooth, 7, 17, 77
  - in terms of  $\mathcal{M}$ , 8
  - in terms of  $\mathcal{V}$ , 16
  - in terms of  $\mathcal{V}_m$ , 21
  - monotone approximation by, 150
- supertemperature, 56
  - characterization, 166
  - fundamental, 56
  - monotone approximation by smooth ones, 150
- temperature, 1
  - characterization, 167
  - characterization in terms of  $\mathcal{L}$ , 49
  - characterization in terms of  $\mathcal{M}$ , 8, 49
  - characterization in terms of  $\mathcal{V}$ , 16, 49
  - characterization in terms of  $\mathcal{V}_m$ , 21, 49
  - characterization in terms of the Poisson integral, 47
  - fundamental, 2
  - minimal, 101, 165
  - on  $\overline{D} \setminus \partial_n D$ , 37
- thermal
  - capacitable, 179
  - capacitary distribution, 175
  - capacitary potential, 175
  - capacity, 179
    - of a compact set, 175
  - fine topology, 231
  - inner capacity, 178

- outer capacity, 178
- thermally thin, 233
- thermic majorant, 82
  - least, 82
- thermic minorant, 82
  - characterization in terms of heat potential, 148
  - greatest, 82, 131
- uniqueness principle
  - for temperatures on a circular cylinder, 19
- upper class
  - on a convex domain of revolution, 65
  - on an arbitrary open set, 199
- upper finite, 56
- upper PWB solution
  - on a convex domain of revolution, 66
  - on an arbitrary open set, 199
    - boundary behaviour, 219
- upper semicontinuous
  - at a point, 54
  - on a set, 53
- upward-directed, 28
- variable
  - spatial, 1
  - temporal, 1
- Vitali-Carathéodory theorem, 108
- weak compactness theorem, 98
- weak convergence theorem, 98