

Index

- m*-bipyramid, 5, 255, 272, 275
- m*-crosspolytope, 255, 275
- m*-parallelepiped, 5, 269, 274
- m*-polytope, 255, 264, 265, 272
- m*-pyramid, 5, 255, 272

- Agmon, S., 24, 37, 75, 80, 90, 95, 97, 100, 104, 297
- Aizenberg, L., 149, 297
- Akhmerov, R.R., 198, 305
- Akilov, G.P., 20, 300
- Albinus, G., 75, 76, 297
- Alexandrov, A.D., 53, 297
- Alexandrov-Bakelman maximum principle, 53
- Alikakos, N., 276, 297
- Aliprantis, C.D., 20, 297
- Amann, H., 276, 297
- Angell, T.S., 200, 297
- Asymptotic behaviour of solutions to elliptic systems, 77
- Atkinson, F.V., 198, 297
- Auscher, P., 249, 297
- Auxiliary algebraic inequality, 124
- Aytuna, A., 149, 297

- Bénilan, Ph., 249, 297
- Bakelman, I.J., 53, 297
- Banach, S., 20
- Banach space, 10, 151, 197, 198
- Barthélemy, L., 249, 297
- Bashelishvili, M.O., 64, 91, 173, 174, 177, 183, 301
- Bates, P.W., 276, 297
- Bazaliĭ, B.V., 200, 297
- Bebernes, J.W., 276, 298
- Beckenbach, E.F., 252, 298
- Bellman, R., 252, 298
- Bessel function of the first kind, 100, 232
- Beta-function, 85, 139
- Betti identity, 178, 179, 180
- Biharmonic
 - equation, 94, 99, 102, 104
 - function, 3, 94, 98, 99, 101
 - operator, 176
- Bitsadze, A.V., 29, 52, 298
- Border, K.C., 20, 297
- Borel, E., 114, 148, 298
- Borel
 - σ -algebra, 10
 - finite regular measure, 10, 12, 14, 15, 16, 24, 56
 - function, 10, 12, 15, 16
 - set, 9, 24, 56, 65, 151, 152, 154–156, 158, 161–163, 170, 233
- Borel-Carathéodory inequality, 148
- Boundary
 - integral equations, 4, 64, 151, 183, 200, 299, 305
 - integral operators, 4, 151, 153, 198, 200, 300
- Boussinesq matrix, 174
- Brychkov, Yu.A., 109, 121, 138, 139, 144, 304
- Burago, Yu.D., 151, 152, 199, 200, 298
- Burchuladze, T.V., 64, 91, 173, 174, 177, 183, 301
- Burckel, R.B., 149, 298
- Burgeth, B., 148, 298
- Busemann, H., 260, 298

- Caccioppoli, R., 151, 155
- Cannarsa, P., 75, 298
- Carathéodory, C., 114, 148, 304
- Carleman, T., 199, 298
- Carleman's estimate of essential norm, 199
- Cartwright, M.L., 148, 298
- Cauchy
 - inequality, 37, 66, 130
 - problem for parabolic system of higher order, vi, 203, 205, 206, 210, 212, 216, 235
 - problem for parabolic system of the second order, 40, 218, 219, 220, 228, 230, 233, 239, 240, 256, 257, 261, 280, 283, 286
- Chichinadze, R., 85, 91, 298
- Chueh, K.N., 276, 298

- Cialdea, A., 249, 298
- Classical maximum modulus principle for
 elliptic systems, 2, 21, 22, 36, 43, 44, 46,
 47, 50, 51, 53, 55
 parabolic systems, 203, 204, 205, 209,
 214, 217, 219, 222, 224, 225, 227, 228,
 229, 235, 243, 301
 the gradient of biharmonic functions in a
 half-plane, 94, 98
 the Lamé system in a half-space, 3, 55,
 57, 66
 the Stokes system in a half-space, 3, 55,
 57, 66
 the stress tensor of the planar deformed
 state in a half-plane, 55, 58, 69
- Cohn, D.L., 10, 12–14, 17, 20, 298
- Commutator, 34
- Complete elliptic
 integral of the first kind, 109, 143
 integral of the second kind, 57, 68, 75,
 90, 153, 187
 integral, 109, 143
- Condition (L), 254, 267, 269–274
- Conley, C.C., 276, 298
- Continuity degree of an operator, 198
- Contractivity of a semigroup, 4, 249, 302
- Convex
 body with compact closure, 5, 252, 255,
 264, 265, 269, 271, 273, 274, 276, 277
 domain, 152, 153, 166, 170, 171, 173,
 187, 188, 199, 299
 hull, 255
- Conway, E., 276, 298
- Cosner, C., 276, 298
- Costabel, M., 200, 298
- Curve with bounded rotation, 198
- Cylindrical
 body, 5
 surface, 237, 269
- de Figueiredo, D.G., 52, 299
- De Giorgi, E., 151, 155, 157, 298
- Diestel, J., 12, 298
- Dirac function, 82, 174
- Dirichlet problem for
 biharmonic equation, 99, 100
 elliptic system, 4, 24, 31, 35, 39, 55, 59,
 61, 65, 77, 78, 80, 81, 82
 high order elliptic equation, 95, 96, 297
 the Lamé system, 87, 88, 91, 173, 183
 the Stokes system, 83, 84, 92, 174, 183
- Djakov, P., 149, 297
- Domain with
 angular point, 4, 185, 190, 191
 conic point, 4, 151, 153, 154, 193, 303
 edge, 4, 151, 153, 154, 186, 195, 199, 297
 piecewise smooth boundary, 178, 200,
 299, 302
- Donath, G., 286, 299
- Double layer
 elastic potential, 153, 183, 184, 199, 301
 harmonic potential, 167, 200, 297, 299,
 304
 harmonic vector-valued potential, 183
 hydrodynamic potential, 153, 183, 184,
 188, 301
 logarithmic potential, 198
 vector-valued potential, 4, 56, 151, 152,
 165
- Douglis, A., 24, 37, 75, 80, 90, 95, 97, 100,
 104, 297, 298, 305
- Dunford, N., 12, 14, 15, 20, 298
- Earnshaw, S., 298
- Edwards, R.E., 20, 298
- Eidel'man, S.D., 206, 208, 209, 211, 218,
 221, 230, 235, 239–242, 256, 280, 282,
 283, 287, 298, 299
- Elliptic
 equation of higher order, vi, 2, 75, 93,
 297
 equation with complex coefficients, 51, 52
 integral of the second kind, 154, 190
 system with a scalar principal part, 43,
 47, 52, 226
- Elschner, J., 200, 299
- Elster, K.-H., 286, 299
- Essential norm of
 boundary integral operators of elasticity
 theory and hydrodynamics, 4, 153,
 154, 190, 193, 195, 301
 bounded operator, 4, 151, 198
 matrix-valued integral operator of double
 layer potential type, 2, 4, 151, 152,
 153, 166, 167
 the double layer potential, 200, 299
- Extremal directions for harmonic fields, 3
- Fabes, E.B., 200, 299
- Federer, H., 151, 157, 161, 163, 166, 184,
 299
- Fichera, G., 75, 90, 299, 304
- Fichera's maximum principle, 75
- Fourier transform, 26, 99, 100, 175–177,
 211, 230, 261
- Fraenkel, L. E., 2, 299
- Fredholm, I., 183, 197, 199, 200, 300
- Fredholm
 mapping, 35
 radius, 4, 192, 193, 197–200, 299, 303
- Friedman, A., 275, 299
- Fulks, W., 276, 298
- Fundamental
 matrix of solutions of the Cauchy
 problem, 206, 216, 230, 235, 239, 257,
 281, 286, 298
 solution of the biharmonic operator, 176

- solution of the Laplace equation, 41
- Gauss, C.F., 299
- Gauss-Green theorem, 161, 179, 299
- Gegelia, T.G., 64, 85, 91, 173, 174, 177, 183, 298, 301
- Germain, P., 71, 299
- Gilbarg, D., 53, 116, 299
- Gohberg, I.Ts., 198, 200, 299
- Grachev, N.V., 200, 299
- Gradshteyn, I.S., 100, 142, 232, 299
- Green's
function, 27, 95, 96, 300
matrix, 38, 206, 208, 210, 211, 220, 235, 257, 260, 305, 306
- Hölder's
condition, 33, 34
inequality, 19, 85, 89, 147, 252
uniform condition, 203, 205, 206, 238, 251, 277
- Hörmander, L., 40, 174, 300
- Hadamard, J., 299, 303
- Hadamard's real-part theorem, 3, 148, 149
- Hadamard-Borel-Carathéodory
inequality, 149
type inequality, 114
- Hansen, J., 200, 299
- Hardy space of harmonic functions,
in a ball, 132
in a half-space, 117
- Harnack inequality, 114
- Hausdorff measure, 154
- Hessian of the norm, 278, 286
- Hile, G., 52, 150, 299
- Hoff, D., 276, 298
- Hong, C.W., 52, 299
- Hopf, E., 300
- Hudyaev, S.I., 200, 306
- Hypergeometric Gauss function, 108, 137, 139, 143, 144
- Ingham, A. E., 149, 300
- Invariant sets for parabolic and elliptic
systems, 269, 276, 296–298, 301, 304–306
- Isometric isomorphism, 10, 17
- Jensen, J.L.W.V., 149, 300
- Jodeit, M., 200, 299
- Kakutani, S., 20, 300
- Kamenskii, M.I., 198, 305
- Kamynin, L.I., 53, 235, 300
- Kantorovich, L.V., 20, 300
- Kelvin-Somigliana matrix, 174
- Khavinson, D., 105, 148, 300
- Khavinson's
extremal problem for harmonic
functions, 105, 300
hypothesis, 105, 106, 108
sharp inequality for the first derivative of
analytic function, 149
type extremal problems for harmonic
functions, vi, 3, 105–107, 110, 117, 131, 150
- Khimchenko, B.N., 53, 235, 300
- Kimura, M., 235, 300
- Kinematic coefficient of viscosity, 56, 64, 78, 83
- Kleinman, R.E., 200, 297
- Kozlov, V. A., 200, 300
- Král, J., 151, 199, 200, 297, 300
- Krasovskii, Ju.P., 82, 300
- Kratz, W., 92, 300, 301
- Krein, M.G., 198, 200, 299
- Kresin, G., 5, 56, 69, 115, 150, 301, 302
- Kuiper, H.J., 276, 301
- Kupradze, V.D., 64, 91, 173, 174, 177, 183, 301
- Ladyzhenskaya, O.A., 64, 175, 183, 241, 301
- Lamé
constants, 56, 64, 78, 87, 173
system in a ball, v, 29, 30, 77, 78, 79, 89, 91
system in a half-space v, 3, 32, 55–57, 64, 75, 78, 87, 88
- Landau, E., 301, 302
- Landau type inequality, 115
- Landau, L.D., 105, 302
- Landkof, N.S., 200, 302
- Langer, M., 249, 302
- Lankaster, P., 293, 302
- Lemmert, R., 276, 302
- Lenhart, S., 52, 302
- Levi, E.E., 302
- Lewis, J.E., 200, 299
- Lifshitz, E.M., 105, 302
- Lindelöf, E., 148, 302
- Lindelöf's inequality
in a disk, 114, 149, 150
in a half-plane, 149
- Lipschitz
boundary values of a harmonic function,
150, 299
domains, 76, 298, 299, 305, 306
- Locally compact Hausdorff space, 2, 9, 10
- Lopatinskiĭ, Ya.B., 24, 200, 302, 305
- López-Gómez, J., 2, 52, 302
- Makintyre, A.J., 149, 302
- Marcus, A.S., 198, 299
- Maremonti, P., 76, 302
- Marichev, O.I., 109, 121, 138, 139, 144, 304
- Markov, A.A., 20, 302
- Matrix of fundamental solutions of the

- Lamé system, 174, 175
 Stokes system, 174, 175
- Matrix-valued
 integral operator, vi, 4, 151-153, 161, 183, 200
 measure, 10, 11, 14, 15, 16
 set function, 152, 161
- Maxwell medium, 58, 71, 72
- Maz'ya, V., 5, 20, 56, 69, 76, 115, 150-152, 182, 199, 200, 249, 298-303
- McLean, W., 174, 303
- McMullen, P., 255, 272, 303
- Measure of non-compactness, 4, 198
- Medium with purely elastic behaviour
 under volume compression, 58, 71, 72
- Medková, D., 200, 300, 303
- Mellin transform, 200
- Mikhlin, S.G., 182, 302
- Minkowski, H., 251, 252, 303
- Minkowski functional of a compact convex body, 5, 252, 272
- Miranda, C., 2, 47, 52, 75, 90, 94, 101, 104, 226, 303
- Miranda inequality, 3, 94, 101
- Miranda-Agmon
 inequality, v, 21, 55, 58, 93-95
 maximum principle, 1, 2, 3, 55, 75, 76, 92, 93, 302
 type maximum principle, vi, 3, 55, 93, 297, 301
 weak form inequality, vi, 93-95
- Mitidieri, E., 52, 299, 303
- Mitrea, I., 200, 303
- Molina-Meyer, M., 52, 302
- Moutard, T., 303
- Muskhlishvili, N.I., 69, 303
- Natroshevili, D.G., 91, 303
- Navier-Stokes system, 76, 302, 303, 305, 306
- Netuka, I., 199, 299, 303
- Neumann problem in a half-space, vi, 109, 145, 146, 300
- Nikodým, O.M., 20, 303
- Nikol'skiĭ, S.M., 198, 303
- Nirenberg, L., 24, 37, 53, 75, 80, 90, 95, 97, 100, 104, 297, 298, 304, 305
- Non-weakly coupled systems, 52
- Norm
 differentiable, 5, 255, 271, 275, 284,
 dual, 188, 251-253
 generalized (in the Minkowski sense), 5, 252, 255, 257-259, 277, 281, 282
 of the integral operators of elasticity theory and hydrodynamics, 153, 187, 188
 twice continuously differentiable, 5, 277, 278, 285, 286, 295
- Normal in the sense of Federer, 151, 157, 163, 166
- Nyström, K., 235, 304
- Optimization problem on the unit sphere, 3, 77, 90, 146
- Otsuka, K., 235, 300, 304
- Ouhabaz, E. M., 249, 297
- Parabolic
 equation with complex coefficients, 205, 229, 238
 Lamé system, vi, 205, 230, 235, 304, 305
- Paraf, A., 304
- Parametric estimates for the gradient of harmonic functions, 110
- Parton, V.Z., 64, 174, 177, 178, 304
- Perimeter of a set in the sense of Caccioppoli and De Giorgi, 151, 155, 161
- Perlin, P.I., 64, 174, 177, 178, 304
- Phelps, R.R., 260, 304
- Picone, M., 304
- Pini, B., 52, 304
- Plamenevskii, B.A., 76, 302
- Poisson
 formula, 27, 65, 91, 111
 integral, 106, 107, 117, 132
 matrix, 81, 82
- Polya, G., 30, 53, 75, 304
- Positive-definite matrix, 1, 4, 21-24, 27, 32, 34, 36, 39, 41, 43, 46-48, 50-52, 204, 205, 219, 222, 225, 227-229, 235, 238, 243, 246, 248, 278-280, 284, 285, 291-293, 295
- Potapov, A.S., 198, 305
- Principal part of a system, vii, 2, 4, 5, 22, 23, 33, 38, 43, 52, 204, 222, 226, 227, 243, 276, 288
- Protter, M.H., 2, 52, 105, 148, 235, 275, 276, 299, 304
- Prudnikov, A.P., 109, 121, 138, 139, 144, 304
- Pseudostress tensor, 177, 178
- Pucci, P., 2, 304
- Rabotnov, Yu.N., 71, 304
- Radon, J., 4, 20, 151, 193, 197-199, 300, 304, 305
- Rajagopal, C.T., 149, 304
- Rathsfeld, A., 200, 304
- Real-part theorems, 148, 150, 301
- Redheffer, R., 276, 304
- Reduced boundary, 151, 157
- Reinhardt, R., 286, 299
- Rempel, S., 200, 305
- Representation for the gradient of a biharmonic function in a half-space, 99, 101

- Riesz, F., 9, 20, 305
 Rockafellar, R.T., 265, 305
 Rodkina, A.E., 198, 305
 Rogosinski, W.W., 149, 302
 Rossmann, J., 76, 200, 300, 302, 303
 Rus, I.A., 52, 305
 Ruscheweyh, St., 305
 Ruscheweyh's inequality, 114, 149
 Russo, R., 76, 302, 305, 306
 Ryzhik, I.M., 100, 142, 232, 299
- Sabitov, K.B., 52, 305
 Sadowsky, B.N., 198, 305
 Sand, M., 200, 299
 Schäuble, M., 286, 299
 Schaefer, C., 276, 305
 Schaefer, P.W., 52, 276, 298, 302, 304, 306
 Schmidt, G., 200, 305
 Schmitt, K., 276, 298
 Schulze, B.-W., 75, 305
 Schwartz, J.T., 12, 14, 15, 20, 298
 Seo, J.K., 200, 299
 Serrin, J., 2, 304
 Shapiro, Z.Ya., 24, 305
 Shaposhnikova, T.O., 20, 303
 Shelepov, V.Yu., 192, 200, 297, 305
 Shen, Z., 235, 305
 Sheppard, G.C., 255, 272, 303
 Shilov, G.E., 176, 305
 Sirakov, B., 52, 53, 305
 Smoller, J.A., 276, 298, 305
 Sobolev
 imbedding theorem, 38, 97
 space, 33
 Sobolevskii, P.E., 249, 303
 Solid angle, iv, 24, 56, 65, 151, 154, 161,
 184, 199, 200
 Solonnikov, V.A., 24, 76, 80, 82, 241, 244,
 301, 305, 306
 Sperb, R.P., 2, 306
 Spherical
 biangle, 186, 196
 mean of order p , 77, 78, 86
 segment, 186, 194
 Stanoyevitch, A., 150, 299
 Steinbach, O., 200, 306
 Steinhilber, H., 20, 306
 Stieltjes' integral, 20
 Stoer, J., 251, 252, 306
 Stokes
 function, 92
 system in a ball, v, 85–87
 system in a half-space, v, 3, 56–58, 64,
 67, 68, 77, 78, 83, 84,
 Stress tensor of the planar deformed state,
 55, 58, 69
 Strichartz, R.S., 92, 306
 Strong maximum modulus principle, 1
- Strongly
 coupled system, 5, 235
 elliptic operator, 58, 61, 79, 81
 elliptic system, 2, 3, 21, 32, 33, 37, 55,
 58, 77–79, 174, 237, 239, 301, 305, 306
 parabolic system, 4, 5, 230, 237
 Stys, T., 52, 235, 306
 Sweers, G., 52, 303
 System of quasistatic viscoelasticity, v, 3,
 55, 58, 71
 Szász, O., 149, 306
 Szeptycki, P., 52, 306
- Tartaglione, A., 76, 306
 Taylor's formula with the Lagrange
 remainder term, 124
 Three parametric model, 58, 71, 72, 75
 Titchmarsh, E.G., 148, 306
 Trudinger, N.S., 53, 116, 299
 Tucker, W., 200, 303
- Uhl, J.J., Jr., 12, 298
 Uniformly
 elliptic equation, 1, 51, 52
 parabolic equation, 275, 296
 parabolic system in the sense of
 Petrovskii, 4, 5, 203, 215, 251, 256, 277
 Ural'tseva, N.N., 241, 301
- Variation of a measure, 9, 10, 12, 14, 15
 Vector-valued measure, 9, 10, 12, 15
 Verchota, G.C., 200, 306
 Viscoelastic medium, 71, 72, 75
 Vogel, A.L., 200, 306
 Volpert, A.I., 200, 306
- Walter, W., 235, 276, 304, 306
 Wasowski, J., 52, 306
 Weak maximum modulus principle, 1
 Weakly coupled
 elliptic system, 52, 302, 303, 306
 parabolic system, 235, 276, 297, 305, 306
 system, 1, 52
 Weinberger, H.F., 2, 52, 105, 148, 235, 275,
 276, 304, 306
 Wendland, W.L., 200, 300, 306
 Wheeler, L.T., 76, 306
 Wildenhain, G., 305
 Witzgall, C., 251, 252, 306
- Zaanen, A.C., 20, 306
 Zalcman, L., 148, 306
 Zhou, C., 75, 235, 306