

Index

- abelian surface, 196
- abelian variety, 41, 166
- Abramovich, D., 39
- accumulating subvariety, 9, 36, 195, 196, 199
- accumulating surface, 196, 199
- adelic intersection product, 33
- adelic metric, 27, 31, 45, 46
- adelic Picard group, 25, 27, 30, 33
- adelic point, 4–8, 10, 56, 61, 119–121, 124, 137, 145, 206, 208, 231
- adelic topology, 121
- adelically metrized invertible sheaf, 27–31, 33
- adjunction formula, 55
- affine cone, 54
- algebraic Brauer–Manin obstruction, 5, 132
- algebraic surfaces, 98, 106
 - classification of, 167
- algorithm
 - FFT point counting, 190, 192, 200
 - for computation of volume, 50
 - for numerical integration, 193
 - obvious, 189
 - of Tate, 159
 - to compute approximate value for Peyre’s constant, 192
 - to detect conics on quartic threefold, 198
 - to detect lines on cubic threefold, 196, 200
 - to search for solutions of Diophantine equation, 9, 169–182, 200
 - naive, 169
 - to solve system of equations over finite field, 196, 198
 - to test for conic through two points, 197
 - to test lines for irrationality, 195
 - to test lines for irrationality, 196
 - to test whether conic is contained in quartic threefold, 198
- almost Fano variety, 66
- AMD, 182
- Amir-Moez, A. R., 83
- Arakelov, S. Yu., 25
- Arakelov degree, 6, 22
- Archimedean valuation, 17
- ARIBAS**, 183
- arithmetic cohomology, 83
- arithmetic degree, 30
- arithmetic intersection theory, 21
- arithmetic Picard group, 21
- arithmetic variety, 6, 21, 23–25
- Artin conductor, 215, 236
- Artin L -function, vii, 51, 207, 208, 216, 222, 231
- assembly**, 179
- Auslander–Goldman, theorem of, 7, 98, 103, 105
- automorphisms of \mathbf{P}^N , 20
- Azumaya algebra, 83, 89–98, 104–106, 123, 124, 128
- bad
 - prime, 192
 - reduction, 153
- Batyrev, V. V., 33, 40, 66, 78, 79
- Batyrev and Manin, conjecture of, 6, 38, 40–43, 166, 196
- Bernstein, D., 166, 199
- Bezout’s theorem, 194
- Bhowmik, G., 80
- bielliptic surface, 166, 196
- Bierce, A., 165
- Billard, H., 41
- biquadratic reciprocity law, 4
- Bogomolov, F., 42
 - conjecture of, 42
- Bombieri, E., 47
- Bourbaki, N., 29
- Brauer, R., 84

- Brauer group, 4–7, 83, 84, 94, 98, 99,
 101–103, 105–117
 cohomological, 7, 98–103, 105–117
 of cubic surface, 116
 Brauer–Manin obstruction, 5, 7–9, 36, 59,
 61, 117, 123–125, 129, 132, 140, 146,
 160, 161, 187, 188, 206–208
 algebraic, 5, 132
 is the only obstruction, 125
 to rational points, 125
 to the Hasse principle, 8, 36, 61, 125,
 132, 140–142, 148
 to weak approximation, 10, 125, 140,
 141, 145, 148
 transcendental, 5, 132
 Brauer–Severi variety, 122
 Bremner, A., 4, 122
 Bright, M. J., 161, 166
 Browning, T. D., 66, 67
 Brüdern, J., 175
 bucket sort, 180
 buffer, 181, 182

 c, 179, 183
 Cantor, M., 239
 Cassels, J. W. S., vii, 4, 122
 Cayley’s cubic surface, 66
 Čech cocycle, 96
 Čech cohomology, 96, 97
 center, 84, 89, 90
 central simple algebra, 84, 85, 89–91, 101,
 103
 index of, 84
 that splits, 85, 86
 Chambert-Loir, A., 78
 Chebotarev density theorem, 214, 236
 Chebyshev’s inequalities, 235
 Chinese remainder theorem, 177, 180, 181
 circle method, 3, 5, 60–62, 187
 class number formula, 223
 classification of algebraic surfaces, 167
 clustering, 171
 cocycle, 86, 87
 cohomologous to another, 86
 cocycle relations, 127
 local in étale topology, 93
 cohomological Brauer group, 7, 98–103,
 105–117
 Colliot-Thélène, J.-L., 5, 9, 61, 65, 122,
 125, 146–148, 206, 220, 221, 234
 conjecture of, 125
 Colliot-Thélène, Kanevsky, and Sansuc,
 Theorem of, 147, 148
 collision, 171
 conductor-discriminant formula, 215

 congruence, 2, 9, 60, 161, 167–178, 180,
 181, 183, 235
 conic, 197–199
 conjecture
 of Batyrev and Manin, 6, 38, 40–43, 166,
 196
 of Bogomolov, 42
 of Colliot-Thélène, 125
 of Lang, 2, 6, 37–39, 166, 196
 geometric, 38
 strong, 38
 weak, 38, 40
 of Manin, 3, 6, 38, 46, 47, 63, 65, 67, 165,
 185–188, 197, 201, 202, 205
 of Manin and Peyre, 59, 61, 66, 67, 202
 of Mordell, 38
 control function, 177, 180
 convolution, 189, 190
 Corn, P. K., 7, 117
 Cox ring, 64
 Cox, D. A., 64
 cubic threefold, 9
 cubic reciprocity law, 4, 161
 cubic surface, 4–8, 10, 47–51, 56, 61, 62,
 115–117, 122, 125, 132, 140, 143–148,
 159, 160, 165, 193, 194, 197, 237, 239
 Cayley’s, 66
 diagonal, 10, 122, 146–148, 159, 205–216,
 237
 general, 125
 minimal, 234
 cubic threefold, 9, 10, 39, 62, 185–203
 diagonal, 9, 10, 36, 37, 47
 cusp, 194

 de Jong, A. J., 106
 de la Bretèche, R., 66, 79
 decoupled equation, 9, 171, 199
 Dedekind zeta function, 191, 223
 Del Pezzo surface, 50, 65, 66, 161
 weak, 66, 67, 79
 Deligne, P., 58, 168, 189
 Derenthal, U., 50, 64, 66, 67, 80
 descent
 faithful flat, 93
 Galois, 64, 87
 descent method, 63–77
 Diophantine equation, 1, 2, 4, 6, 9, 15, 165,
 169–182, 199, 200
 decoupled, 9, 171, 199
 Diophantus, 1, 239
 Dirichlet character, 222
 distance, 28, 29
 Duke, W., 236

- Eckardt point, 194
 Edidin, D., 107
 effective cone, 47–49
 Eisenstein polynomial, 134
 elementary symmetric functions, 19, 212
 elliptic cone, 194
 elliptic curve, 154
 elliptic surface, 166
 Elsenhans, A.-S., 165, 185, 205
 Emerson, R. W., 205
 Enriques surface, 110
 equidistribution, 5, 158, 188, 205
 Essouabri, D., 80
 étale cohomology, 45, 57, 83, 102
 étale morphism, 51, 53
 étale neighbourhood, 96, 108, 111
 étale topology, 93, 96, 99, 101
 Euler product, 190, 192, 220, 221
 Euler sequence, 55
 exponential sequence, 45, 109
- factor α , 4, 6, 47–50, 56, 60, 61, 187, 188, 207, 210, 231
 factor β , 6, 50, 187, 207, 210, 231
 faithful flat descent, 93
 Faltings, G., 15, 25, 38
 Fano variety, 2, 4, 6, 9, 37, 38, 40, 41, 43, 44, 46, 47, 58, 59, 61, 165, 185, 186, 188, 205
 Fano variety
 almost, 66
 Faraday, M., 119
 Fermat cubic, 37
 FFT convolution, 189
 FFT point counting, 192, 200
 Forster, O., 183
 Fouvry, È, 79
 fpqc-topology, 93
 Fröhlich, A., vii
 Franke, J., 3, 47, 77, 78
 Frei, F., 80
 Frobenius eigenvalues, 58, 212
 Fubini-Study metric, 22, 24
 fundamental finiteness, 6, 10, 15, 16, 25, 209, 222, 233
- G -set, 114
 Gabber, O., 106
 Galois cohomology, 83
 Galois descent, 64, 87
 GAP, 7, 48, 49, 116, 144, 210, 239, 241
 Gauß–Legendre formula, 193
 Gauß sum, 213
 Generalized Riemann Hypothesis, 233, 236, 237
- genus one curve, 137, 146, 153, 155, 156, 166, 198, 199
 Gilbert, W. S., 185
 Gillet, H., 25, 33
 global class field theory, 4, 107, 111
 global evaluation map, *see* Manin map
 gluing data, 93, 96, 127
 Godeaux surface, 39
 good
 reduction, 168, 211, 213, 227
 Gröbner base, 144, 145
 Grothendieck, A., 6, 83, 98, 106
 Guy, M. J. T., 4, 122
- Hankel, H., 1
 Harari, D., 132
 hardware, 176
 Hardy, G. H., 3
 Hartshorne, R., vii
 hash function, 170, 177, 180
 hash table, 171, 180, 181, 200
 hashing, 9, 170, 180, 222
 uniform, 170
 Hasse principle, 3–5, 8, 122, 125, 132, 205, 221
 Brauer–Manin obstruction to, 8, 36, 61, 125, 132, 140–142, 148
 counterexample to, 8, 122, 141, 142
 Hasse’s bound, 137, 156
 Hasse, H., 3, 205
 Hassett, B., 107
 Hawking, S., 15
 Heath-Brown’s congruences, 161
 Heath-Brown, D. R., 5, 61, 62, 66–68, 79, 161, 165, 233
 Hecke L -function, 216
 Hecke theta function, 217, 218
 height
 absolute, 18, 20, 30, 45
 adelic, 29
 anticanonical, 3, 40, 45, 59, 205
 canonical, 3, 40, 45, 59, 205
 defined by adelic metric, 45
 defined by an invertible sheaf, 6, 20
 l^2 , 24
 logarithmic, 20, 23
 naive, 3, 6, 15, 16, 18, 23, 186–188, 205, 233
 of smallest point, 10
 with respect to hermitian line bundle, 6, 23
 Hensel’s lemma, 2, 52, 94–96, 102, 124, 133, 137, 153, 157, 173, 235
 Hensel, K., 2

- hermitian line bundle, 6, 21–24, 46
 - continuous, 22
 - smooth, 22
- hermitian metric, 21, 24–26, 32, 187
 - bounded, 27
 - continuous, 21, 27, 46, 188
 - smooth, 27
- heuristic, 35
- Hirzebruch, F., 189
- Hochschild–Serre spectral sequence, 5, 83, 111, 130
- hypersurface measure, 53, 227, 228

- Ieronymou, E., 132
- index
 - of central simple algebra, 84
- induced
 - character, 213, 214
 - representation, 213, 214
- inflation, 130, 131, 145, 151
- intersection of two sets, 169
- invariant map, 107
- irrationality test for lines, 195, 196

- Jacobi sum, 135, 190, 213
- Janda, F., 80

- $K3$ surface, 9, 41–43, 110, 115, 167, 196
- Kanevsky, D., 9, 61, 122, 146–148, 206, 220, 234
- Kelvin, W. Thomson 1st Baron, 35
- Khayyám, O., 83
- Kodaira classification, 37, 196
- Kodaira dimension, 196
- Kresch, A., 107
- Kummer pairing, 214
- Kummer sequence, 45, 100, 108, 109, 112
- Kummer surface, 41

- L -function, vii, 51, 166, 207, 208, 216–219, 222, 231, 236
- L1 cache, 178, 179, 182
- L2 cache, 179, 182
- l_3 -unit sphere, 228
- Laface, A., 64
- Lang’s conjecture, 2, 6, 37–39, 166, 196
 - geometric, 38
 - strong, 38
 - weak, 38, 40
- Lang, S., 2, 6, 37–40, 166, 196
- Langian exceptional set, 38, 39
- Larsen, K., 15
- lattice basis reduction, 142
- Le Boudec, P., 66
- Lebesgue measure, 47
- Lefschetz hyperplane theorem, 110
- Lefschetz theorem on $(1, 1)$ -classes, 109
- Lefschetz trace formula, 57, 211, 213
- Legendre’s theorem, 3, 205
- Legendre, A.-M., 3, 205
- lemma
 - of Hensel, 2, 52, 94–96, 102, 124, 133, 137, 153, 157, 173, 235
 - of Wedderburn and Brauer, 84
 - of Yoneda, 126
 - of Zorn, 126
- Leray measure, 53, 55, 60, 62, 187, 188, 209, 227, 229
- Lichtenbaum, S., 113
 - theorem of, 113
- Lichtenbaum duality, 113, 160
- Lichtin, B., 80
- Lind, C.-E., 4, 5, 122
- line, 1, 2, 8, 36, 37, 39, 43, 48–50, 133, 136–140, 143, 144, 146, 148, 153, 186, 194–200
 - non-obvious, 10, 39, 196, 200
 - obvious, 9, 39, 194, 196
 - sporadic, 10, 39, 196, 200
 - s, 27 on cubic surface, *see* 27 lines on cubic surface
- linear probing, 171
- linear subspace, 186
- Linnik’s theorem, 233
- Littlewood, J. E., 3
- local evaluation map, 123, 147, 152
- local measure, 52
- log-factor, 3, 47
- Loughran, D., 66
- Lovasz, L., 50

- Maclagan–Wedderburn, J. H., 84
- magma, 161
- Manin, Yu. I., 3, 4, 8, 33, 40, 47, 67, 77, 78, 113, 117, 123, 132, 219, 220
- Manin map, 7, 123, 129, 152
- Manin’s conjecture, 3, 6, 38, 46, 47, 63, 65, 67, 165, 185–188, 197, 201, 202, 205
- Manin’s formula, 113
- Manin–Peyre conjecture, 59, 61, 66, 67, 202
- maple, 136
- Maxwell, J. C., 119
- McKinnon, D., 41
- Mellin transform, 217
- memory architecture, 178
- Mergesort, 180
- metric, 26
 - bounded, 27
 - continuous, 27
 - induced by a model, 26
- Milne, J., vii, 63, 83

- minimum metric, 6, 22, 23, 188
- Minkowski, H., 3
- model, 6, 25–28, 43, 46, 52, 57, 121, 122, 124, 127, 128, 146, 152, 153, 156, 158, 159, 187, 194, 208
- modular operation, 177
- Monte Carlo method, 50
- Mordell's conjecture, 38
- Mordell's examples of cubic surfaces, 4, 122, 132, 146
- Mordell, L. J., 4, 8, 38, 122, 132
- Moroz, B. Z., 79
- Murre and Oort, theorem of, 108

- Néron–Severi group, 108, 112
- Néron–Severi torus, 63, 64
- Noether–Lefschetz Theorem, 5, 186, 193
- non-Archimedean valuation, 17
- non-Azumaya locus, 90, 106, 128
- non-obvious line, 10, 39, 196, 200
- normalized valuation, 16
- Northcott's theorem, 18
- numerical integration, 193

- obvious line, 9, 39, 194, 196
- open addressing, 171
- Opteron processor, 182
- order, 103–105
 - maximal, 103–106

- p -adic measure, 51, 52
- p -adic unsolvability, 36
- p -adic valuation, 223
- p -adic numbers, 2
- page prime, 169, 170, 172, 177, 180
- paging, 172
- parametrization, 2
- Pari**, 192
- partial presorting, 181
- Pentium 4 processor, 183
- periodicity isomorphism, for cohomology of cyclic group, 154
- Perron's formula, 73
- Peyre, E., 6, 8, 9, 33, 40, 47, 59–63, 66, 78, 165, 186, 187, 205, 208
- Peyre's constant, 6, 9, 10, 47, 59–61, 63, 165, 185, 187, 189, 200, 205, 206, 219, 231, 233
- Peyre's Tamagawa type number, *see* Peyre's constant
- Picard functor, 108
- Picard group, 112
- Picard rank
 - of cubic surface, 117
- Picard scheme, 108
- Poincaré residue map, 55

- polymake, 50
- Poonen, B., 125
- post-processing, 178
- prefetch, 179
- presorting, partial, 180
- Preu, T., 132
- principal divisor
 - norm of, 154
- product formula, 16
- projective plane, 198
- Puiseux expansion, 193
- pullback
 - of Azumaya algebra, 91
- pure cubic field
 - discriminant of, 215, 237

- quadratic form, 174–176, 178
- quadratic reciprocity law, 4
- quadric, 198
- quartic surface
 - diagonal, 42
- quartic threefold, 9, 10, 62, 185–207
 - diagonal, 9, 10, 37, 47
- Quicksort, 180

- Radix sort, 180
- rational points
 - Brauer–Manin obstruction to, 125
- rational surface, 110, 112, 113, 115, 196
- rational variety, 166
- reading, 175–177, 181, 182, 200
- reciprocity law
 - biquadratic, 4
 - cubic, 4, 161
 - quadratic, 4
- reduced trace, 103
- restriction, 151
- Riemann zeta function, 222
- ruled surface, 194, 196, 199
- ruled variety, 166

- Salberger, P., 65
- Sansuc, J.-J., 9, 61, 65, 122, 146–148, 206, 220, 234
- Schappacher, N., 1, 239
- Schmidt, W. M., 63
- Schröer, S., 106
- search bound, 9, 182, 200, 209
- searching for rational points, *see* searching for solutions of Diophantine equation
- searching for solutions of Diophantine equation, 9, 169–182, 200
 - naive, 169
- selection of bits, 176
- Selmer, E. S., 37, 122

- Serre, J.-P.
 theorem of, 86
 sheaf of Azumaya algebras, 6, 89
 Siegel's estimate, 223
 Siegel, C. L., 63, 205, 223
 similarity
 of Azumaya algebras, 93, 94, 98
 of central simple algebras, 84
 singular cohomology, 83
 64-bit processor, 176
 Skolem–Noether theorem, 85, 95, 96
 Slater, J. B., 68
 Smart, N. P., 166
 solutions of Diophantine equation
 algorithm to search for, 9, 169–182, 200
 naive, 169
 sorting, 180, 222
 Soulé, C., 25, 33
 splitting field, 85, 102
 sporadic line, 10, 39, 196, 200
 Stark, H. M., 223
 statistical parameters, 201, 202
 Steiner surface, 199
 Strauch, M., 78
 Sullivan, A., 185
 surface, 47, 106, 115, 193
 abelian, 196
 algebraic, 98, 106
 bielliptic, 166, 196
 cubic, 4–8, 10, 47–51, 56, 61, 62,
 115–117, 122, 125, 132, 140, 143–148,
 159, 160, 165, 193, 194, 197, 237, 239
 Cayley's, 66
 diagonal, 10, 122, 146–148, 159,
 205–216, 237
 general, 125
 minimal, 234
 Del Pezzo, 50, 65, 66, 161
 weak, 66, 67, 79
 elliptic, 166
 Enriques, 110
 Godeaux, 39
 in \mathbf{P}^3 , 9
 $K3$, 9, 41–43, 110, 115, 167, 168, 196
 Kummer, 41
 non-minimal, 43
 non-separated, 107
 of general type, 39, 195, 196
 of Kodaira dimension one, 196
 of Kodaira dimension zero, 41
 rational, 110, 112, 113, 115, 196
 ruled, 194, 196, 199
 Steiner, 199
 surfaces
 classification of, 167
 suspicious
 pair, 197, 198
 point, 195, 196
 Swinnerton-Dyer's list, 151
 Swinnerton-Dyer, Sir Peter, 4, 7–9, 68, 79,
 117, 122, 142, 151, 167, 172, 202
 Tamagawa measure, 56, 188, 208
 Tamagawa number, *see* Peyre's constant
 Tate, J., 159
 Tate cohomology, 115
 Tate's algorithm, 159
 tensor field, 53
 test for conic through two points, 197
 theorem
 Hilbert 90, 88, 99, 111, 131
 of Auslander and Goldman, 7, 98, 103,
 105
 of Bezout, 194
 of Colliot-Thélène, Kanevsky, and
 Sansuc, 147, 148
 of Legendre, 3, 205
 of Lichtenbaum, 113
 of Linnik, 233
 of Murre and Oort, 108
 of Noether and Lefschetz, 186, 193
 of Northcott, 18
 of Serre, 86
 of Skolem and Noether, 85, 95, 96
 of Tietze, 25, 32
 of Tsen, 110
 of Zak, 195
 weak Lefschetz, 189
 Thompson, S., 35
 threefold, 36, 206
 cubic, 9, 10, 39, 62, 185–203
 diagonal, 9, 10, 36, 37, 47
 quartic, 10, 62, 185–207
 diagonal, 9, 10, 37, 47
 Tietze's theorem, 25, 32
 toric variety, 78, 79
 torsor, universal, 63–71
 transcendental Brauer–Manin obstruction,
 5, 132
 Tschinkel, Y., 3, 6, 8, 47, 61, 62, 66, 67,
 77–79, 165
 Tsen's theorem, 110
 27 lines on cubic surface, 7, 48–51,
 115–117, 125, 144–146, 149, 160,
 209–213, 234, 239
 Tychonov topology, 121
 universal torsor, 63–71

- Vallino, M., 221
- valuation
- Archimedean, 17
 - lying above another, 17
 - non-Archimedean, 17
- variety, 2
- Fano, 2, 4, 6, 9, 37, 38, 40, 41, 43, 44, 46, 47, 58, 59, 61, 165, 185, 186, 188, 205
 - almost, 66
 - of general type, 2, 37–40, 166, 195, 196
 - of intermediate type, 2, 37, 38, 41, 87, 88
 - toric, 78, 79
- Vaughan, R. C., 63
- Velaso, M., 64
- Vistoli, A., 107
- Vojta, P., 42
- Voloch, J. F., 39
- weak approximation, 5, 8, 10, 61, 122, 125, 145
 - Brauer–Manin obstruction to, 10, 125, 140, 141, 145, 148
 - counterexample to, 5
- weak Del Pezzo surface, 66, 67, 79
- weak Lefschetz theorem, 189
- Weil, A., 6, 168
- Weil conjectures, 58, 168, 189
 - for curves, 168, 176
- Weyl, H., 62
- writing, 176–178, 180, 182, 200
- Yoneda’s lemma, 126
- Zak’s theorem, 195
- Zhang, S., 33
- Zorn’s Lemma, 126