

Index

- adjoint heat operator, 153
- almost hyperbolic piece
 - persistence of , 227
 - persistent, 216
- ancient solution
 - 3-dimensional with pinched Ricci curvatures, 65
 - incomplete, 39
 - must have $R \geq 0$, 39
 - on \mathcal{S}^2 , 69
 - Type I, 45, 73, 161, 309
 - Type I with PCO, 63
 - Type II, 45, 165
 - with finite width, 53
- asymptotic cone, 29, 42
 - of 3-dimensional κ -solution, 46
- asymptotic limit, 226
- asymptotic shrinker
 - existence of, 45
 - of 3-dimensional Type II ancient solution, 165
- asymptotic soliton
 - backward, 163
 - forward, 163
- asymptotic volume ratio, 17
 - existence, 20
 - of shrinker, 32
 - positive, 21
- automorphism group
 - inner, 192
 - outer, 192
- backward limit
 - Cheeger–Gromov, 106
 - cylinder, 90, 104
 - is not the plane, 98
 - of scalar curvature, 79
 - on \mathcal{S}^2 , 75
- backwards uniqueness, 87
- Bakry–Emery
 - volume comparison, 24
- Bakry–Emery Ricci tensor, 3
- Banach manifold, 330
 - atlas, 330
- Bianchi gauge, 281
- Bochner formula, 77
- Bochner–Weitzenböck formula, 352
- Bochner-type inequality, 53
- boundary torus
 - incompressibility of , 218, 238
 - incompressible, 182
- Brouwer fixed point theorem, 175
- Bryant soliton, 2, 44
 - volume growth, 45
- canonical neighborhood theorem, 43
- center manifold, 280
- Center Manifold Theorem, 295
- Cheeger–Gromov
 - compactness theorem, 204
 - convergence, 204
 - theory, 201
- Christoffel symbols
 - on \mathcal{S}^2 , 75
- circular average, 59, 101
- CMC boundary conditions, 216
- CMC spheres
 - in necks, 260
- co-area formula, 17
- Cohn-Vossen inequality, 55, 61, 102
- collapse, 201
- compactness theorem
 - for the normalized Ricci flow, 204
- complete
 - vector field, 6
- compressible
 - surface, 179
 - torus, 180
- concentration-compactness, 102
- Condition H, 213
- constant mean curvature, 215
- contraction mapping principle, 327
- coordinates
 - on \mathcal{S}^2 , 71
- curvature
 - scalar, 2
- curve shortening flow, 85

- cuspidal, 186
 - hyperbolic, 186
 - maximal, 186
- cut and paste
 - argument, 195
- cutoff function, 36
- de Rham splitting theorem, 164
- derivative estimate, 62, 78
 - local, 18, 55, 134
- differential form
 - closed, 348
 - co-closed, 348
- Dimension
 - Classic, xiii
- Dini derivative, 88
- disk model, 171
- ε -neck, 47, 91
- ε -thick
 - part, 188
- ε -thin
 - end, 188
 - part, 188
- eigenvalues
 - of Laplacian on S^n , 348
- Einstein
 - manifold, 2
 - metric, 200
- end
 - topological, 186
- end-complementary, 185
- energy
 - density, 336
 - Dirichlet-type, 80
 - of maps, 336
- entropy
 - Nash, 27
 - Perelman's, 26
- eternal solution, 209
- Euclidean metric cone, 46
- Euclidean space
 - characterization, 9
- expanding soliton, 2
- f -
 - Bochner formula, 23
 - Laplacian, 2
 - mean curvature, 23
 - Riccati equation, 23
 - Ricci tensor, 3
 - scalar curvature, 3
 - volume, 3
- F -structure, 201
- finite graph, 194
- foliation, 193
- Fréchet
 - derivative, 328
 - differentiable, 328
- Gaussian soliton, 2
- geometric decomposition, 201
- geometric perimeter, 50
 - relative, 50
- gradient Ricci soliton, 2
 - equality case, 8
 - expanding Kähler, 15
 - lower bound for R , 3
- graph manifold, 194
- Grayson's theorem, 85
- GRS, 2
 - normalized, 2
- Hamilton–Ivey estimate, 42
- harmonic embedding
 - continuing, 222
 - existence of, 220
- harmonic map, 338
 - near the identity, 219, 260, 266
- Harnack estimate
 - trace, 39
- Hausdorff measure, 50
- heat operator
 - adjoint, 153
- Hessian, 2
- Hodge star operator, 348
- Hodge–de Rham Laplacian, 348
- homotopy equivalent, 192
- horoball, 177
- horosphere, 177
- hyperbolic cusp, 186
- hyperbolic isometry, 175
- hyperbolic limit, 210
 - stable, 216, 230
- hyperbolic manifold
 - finite-volume, 177
- hyperbolic piece, 185
- hyperbolic space, 171
 - disk model, 171
 - hyperboloid model, 172
 - upper half-space model, 171
- hyperboloid model, 172
- hyperplane at infinity, 171
- immortal
 - almost hyperbolic piece, 216
- implicit function theorem, 330
- incompressibility
 - of boundary torus, 218, 238
- incompressible
 - boundary torus, 182
 - surface, 179
- inner automorphism group, 192
- inverse function theorem
 - for Banach spaces, 328
- irreducible
 - 3-manifold, 178
- isometry
 - hyperbolic, 175

- parabolic, 175
- isometry group
 - of a hyperbolic manifold, 192
 - isoperimetric constant, 83
- jet, 334
- jets
 - bundle of, 334
- K3 complex surface, 284
- κ -noncollapsed
 - below the scale ρ , 40
- κ -solution, 43
- King–Rosenau solution, 73
- Kulkarni–Nomizu product, 304
- L -distance, 135
- Laplacian
 - Hodge–de Rham, 348
- Lax–Milgram–Lions theorem, 327
- leaf, 193
- length spectrum, 190
- level set, 9, 50
- linear stability/instability, 280
- local estimate
 - for scalar curvature, 35
- locally homogeneous, 200
- logarithmic Sobolev constant, 26
- long-time existence
 - criterion, 42
- Loop Theorem, 179
- μ -invariant, 26
- map energy, 336
- map-Laplacian, 337
- Margulis constant, 187
- Margulis lemma, 189
 - algebraic version, 187
 - geometric consequence, 189
 - local consequence, 187
- Margulis tube, 189, 190
- maximal cusp end, 186
- maximal regularity theory, 289
- Meeks and Yau theorem, 239
- Mercator projection, 71
- minimal disk
 - evolution of the area of, 244
- Möbius transformation, 174
- monotonicity
 - of $R_{\min}(t)$, 203
- Mostow rigidity theorem, 192
- ν -invariant, 64
- nilpotent, 176
- noncollapsed, 201
- nonsingular solution, 200
 - Condition H, 213
- normalized
 - GRS, 2
- normalized Ricci flow, 200
- notation, xvii
- outer automorphism group, 192
- parabolic isometry, 175
- parabolic rescaling, 154
- plaque, 193
- point at infinity, 171
- Polyakov’s energy, 80
- porous medium equation, 72
- positive curvature operator, 200
- potential function, 2
 - bounds for, 9
 - Cao–Zhou estimate, 10
 - normalized, 2
 - sublevel set of, 18
- pressure function, 72
 - backward limit, 81
 - estimates, 77
- primitive element, 179
- properly discontinuously, 177
- pseudo-metric, 46
- Q
 - definition, 109
 - heat-type equation, 111
 - must vanish for ancient solution, 125
 - plane version, 118
 - plane version evolution, 124
 - vanishing characterization, 117
- ray, 41, 46
- reduced boundary, 50
- reduced distance, 44
 - based at the singular time, 135, 141
 - of Type I solution, 146
- reduced volume
 - at the singular time, 145
- relative Fisher information functional, 27
- relative isoperimetric inequality, 50
- RG flow, 303
- Ricci flat, 45
- Ricci flow
 - normalized, 200
 - with cosmological constant, 204
- Ricci soliton
 - lower bound for R , 3
- Ricci tensor, 2
- Ricci–DeTurck flow, 282
- scalar curvature, 2
 - bounded, 42
 - evolution of, 203
 - local estimate for, 35
 - lower bound, 15
 - nonnegative, 39
- Schwarz–Ahlfors–Pick lemma, 57

- sectional curvature
 - nonnegative, 40
- Seifert fibered manifold, 193
- Seifert–Van Kampen theorem, 182
- sequential collapse, 201
- set of singular points, 158
- shrinker
 - asymptotic volume ratio, 32
 - must be gradient, 168
 - must be κ -noncollapsed, 168
 - volume growth of, 24
 - with nonnegative Ricci curvature, 29
- shrinking soliton, 2
- singular
 - solution, 40
- singularity
 - Type A, 133
 - Type I, 309
 - Type IIa, 309
 - Type IIb, 309
 - Type IIc, 309
 - Type III, 309
 - Type IV, 309
- singularity model, 40
 - 3-dimensional, 43
 - bounded scalar curvature, 42
 - compact, 41
 - existence of, 40
 - linear volume growth, 41
 - volume growth, 45
- Slice Theorem, 281
- soliton
 - Bryant, 2
 - Gaussian, 2
 - Ricci gradient, 2
- sphere at infinity, 171
- spherical space form, 207
- stable hyperbolic limit, 216, 230
- steady soliton, 2
- stereographic projection, 71
- sublevel set, 18
- surface, 200
 - compressible, 179
 - incompressible, 179
- sweep out, 219
- tensor
 - symmetrization, 108
 - trace-free part, 109
- thick-thin decomposition, 188
- topological end, 186
 - set of, 186
- totally umbilic, 187
- trace
 - operator, 268
 - theorem, 268
- Trudinger–Moser-type inequality, 60
- Type A solution, 134
 - local derivative estimates for, 134
- Type I ancient solution, 45
- Type I singularity, 309
 - admits shrinker as a singularity model, 157
 - reduced distance of, 146
- Type II ancient solution, 45
- Type IIa singularity, 309
- Type IIb singularity, 309
- Type IIc singularity, 309
- Type III singularity, 309
- Type IV singularity, 309
- uniformization theorem, 177
- unit vector
 - normal, 50
- upper half-space model, 171
- vector field
 - complete, 6, 166
- virtually abelian, 187
- virtually nilpotent, 187
- volume comparison
 - Bakry–Emery, 24
 - relative, 96
- volume converges, 49
- volume growth
 - linear, 41
 - of shrinker, 24
- weak solution, 82
- width, 51