

Index

- 2×2 strictly hyperbolic genuinely nonlinear system, 6
- C^0 norm
 - definition, 103
- $C^k(\Omega)$
 - definition, 103
- $Harmless^{\leq N}$ terms
 - definition, 296
 - main features, 296
- L^2 estimates
 - hierarchy for Ψ , 456
 - hierarchy for the eikonal function
 - quantities, 456
- L^2 -controlling quantities
 - definition, 279
 - initial smallness, 282
 - quantification of coerciveness, 280
- L^p norm
 - geometric version, 103
 - over subsets, 103
- $S_{t,u}$ projection
 - basic properties, 113
 - definition, 91
 - frame covariant derivatives of, 131
 - occasional redundancy, 113
- $S_{t,u}$ tensor, 92
- $S_{t,u}$ -projected Lie derivative
 - connection to $\not{\nabla}$, 128
 - definition, 98
- $\Sigma_t^{U_0}$ projection
 - definition, 91
- $\Sigma_t^{U_0}$ tensor, 92
- $\Sigma_t^{U_0}$ -projected Lie derivative, 98
- a posteriori estimate, 56, 58, 59, 245
- a priori energy estimates
 - for symmetric hyperbolic systems, 15
 - in the shock formation problem, provided by the fundamental Gronwall lemma, 371
- abuse of notation regarding the symbol ϑ , 88
- algebraic topology, 450, 462
- Alinhac, S.
 - shock formation results, xv, 32, 61
- almost global existence, 28
- angular differential
 - definition, 96
 - meaning of the rectangular component, 96
 - of L^i , 109
 - of $L^i_{(Small)}$, 109
 - of $R^i_{(Small)}$, 109
 - of the rectangular spatial coordinates, 96
- angular divergence
 - definition, 135
- area form on $S_{t,u}$
 - definition, 102
 - size, 151
- arrays of frame components
 - notation for derivatives, 101
 - pointwise norm, 100
- atlas
 - standard atlas on \mathbb{S}^2 , 88
- auxiliary bootstrap assumptions
 - derivation of improvements, 230
 - statement of, 183
- blow-up
 - caused by the vanishing of the inverse foliation density, 47
 - first known example of shock type, 2
 - for 2×2 strictly hyperbolic genuinely nonlinear systems, 10
 - for solutions to Burgers' equation, 3
 - for the compressible Euler equations, 17
- bootstrap assumptions
 - auxiliary sup-norm type, 183
 - fundamental sup-norm assumptions for Ψ , 182
 - overview, 45
 - positivity of the inverse foliation density, 182
- bounded L^2 curvature conjecture, 19
- boxed constants, 366, 485
- Burgers' equation, 3
- causal vector, 20

- ceiling function, 210
- Challis, J., 1
- change of variables map
 - behavior up to the shock, 455
 - definition, 101
 - Jacobian determinant, 101
 - sufficient conditions for it to be a global diffeomorphism, 461
- characteristic curve, 10
- characteristic hypersurface, xv, 41
- characteristic vectorfields, 8
- characteristics, 3
 - intersection is tied to shock formation, 33
 - intersection of, xvi
 - method of
 - for 2×2 strictly hyperbolic genuinely nonlinear systems, 6
 - for Burgers' equation, 3
- Christodoulou, D.
 - key innovations of his framework, 34
 - shock formation results, xvii, 32, 67
- Christoffel symbols
 - index conventions, 108
 - relative to rectangular coordinates, 38, 108
- classical lifespan, 453
- co-area formula, 14
- Codazzi equations
 - identities connected to, 291
- commutation current, 144
 - frame decomposition of its divergence, 146
- commutation vectorfield
 - commutation identity with the covariant wave operator, 143
 - definition, 51, 127
 - Euclidean rotation subset, 128
 - expression for its deformation tensor, 129
 - for the linear wave equation, 25
 - geometric rotation subset, 127
 - good properties of, 144
 - spatial subset, 127
- commutator
 - $S_{t,u}$ tangent nature of $[L, \check{R}]$, 86
 - expression for $[L, \check{R}]$, 119
 - expression for $[O_{(m)}, O_{(n)}]$, 124
 - of two operators, 26, 136
 - properties of vectorfield commutators, 112
- commutator method, 19, 25, 28, 51
- commutator property
 - of commutator vectorfields with the covariant wave operator, 143
 - of the elements of $\mathcal{L}_{(Flat)}$ with the Minkowskian wave operator, 26
 - of vectorfields with the Minkowskian wave operator, 26
- comparison estimate
 - ∇ in terms of $\not\partial_{\mathcal{O}}$, 197
 - ∇^2 in terms of $\not\partial_{\mathcal{O}}^{\leq 2}$, 204
 - $\not\partial_X$ in terms of $\not\partial_{\mathcal{O}}$, 203
- compatible current
 - correction current, 155
 - definition, 155
 - expression for its divergence, 155
 - for symmetric hyperbolic systems, 13
 - for wave equations, 20
- cone flux
 - coerciveness, 50, 277
 - corresponding to the Morawetz multiplier, 52
 - corresponding to the timelike multiplier, 50
 - definition, 156
- conformal Killing field
 - of the Minkowski metric, 22, 25
- connection coefficients
 - decomposition into singular and regular pieces, 117
 - of the rescaled frame, 117
 - of the rescaled null frame, 119
- connections, 83
- constant time slices, 83
- constants
 - dependence of constants on U_0 , 182
 - importance of the boxed constants, 366
 - sharp constants, 280
 - structural constant, 57
 - the boxed constants are perhaps affected by non-optimal definitions, 485
- continuation criteria
 - for quasilinear wave equations, 18
 - for symmetric hyperbolic systems, 15
 - relevant for the main results of the monograph, 447
- contraction notation
 - abbreviations, 91
- covariant derivative
 - expressed relative to rectangular coordinates, 108
- covariant Laplacian, 84
- covariant wave operator, 18, 83
 - commutation identity with commutation vectorfields, 143
 - expression relative to the rescaled frame, 45
 - frame decomposition of, 119
- covering map, 462
- curvature
 - Gaussian curvature of $\not\partial$, 353
 - Ricci curvature of $\not\partial$, 354
 - Ricci curvature of g , 144
 - Riemann curvature of $\not\partial$, 169
 - Riemann curvature of g , 169
 - scalar curvature of $\not\partial$, 354

- decay
 - faster than expected, 58, 147, 236
 - rates of decay, 183
- deformation tensor
 - definition, 20, 112
 - important terms in $(\tilde{R})\pi$, 299
 - important terms in $(\varrho^L)\pi$, 307
 - important terms in $(O^{(t)})\pi$, 302
 - of a commutation vectorfield
 - expressions for the frame components, 129
 - importance of $(Z)\pi_{LL} = 0$, 147
 - important structural features, 128
 - role in generating inhomogeneous terms in the wave equation, 127
 - special structure, 148
 - the null components of the deformation tensors of the multiplier vectorfields, 154
- derivative loss
 - avoiding it leads to degenerate energy estimates, 46
 - how to avoid it, 54
 - naive estimates lead to it, 46, 53
 - permissible below top order, 60
- descent scheme for the below-top-order energy estimates, 59
- differential structures, 89
- dispersion, 28
 - L^2 -type, 16, 22
 - decay rates in the shock formation problem, 45, 183
 - for shock forming solutions, 44
 - pointwise type for the linear wave equation, 24
- divergence
 - angular divergence, 135
 - of a vectorfield, expressed in terms of rescaled frame derivatives, 145
- divergence theorem
 - for symmetric hyperbolic systems, 15
 - in the shock formation problem, 157
 - with important cancellations, 158
- dominant energy condition, 20
- Duhamel's principle, 474
- eikonal equation, xv
 - definition, 41
- eikonal function, xv
 - appearance of error terms depending on its top-order derivatives, 148
 - definition, 41, 82
 - identities involving rectangular spatial derivatives, 87
 - in the context of Burgers' equation, 4
 - necessity of in the proof of shock formation, 42
 - role in the proof of shock formation, xvi
 - role in the proof of the stability of Minkowski spacetime, xvi, 42
 - ways in which it has been used in nonlinear problems, 42
- eikonal function quantities, 47, 107
 - L^2 estimates not relying on the modified quantities, 361
- elliptic estimates
 - for solutions to Poisson's equation, 356
 - for symmetric trace-free type $\binom{0}{2} S_{t,u}$ tensorfields, 356
 - role in controlling $\mu\nabla\chi$, 55
 - terms that need to be treated with them, 149
- energy
 - coerciveness, 50, 277
 - corresponding to the timelike multiplier, 50
 - definition, 156
 - for symmetric hyperbolic systems
 - definition, 14
- energy estimates
 - bootstrap assumptions, 365
 - descent scheme for the below-top-order energy estimates, 59
 - high-order degeneracy, 34
 - main difficulties in obtaining a priori estimates, 51
 - nondegeneracy at the low orders, 56
 - overview of the hierarchy, 55
 - overview of the top-order estimates, 56
 - proof of the main below-top-order energy-cone flux integral inequalities, 429
 - proof of the main top-order energy-cone flux integral inequalities, 426
 - quantities that bound difficult top-order integrals generated by \tilde{K} , 369
 - quantities that bound difficult top-order integrals generated by T , 367
 - quantities that bound easy integrals generated by \tilde{K} , 369
 - quantities that bound easy integrals generated by T , 368
 - sharp L^2 estimates for $\mathcal{L}_L + \text{tr}_g\chi$ applied to the partially modified version of $\mathcal{L}\mathcal{S}^{N-1}\mu$, 401
 - sharp L^2 estimates for $\mathcal{L}_L + \text{tr}_g\chi$ applied to the partially modified version of $\mathcal{S}^{N-1}\text{tr}_g\chi^{(Small)}$, 402
 - sharp L^2 estimates for the partially modified version of $\mathcal{L}\mathcal{S}^{N-1}\mu$, 395
 - sharp L^2 estimates for the partially modified version of $\mathcal{S}^{N-1}\text{tr}_g\chi^{(Small)}$, 400
 - statement of the main estimates for the difficult top-order error integrals corresponding to \tilde{K} , 389

- statement of the main estimates for the
 - difficult top-order error integrals corresponding to T , 388
- the main below-top-order energy-cone flux integral inequalities, 371
- the main top-order energy-cone flux integral inequalities, 370
- energy identity
 - corresponding to the timelike multiplier, 50
 - for symmetric hyperbolic systems, 15
 - for the linear wave equation, 22
 - in the shock formation problem, 157
 - with important cancellations, 158
 - of Morawetz type for the linear wave equation, 22
- energy method, 11
 - classes of equations to which it has been applied, 12
- energy-momentum tensorfield
 - definition, 20, 152
 - expression for its divergence, 20, 152
 - expressions for its null components, 153
- Euclidean rotation, 25
 - definition, 123
 - insufficiency in the shock formation problem, 51
- Euler-Lagrange equation, 2
 - irrotational fluid mechanics, xix
 - the irrotational compressible Euler equations, 17
- first fundamental form
 - definition, 83
 - its volume form factor relative to geometric coordinates, 94
 - relative to the geometric coordinates, 93
- first variation of the scalar curvature of \mathcal{g} , 354
- flat notation, 97
- floor function, 210
- frame components
 - arrays, 100
 - of a symmetric type $\binom{0}{2}$ spacetime tensorfield, 100
- frame vectorfields
 - algebraic relationships, 108
 - span, 89
- frames
 - definition of the vectorfield frames, 89
- free boundary
 - role in Alinhac's work, xvi
- Friedlander's radiation field, 62
- future null condition failure factor
 - angular dependence, 48
 - complete vanishing typically does not occur, 40
 - connection to the null condition, 40
 - definition, 39, 90
 - dependence on coordinates, 90
 - for non-covariant wave equations, 480
 - role as a coefficient of possibly obstructive terms, 40
 - role in the transport equation for the inverse foliation density, 49
- future strong null condition
 - definition, 483
 - its nonlinear nature, 484
 - verified by the inhomogeneous terms in the covariant system, 484
- future-directed vector, 20
- Gaussian curvature of \mathcal{g} , 353
 - connection to Riemann curvature of \mathcal{g} , 353
 - the transport equation that it satisfies, 354
- generalized energy estimates, 19, 21
- genuinely nonlinear system, 6, 7
- geodesic equation, 84
- geometric coordinates
 - definition, 88
 - overview of their construction, 41
 - solution remains regular relative to them, xvi
- geometric radial variable
 - definition, 82
 - silent use of a basic estimate, 184
- global existence
 - in higher dimensions, 28
 - in three spatial dimensions under the null condition, 28
- global Sobolev inequality, 26
- Gronwall lemma
 - proof of the fundamental Gronwall lemma, 431
 - statement of the fundamental Gronwall lemma, 371
- Huygens' principle, 65
- immersion, 462
- inherent $S_{t,u}$ tensors vs. $S_{t,u}$ tensors
 - embedded in spacetime, 92
- inhomogeneous terms in the commuted wave equation
 - structure of inhomogeneous terms after one commutation, 144
- inhomogeneous terms in the commuted wave equation
 - basic structure, 295
 - error terms that never appear, 54
 - explanation of the various types, 148
 - identification of the difficult factors, 297
 - reduction of the analysis, 297
- initial data
 - Alinhac's criteria for shock formation, 65

- assumptions on the support, 31
- Christodoulou's criteria for shock formation, 71
- conditions that lead to shock formation, 72
- definition, 81
- definition of their size, 182
- estimates for the \mathcal{L} -derivatives of Ψ along Σ_0^1 , 189
- estimates for the eikonal function quantities along Σ_0^1 , 188
- estimates of Ψ along Σ_0^1 , 187
- initial smallness of the L^2 -controlling quantities, 282
- nearly spherically symmetric assumption, 48
- shrinking the amplitude to deduce shock formation, 73
- smallness assumption, 182
- treating a larger set of data, 35
- injectivity radius, 358
- integration by parts
 - identity on $S_{t,u}$, 161
 - identity used for top-order estimates, 160, 161, 163
- inverse foliation density, xvii
 - a posteriori estimates, 245
 - absence of its reciprocal in the Codazzi-type identities, 291
 - as a weight in the energies and cone fluxes, 52
 - auxiliary quantities used to analyze it, 245
 - connection between $\nabla^2\mu$ and $\mathcal{L}_{\tilde{R}}\chi^{(Small)}$, 283
 - connection to the Jacobian determinant of the change of variables map, 43
 - definition, 43, 84
 - fundamental estimates for time integrals involving its reciprocal, 266
 - gaining powers by integrating in time, 60
 - geometric interpretation, 33
 - heuristic model of its behavior, 58
 - in the context of Burgers' equation, 5
 - its role in time-integral estimates, 245
 - overview of why it can vanish in finite time, 49, 467
 - point of no return smallness, 53
 - regions of distinct behavior, 249
 - relationship to the blow-up of various quantities, 84
 - role as a weight for the covariant wave operator, 51, 153
 - role in the monograph, 5
 - sharp pointwise estimates, 249
 - smaller-than-expected acceleration, 58
 - smallness implies quantified negativity of its outgoing null derivative, 53
 - the transport equation that it satisfies, 108
 - the transport equation that it satisfies in the case of non-covariant wave equations, 485
 - vanishing is precisely tied to singularity formation, 43
 - what happens when it vanishes, 455
- inverse function theorem, 461
- Jacobi identity, 98
- John's conjecture, 62, 63, 66, 72
 - proof sketch of the conjecture, 73
- John's criterion
 - for shock formation, 73
- John, F.
 - nonconstructive proof of blow-up, 32
- Killing field, 153
 - of the Minkowski metric, 25
- Klainerman-Sobolev inequality, 26
- Lagrangian coordinates, 4
- Lagrangians
 - exceptional Lagrangian, 70
 - in irrotational relativistic fluid mechanics, 68
- Lebesgue norm
 - Euclidean version, 15
 - geometric version, 103
 - over subsets, 103
- Leibniz rule
 - Jacobi identity, 98
- Levi-Civita connections, 83
- Lie bracket, 97
- Lie derivative
 - $S_{t,u}$ -projected Lie derivatives
 - basic commutation formula, 113
 - definition, 98, 113
 - $\Sigma_t^{U_0}$ -projected Lie derivatives
 - definition, 98
 - alternate expression, 98
 - coordinate invariant property, 98
 - definition, 97
 - definition of trace-free $S_{t,u}$ -projected Lie derivatives, 135
 - Leibniz rule, 98
 - pullback formulation, 98
- lifespan lower bound of John and Hörmander, 63
- linear wave equation, 21
- linear wave operator, 31
- local well-posedness
 - for quasilinear wave equations, 18
 - for symmetric hyperbolic system, 15
 - relevant for the main results of the monograph, 447
- long-time existence
 - localized very-long-time existence, 72, 75

- Lorentz boost, 25
 - Lorentzian metric, xv, 18
 - Main theorem
 - its role in the proof of shock formation, 49
 - overview, 33
 - statement and proof of the sharp
 - classical lifetime theorem, 453
 - maximal development, xvii, 68, 71
 - Christodoulou's sharp description, 71
 - maximal future development, 33
 - modified quantity, 54
 - L^2 estimates that do not rely on the modified quantities, 361
 - definition of the higher-order fully modified versions of $\text{tr}_g \chi^{(Small)}$, 175
 - definition of the higher-order partially modified versions of $\not\mu$, 179
 - definition of the higher-order partially modified versions of $\text{tr}_g \chi^{(Small)}$, 178
 - definition of the lowest-order fully modified version of $\text{tr}_g \chi^{(Small)}$, 173
 - definition of the lowest-order partially modified version of $\not\mu$, 178
 - definition of the lowest-order partially modified version of $\text{tr}_g \chi^{(Small)}$, 177
 - difficult pointwise estimates involving the fully modified quantities, 340
 - difficult pointwise estimates involving the partially modified quantities, 351
 - role of the fully modified quantities in avoiding derivative loss, 167
 - role of the partially modified quantities in avoiding unfavorable error integrals, 168
 - solving the transport equation satisfied by the fully modified version of $\text{tr}_g \chi^{(Small)}$, 337
 - the transport equation satisfied by the higher-order fully modified versions of $\text{tr}_g \chi^{(Small)}$, 175
 - the transport equation satisfied by the higher-order partially modified versions of $\not\mu$, 179
 - the transport equation satisfied by the higher-order partially modified versions of $\text{tr}_g \chi^{(Small)}$, 178
 - the transport equation satisfied by the lowest-order partially modified version of $\not\mu$, 178
 - the transport equation satisfied by the lowest-order partially modified version of $\text{tr}_g \chi^{(Small)}$, 177
 - the transport equation satisfied by the once-differentiated fully modified version of $\text{tr}_g \chi^{(Small)}$, 174
- Morawetz energy and cone flux
 - coerciveness, 52
 - Morawetz identity
 - for the linear wave equation
 - coerciveness, 23
 - Morawetz integral
 - bounds for error integrals that rely on it, 376
 - definition, 52, 280
 - origin, 280
 - quantified coerciveness, 52, 280
 - Morawetz multiplier
 - connection to good t -weights, 52
 - definition, 153
 - error integrands associated to, 164
 - for the linear wave equation, 22
 - simplified version for the linear wave equation, 23
 - Morawetz term
 - in the energy-cone flux identities, 165
 - isolating it, 387
 - multiplier method, 19, 28
 - multiplier vectorfields, 49
 - definition, 153
 - error integrands associated to them, 164
 - expressions for the null components of their deformation tensors, 154
 - null decomposition of the corresponding error integrands, 164
 - musical notation, 97
 - Nash-Moser iteration
 - not part of Christodoulou's framework, xvii
 - role in Alinhac's work, xvi
 - Noether's theorem, 21
 - nondegenerate behavior up to the shock of Ψ , 454
 - of the eikonal function quantities, 455
 - of the rectangular metric component functions, 454
 - norm
 - C^0 norm, 103
 - Euclidean Lebesgue norm, 15
 - Euclidean Sobolev norm, 15
 - geometric L^p norm, 103
 - pointwise norm of an $S_{t,u}$ tensor, 97
 - pointwise norms vs. the size of rectangular components, 187
 - normal
 - the timelike unit normal to Σ_t
 - basic properties, 86
 - definition, 86
 - notation
 - clarification of the schematic notation \mathcal{E}^{N-1} , 218, 283
 - component notation, 91
 - contraction notation, 89, 91
 - musical notation, 97

- schematic notation, 104
- schematic notation for repeated
 - differentiation, 140
- suppression of the independent variables, 181
- null condition, 38
 - connection to global existence, 39, 457
 - connection to the main results of the monograph, 32, 36
 - connection to the structure of quadratic terms decomposed relative to a Minkowskian frame, 39
 - definition of Klainerman's (classic) null condition, 39
 - future strong null condition, 483, 484
 - Klainerman's (classic) null condition, 28
 - past strong null condition, 484
 - strong null condition, 34
- null cones
 - outgoing null cones, 83
- null form
 - standard null form
 - definition, 482
 - important property, 482
- null frame
 - Minkowskian null frame, 25
 - nonrescaled null frame, 89
 - rescaled null frame, 89
- null generator, 42
- null hypersurface, 41, 84
 - in the context of wave equations, 21
- null second fundamental form
 - alternate expression, 99
 - another alternate expression, 99
 - definition, 99
 - expression for the re-centered null second fundamental form, 111
 - overview of, 45
- null vectorfield
 - basic properties, 85, 86
 - ingoing, 85
 - ingoing and μ -weighted, 85
 - Minkowski-null vectorfield, 22
 - outgoing null geodesic vectorfield, 42, 84
 - rescaled outgoing null vectorfield, 85
 - definition, 43
- past null condition failure factor, 90
 - for non-covariant wave equations, 481
- past strong null condition, 484
- plane symmetry, 1
- pointwise norm
 - definition, 97
 - shorthand notation, 140
- projection
 - $S_{t,u}$ projection
 - basic properties, 113
 - definition, 91
 - $S_{t,u}$ projection of tensors
 - notation, 92
 - $\Sigma_t^{U_0}$ projection
 - definition, 91
 - of tensors, 92
 - projected Lie derivative, 98
 - rectangular components of the $S_{t,u}$ projection tensorfield, 123
- pullback, 98, 138
 - pullback formulation of Lie differentiation, 98
- quasilinear terms
 - relationship to singularity formation, 40
- radial coordinate
 - Euclidean radial coordinate, 36
- radial vectorfield
 - basic properties, 86
 - definition, 86
 - key lower bound verified by the solution's rescaled radial derivative, 47
 - overview, 44
 - standard Euclidean-type, 22
- Radon transform, 62
- Raychaudhuri-type equation, 173
- re-centered variables
 - definition, 107
- rescaled frame
 - decomposition of a vectorfield relative to it, 91
 - definition, 44, 89
- Riccati-type equation, 9
- Riccati-type ODE, 3
- Ricci curvature
 - of \not{g} , 354
 - of g , 144
- Riemann curvature
 - definition, 169
 - key identity, 171
 - rectangular components of, 169
 - symmetry properties, 169
- Riemann invariant, 2, 8
- rotation vectorfield
 - $S_{t,u}$ components of, 124
 - basic properties of, 123
 - decomposition of, 124
 - definition of the Euclidean rotations, 123
 - definition of the geometric rotations, 123
 - expressions for commutators of rotations, 124
 - expressions for its $S_{t,u}$ covariant derivatives, 134
 - rectangular components of, 124
- scalar curvature of \not{g} , 354
 - first variation, 354
- scaling vectorfield, 25
- schematic notation, 130

- for pointwise norms, 140
- second fundamental form
 - alternate expression, 99
 - another alternate expression, 99
 - decomposition into singular and regular pieces, 117
 - definition, 99
- semilinear term
 - eliminating the dangerous one, 46
- sharp classical lifespan theorem, 453
- sharp notation, 97
- shock formation
 - an open set of small nearly spherically symmetric data that lead to shock formation, 474
 - beyond nearly spherically symmetric data, 477
 - in the context of Burgers' equation, 5
 - overview of the main shock formation result, 34
 - statement and proof of the main shock formation result, 477
 - the data-dependent function that drives it, 469
 - the key estimate that drives it, 470
- simply connected, 462
- Sobolev embedding, 53
 - its role in the proof of shock formation, 183
 - on the $S_{t,u}$, 358
 - sup-norm bounds in terms of the energies, 359
- Sobolev regularity
 - behavior of the solution under additional regularity assumptions on the data, 457
 - number of derivatives needed to close the estimates, 56
 - number of derivatives needed to treat noncovariant wave equations, 38
 - number of derivatives used by Christodoulou, 36
- Sobolev space
 - Euclidean type vs. geometric type, 15
- spacelike hypersurface
 - for symmetric hyperbolic systems, 13
 - in the context of wave equations, 21
- spacetime metric
 - components relative to the geometric coordinates, 93
 - decomposition into the Minkowski metric plus a perturbation, 35
 - expression in terms of the frame vectorfields, 94
 - its volume form factor relative to geometric coordinates, 94
- spheres, 83
- standard atlas on \mathbb{S}^2 , 88
- stationary phase, 25
- strictly hyperbolic system, 6, 7
- sup-norm
 - convention, 103
 - definition, 103
- suppression of coordinate charts, 88
- symmetric hyperbolic system, 12
- symmetrized trace-free part of a tensor, 96
- time function, 13
- timelike multiplier
 - definition, 153
 - error integrands associated to, 164
- trace
 - \not{g} -trace of a tensor, 95
 - g -trace of a tensor, 95
- trace-free part of a tensor, 96
- translation vectorfield, 25
- transport equation
 - in the case of non-covariant wave equations, 485
 - for L , 47
 - for L^i , 109
 - for $L^i_{(Small)}$, 109
 - for Ξ , 93
 - for the Gaussian curvature of \not{g} , 354
 - for the higher-order fully modified versions of $\text{tr}_{\not{g}}\chi^{(Small)}$, 175
 - for the higher-order partially modified versions of $\not{d}\mu$, 179
 - for the higher-order partially modified versions of $\text{tr}_{\not{g}}\chi^{(Small)}$, 178
 - for the inverse foliation density, 47, 108, 245
 - for the lowest-order partially modified version of $\not{d}\mu$, 178
 - for the lowest-order partially modified version of $\text{tr}_{\not{g}}\chi^{(Small)}$, 177
 - for the once-differentiated fully modified version of $\text{tr}_{\not{g}}\chi^{(Small)}$, 174
 - nature of the wave equation in one spatial dimension, 17
 - role in the derivation of C^0 estimates for the eikonal function quantities, 53
 - solving the transport equation satisfied by the fully modified version of $\text{tr}_{\not{g}}\chi^{(Small)}$, 337
- vectorfield method, 19
- volume form
 - definition of the (rescaled) forms on Σ_t^u , \mathcal{C}_u^t , and $\mathcal{M}_{t,u}$, 102
 - expressions for the geometric volume form factors, 94
- wave equation
 - covariant

- approximately reduces to a transport equation, 468
- basic example, 17
- expressed relative to rectangular coordinates, 38
- expressed relative to the rescaled frame, 46
- structure of the inhomogeneous terms
 - after one commutation, 144
- the type treated in the monograph, 35
- non-covariant
 - commuted with one rectangular derivative, 481
 - contrasting against covariant wave equations, 479
 - main new estimate needed at the top order, 485, 488
 - reformulated as a system of covariant wave equations, 482
 - the type to which the main results apply, 479
- noncovariant
 - the type to which the main results apply, 37
- the two classes treated in the monograph, 31