

# Subject Index

## Symbols

1-chain, 525  
 $W$ -valued gallery distance, 125  
 $\Pi$ -set, 206  
 $\mathcal{R}$ -trivial monoid, 44  
h-face, 191  
h-flat, 192  
 $Q$ -bases, 311, 318  
 $v$ -Janus algebra, 272  
 $q$ -Dynkin element, 433  
 $q$ -Janus algebra, 267  
 $q$ -Varchenko matrix, 229  
 $q$ -binomial coefficient, 484, 539  
 $q$ -commutator, 433  
 $q$ -factorial, 484

## A

acyclic orientation, 172  
Adams element, 358, 504  
additive function on lunes, 470  
adjacent chambers, 514  
adjacent linear orders, 140  
adjoint of an arrangement, 29  
adjunction, 521

- between charts and dicharts, 62
- between cones and dicharts, 63
- between cones and flats, 53
- between faces and top-cones, 50
- between flats and charts, 62

affine hyperplane, 404  
affine hyperplane arrangement, 404  
algebra

- of a lattice, 563
- of charts, 246
- of cones, 246
- of dicharts, 246
- of endomorphisms, 545
- of polynomials, 550
- of upper triangular matrices, 528, 560

algebra section, 558  
all-subset arrangement, 147, 444  
almost-linear extension, 232  
ambient space, 4  
antiexchange axiom, 524

antimatroid, 524  
antisymmetry relation, 280  
arrangement

- of type  $A_{n-1}$ , 140
- of type  $B_n$ , 161
- of type  $D_n$ , 169

arrangement over a flat, 20

- of the arrangement of type  $B$ , 167
- of the braid arrangement, 147

arrangement under a flat, 20

- of the arrangement of type  $B$ , 166
- of the braid arrangement, 147

Artin-Wedderburn theorem, 570  
associated graded module, 560  
associative operad, 477  
atom connected poset, 520  
atomic lattice, 519

## B

balanced bipartite graph, 32  
Balinski's theorem, 520  
band, 571  
base

- of a cone, 53
- of a lune, 75
- of a preorder, 151

base map, 53, 101  
base-case map, 104, 450  
Bayer-Diaconis-Garsia-Loday formula, 505  
Bergeron formula, 505  
Bergeron idempotents, 507  
bi-face, 16  
biconnected component of a graph, 175  
Bidigare-Hanlon-Rockmore theorem, 259  
Billera-Brown-Diaconis formula, 337  
bimonoid axiom, 245, 265  
binary tree, 425  
bipartite graph, 32  
Birkhoff algebra, 242  
Birkhoff monoid, 13  
Björner basis, 418  
Björner-Wachs basis, 410  
bond of a graph, 171  
Boolean arrangement, 173

- boundary
  - of a cone, 55
  - of a lune, 80
- bounded poset, 517
- braid arrangement, 140
- Brown formulas, 342
- Brown-Diaconis formula, 336
- C**
- canonical homogeneous section, 330
- Cartan invariants, 384, 386, 394, 501, 510
- cartesian product, 23, 96
- Cartier-Milnor-Moore theorem, 478
- case
  - of a cone, 52
  - of a lune, 75
  - of a preorder, 151
- case map, 52
- Catalan paths, 235
- category of lunes, 108
- cell complex, 513
- center
  - of a chart, 61
  - of an arrangement, 4
- central arrangement, 4
- central face, 5, 513
- central hyperplane arrangement, 404
- chamber, 5, 513, 571
- chamber element, 255
- chamber graph, 32
- character, 546
- characteristic element, 349
- characteristic polynomial, 42
- chart, 61
- chromatic polynomial, 173
- cisomorphism, 6
- classical associative operad, 155
- classical Jacobi identity, 425, 426
- classical Lie elements, 424
- classical Lie operad, 428
- classical Möbius function, 533
- classical Poisson operad, 477
- closed subgraph, 171
- closure
  - of a combinatorial cone, 49
  - of a combinatorial flat, 10
  - of a combinatorial lune, 80
- closure operator, 522
- coatom connected poset, 520
- coboundary, 535
- coclosure operator, 522
- cocycle deformation, 536
- cocycle transfer, 537
- cographic arrangement, 175
- coloring of a graph, 173
- combinatorial cone, 48
- combinatorial flat, 10
- combinatorial lune, 75
- combinatorial top-cone, 48
- commutative operad, 477
- commutative Takeuchi element, 345
- complement of a lattice element, 519
- complementary factors, 25
- complemented lattice, 519
- complete graph, 171
- complete lattice, 517
- complete system, 547
- composite of lunes, 108
- composition
  - integer, 146
  - set, 140
- composition factor, 555
- composition series, 257, 555, 560
- cone, 47
- coning, 404
- conjugate posets, 155
- conjugate top-cones, 93
- conjugate-meet property, 95
- connected chart, 61
- connected poset, 517
- contraction of a graph, 171
- convex closure, 514
- convex geometry, 67, 524
- convex polytope, 513, 520
- convex set, 49, 514
- convex subposet, 517
- convexity dimension, 60
- coordinate arrangement, 135
- coordinate chart, 61
- covering map of posets, 541
- Coxeter complex, 119
- Coxeter diagram, 132
- Coxeter group, 119
- Coxeter symmetry, 119
- Coxeter system, 121
- Coxeter-Birkhoff algebra, 272
- Coxeter-Birkhoff monoid, 130
- Coxeter-Janus algebra, 272
- Coxeter-Janus monoid, 131
- Coxeter-Tits algebra, 272
- Coxeter-Tits monoid, 129
- Crapo identity, 43
- Crapo invariant, 238
- creation of relations, 533
- CW complex, 513
- cycle, 172
- cycle-type function, 128, 161
- cycle-type of a permutation, 161
- cyclic descents, 510
- D**
- decomposable part of a module, 566
- decomposable part of a right module, 264
- decomposable series of a right module, 368
- deletion-restriction recursion, 364
- descent, 178

descent equation  
     for chambers, 177  
     for faces, 177  
     for left  $\Sigma$ -sets, 194  
     for partial-flats, 189  
 descent identity, 196  
 descent-lune equation  
     for  $\Pi$ -sets, 206  
     for flats, 189  
 descent-lune identity, 206  
 diagonal 0-Janus algebra, 271  
 diagonalizable element, 550  
 diagonalizable operator, 545  
 dichart, 61  
 dihedral arrangement, 8  
 dimonoid, 191  
 Dirichlet series, 533  
 discrete graph, 171  
 disjoint union of posets, 152  
 disjoint-star property, 371  
 distance function  
     on chambers, 573  
     on faces, 574  
 double factorials, 167  
 dual poset, 517  
 Dynkin basis, 403  
 Dynkin element, 398  
 Dynkin-Specht-Wever theorem, 432  
  
**E**  
 edge, 5, 513  
 eigensection, 339  
 eigenvalue-multiplicity theorem, 258, 369  
 elementary algebra, 558  
 elementary symmetric function, 504  
 empty cell complex, 513  
 essential arrangement, 4  
 essentialization of an arrangement, 6  
 essentially bounded chambers, 405  
 Eulerian family, 304  
 Eulerian idempotents, 304  
 Eulerian poset, 528  
 exponential, 243, 460, 493, 528, 564  
 exponents of a Coxeter group, 128  
 extension of a top-cone, 88  
 extension problem, 322  
 external product, 148  
 extreme point, 524  
  
**F**  
 face, 5, 513, 571  
 face-incidence algebra, 449  
 face-meet property, 196  
 face-type, 121  
 factor of an arrangement, 25  
 faithful module, 546  
 falling factorial, 158  
 fiber product, 16, 74, 131

finite field method, 45  
 first Eulerian idempotent, 304  
 flag  $f$  and flag  $h$  vectors, 209  
 flat, 9  
 flat-incidence algebra, 448  
 flat-incidence module, 448  
 flat-type, 122  
 formal power series, 159  
 Friedrichs criterion, 277, 283  
 Frobenius algebra, 547  
 Frobenius functional, 547  
 Fulman algebra, 355  
 Fulman element, 353  
  
**G**  
 gallery, 514  
 gallery connected cell complex, 514  
 gallery distance, 514  
 gallery interval, 58, 515  
 Galois connection, 521  
 Garsia criterion, 280, 286  
 Garsia-Reutenauer idempotents, 504  
 gate pair, 516  
 gate property, 33, 516  
 gated set, 515  
 generic distance function, 272  
 generic half-space, 28  
 generic hyperplane, 28  
 geometric lattice, 18, 409, 519  
 geometric partial-support relation, 70  
 Gilbert-Shannon-Reeds model, 365  
 gisomorphism, 6  
 good reflection arrangement, 132  
 graded poset, 518  
 graphic arrangement, 170  
 graphic monoid, 576  
 Green's relations, 45  
 group-like, 460, 494

**H**  
 half-flat, 54  
 half-space, 4  
 homogeneous section, 300  
 homotopy colimit of posets, 531  
 hyperoctahedron, 162  
 hyperplane, 4  
 hyperplane arrangement, 4

**I**  
 idempotent element, 547  
 idempotent monoid, 571  
 incidence algebra  
     of a locally finite category, 531  
     of a poset, 525  
 incidence bimodule, 529  
 incidence function, 525  
 incidence module, 528  
 induced graph, 171

- insertion sorting, 575
  - interior
    - of a cone, 55
    - of a lune, 80
  - internal category, 109
  - intersection lattice, 44
  - invariant
    - distance function, 219
    - Eulerian family, 495
    - Lie element, 490
    - noncommutative Möbius function, 492
    - noncommutative zeta function, 492
    - section, 495
    - Zie element, 491
    - Zie family, 497
  - invariant Birkhoff algebra, 480
  - invariant face-incidence algebra, 492
  - invariant lune-incidence algebra, 492
  - invariant lune-incidence module, 493
  - invariant support map, 481
  - invariant Tits algebra, 480
  - inversion set, 156
  - inversions of a permutation, 234
  - invertible element in an algebra, 555
  - irreducible arrangement, 27
  - irreducible reflection arrangement, 132
  - isomorphic idempotents, 556
  - iterated substitution product of Lie, 294
- J**
- Jacobi identity, 281, 423
  - Janus algebra, 266
  - Janus monoid, 16
  - join-distributive, 519
  - join-preserving map, 522
  - join-semilattice, 517
  - joinable faces, 15
  - Jordan-Chevalley decomposition, 343, 552, 562
  - Jordan-Hölder theorem, 560
  - Joyal-Klyachko-Stanley theorem, 413
- K**
- Krob-Leclerc-Thibon idempotents, 506
- L**
- labeled simplicial complex, 120, 209
  - lattice, 517
  - left  $\Sigma$ -set, 191
  - left  $q$ -bracketing operator, 433
  - left bracketing operator, 431
  - left distance function
    - on chambers, 573
    - on faces, 574
  - left module of chambers, 252
  - left module of projective chambers, 255
  - left Peirce decomposition, 374
  - left regular band, 571
  - length of a gallery, 514
  - length of a group element, 124
  - Lie element, 275
  - Lie operad, 477
  - Lie-incidence algebra, 467
  - Lie-incidence module, 468
  - linear composition, 152
  - linear order, 140
  - linear partition, 152
  - linear preorder, 149
  - locally finite category, 531
  - locally finite poset, 517
  - locally graded poset, 518
  - Loewy series, 555
  - log-antisymmetric distance function, 212
  - logarithm, 243, 460, 493, 528, 564
  - lower semimodular lattice, 18, 519
  - lower set, 149, 517
  - LRB, 571
  - lune, 75
  - lune decomposition of a cone over a flat, 85
  - lune equation, 183
    - for left  $\Sigma$ -sets, 199
    - for partial-flats, 189
    - for right  $\Sigma$ -sets, 201
  - lune identity, 205
  - lune-additivity, 455, 492
  - lune-incidence algebra, 449, 491
  - lune-incidence module, 451
  - lune-type, 123
  - Lyndon basis, 419
- M**
- Möbius algebra of a lattice, 563
  - Möbius function, 526
  - Möbius inversion, 528
  - Möbius number, 41
  - mapping cylinder, 530
  - matroid, 44
  - meet-semilattice, 517
  - minimal gallery, 514
  - minimal gallery of linear orders, 140
  - minimum polynomial, 550
  - modular complements, 19
  - module over an algebra, 545
  - Morita equivalent algebras, 268
  - multiplicative character, 546
- N**
- Nakayama Lemma, 570
  - negative one color theorem, 173, 175
  - nested face, 80, 449
  - nested face-type, 123
  - nested flat, 108, 448
  - nilpotency index, 553
  - nilpotent element, 548
  - nilpotent ideal, 553
  - non-stuttering path, 224

- noncommutative Hall formula, 459  
 noncommutative lattice, 15  
 noncommutative Möbius function, 455  
 noncommutative Möbius inversion, 460  
 noncommutative Weisner formula, 456, 493  
 noncommutative zeta function, 454
- O**
- odd-even invariant, 217  
 operad, 477  
 opposite
  - chamber, 6
  - cone, 51
  - face, 6
  - half-space, 6
  - nested face, 453
  - poset, 517
 opposite set composition, 142  
 opposite type  $B$  set composition, 163  
 opposition map
  - on cones, 51
  - on faces, 6
  - on lunes, 81
  - on set compositions, 142
  - on type  $B$  set compositions, 163
 optimal decomposition of a cone, 87  
 order (co)homology, 408  
 order complex, 408, 416  
 order dimension, 151  
 order-preserving group action, 541  
 ordered category, 118  
 ordered coordinate chart, 417  
 orientation, 406  
 orientation of a graph, 172  
 orientation space, 406  
 orthodox semigroup, 131  
 orthogonal idempotents, 547
- P**
- panel, 5, 513  
 parabolic subgroup, 125  
 parallel alternative, 92  
 parallel composition of partial orders, 152  
 partial order, 148  
 partial-bi-flat, 74  
 partial-flat, 70  
 partial-support, 70  
 partial-support relation on chambers, 68  
 partial-support relation on faces, 70  
 partition
  - integer, 146
  - set, 141
 path algebra of a quiver, 562  
 peak algebras, 510  
 peakless linear order, 431  
 peakless permutation, 505  
 Peirce decompositions, 561  
 permutation, 140
- Philip Hall formula, 526  
 Poincaré polynomial, 485  
 pointed arrangement, 121  
 poset, 148
  - of cones, 47
  - of divisors, 533
  - of face-types, 121
  - of faces, 5
  - of finite height, 517
  - of flat-types, 123
  - of flats, 9
  - of partial orders, 149
  - of preorders, 150
  - of top-cones, 48, 64
  - of top-lunes, 101
  - of triangular type, 540
 poset cocycle, 535  
 poset chain, 535  
 positive sum system, 429  
 prelinear extension, 232, 237  
 preorder, 148  
 preposet, 148  
 prime arrangement, 27  
 prime decomposition of an arrangement, 27  
 prime factor of an arrangement, 26  
 primitive, 461, 494  
 primitive idempotent, 547  
 primitive part of a left module, 263, 270  
 primitive part of a module, 566  
 primitive series of a left module, 368  
 projective
  - chamber element, 255
  - Eulerian family, 307
  - Lie element, 278
  - noncommutative Möbius function, 456
  - noncommutative zeta function, 454
  - section, 301
  - Zie element, 286
  - Zie family, 318
 projective chamber, 6  
 projective cone, 52  
 projective face, 6  
 projective Janus algebra, 266  
 projective Lie-incidence algebra, 469  
 projective lune, 82  
 projective lune-incidence algebra, 453  
 projective lune-incidence module, 453  
 projective Tits algebra, 252  
 proper coloring of a graph, 173  
 pure cell complex, 513
- Q**
- quasi-shuffle, 154  
 quiver
  - of an elementary algebra, 562
  - of an incidence algebra, 532
  - of the algebra of upper triangular matrices, 532

- of the flat-incidence algebra, 449
  - of the free left regular band, 395
  - of the invariant Tits algebra, 500
  - of the lune-incidence algebra, 452
  - of the projective Tits algebra, 391
  - of the Solomon descent algebra, 508
  - of the Tits algebra, 391
- R**
- radical
    - of a module, 554
    - of an algebra, 553
    - of an incidence algebra, 532
    - of the flat-incidence algebra, 449
    - of the left module of chambers, 253
    - of the lune-incidence algebra, 452
    - of the Tits algebra, 249
  - radical series
    - of a module, 554
    - of the left module of chambers, 259, 388
  - rank
    - of a cell complex, 513
    - of a poset, 518
    - of an arrangement, 4
  - rank function, 518
  - rank-one arrangement, 8
  - rank-three arrangement, 8
  - rank-two arrangement, 8
  - rank-zero arrangement, 8
  - reduced Euler characteristic, 513
  - reduced incidence algebra, 532, 536
  - Ree criterion, 277, 285
  - reference chamber, 121
  - reflection arrangement, 119
  - regular cell complex, 513
  - regular group action on a poset, 542
  - regular semigroup, 131
  - relative pair of cell complexes, 195, 204
  - relatively complemented lattice, 519
  - representation of an algebra, 545
  - restricted Lie algebra, 509
  - restriction of a graph, 171
  - restriction of a top-cone, 88
  - Riemann zeta function, 533
  - riffle shuffle, 365
  - right  $\Sigma$ -set, 201
  - right distance function
    - on chambers, 573
    - on faces, 574
  - right Peirce decomposition, 374
  - rigid module, 388, 555
  - Rota formula, 530, 569
- S**
- salient cone, 74, 151
  - Saliola construction, 306
  - Saliola lemma, 305
  - Salvetti complex, 99
  - Schubert symbol, 538
  - Schützenberger representation, 395
  - selection sorting, 575
  - self-dual module, 546
  - semisimple algebra, 553
  - semisimple module, 554
  - separating element, 341
  - series alternative, 92
  - series composition of partial orders, 152
  - series-parallel partial order, 154
  - set-theoretic
    - noncommutative zeta function, 454
    - section, 301
  - shuffle, 153
  - sign representation, 427, 439
  - sign sequence, 11
  - signature space, 408
  - signed poset, 166
  - signed symmetric group, 161
  - simple directed graph, 151
  - simple graph, 151, 170
  - simple module, 546
  - simplicial arrangement, 7
  - simply signed graph, 166
  - sink, 173
  - slack of a lune or a cone, 77
  - smallest nonsimplicial arrangement, 9
  - socle
    - of a module, 554
    - of the left module of chambers, 372
  - socle series
    - of a module, 555
    - of the left module of chambers, 372
  - Solomon descent algebra, 482
  - special Zie element, 282, 317
  - special Zie family, 315
  - split-semisimple algebra, 553
  - star, 21, 191, 203, 516
  - stationary distribution, 334
  - Stirling numbers of the first kind, 158
  - strongly connected poset, 19, 520
  - subarrangement, 16, 54, 245, 259
  - subcomplex, 513
  - subgraph, 171
  - subposet, 517
  - substitution product, 116, 291, 295, 448
  - supertight join-preserving map, 523
  - support
    - of a h-face, 192
    - of a chain of faces, 409
    - of a composition, 146
    - of a cone, 52
    - of a face, 9
    - of a face-type, 122
    - of a nested face, 80
    - of a set composition, 142
    - of a top-nested face, 77

- of a type  $B$  composition, 165
- of a type  $B$  set composition, 163
- of an element of a right  $\Sigma$ -set, 204
- support map, 10, 131, 142, 163, 192, 204, 249, 572
- support semilattice, 572
- support-type, 122
- symmetric distance function, 212
- symmetric group, 140
- symmetric Varchenko matrix, 228
- symmetrized Dynkin element, 400

**T**

- Takeuchi element, 344
- tight join-preserving map, 523
- Tits algebra, 249
- Tits monoid, 12
- Tits product, 11, 145, 163
- Tits projection, 11
- top-cone, 48
- top-eigenvector, 334
- top-lune, 75
- top-nested face, 77
- top-separating element, 335
- top-star, 21, 516
- top-star-lune, 92
- tree, 171
- trivial factors, 25
- two-sided Peirce decomposition, 382
- two-sided Takeuchi element, 348
- type
  - of a composition, 147
  - of a face, 121
  - of a flat, 122
  - of a nested face, 123
  - of a partition, 147
  - of a type  $B$  composition, 165
  - of a type  $B$  partition, 165
- type  $B$  Adams element, 361, 507
- type  $B$  binary tree, 437
- type  $B$  composition, 165
- type  $B$  Jacobi identity, 436, 438
- type  $B$  Lie elements, 436
- type  $B$  linear order, 162
- type  $B$  partial order, 166
- type  $B$  partition, 165
- type  $B$  riffle shuffles, 366
- type  $B$  set composition, 162
- type  $B$  set partition, 162
- type  $B$  simple graph, 165
- type  $B$  Stirling numbers, 169
- type  $D$  riffle shuffle, 366
- type map, 121

**U**

- unbracketing, 412
- uniform
  - noncommutative zeta function, 454

- section, 301
- uniserial module, 555
- unital augmentation, 572
- upper semimodular lattice, 519
- upper set, 149, 517

**V**

- Vandermonde matrix, 355, 362, 551
- Varchenko matrix, 220
- vertex, 5, 513
- vertex-based lune, 76

**W**

- wall, 51
- weak composition, 146
- weak order on a Coxeter group, 125
- weak order on chambers, 45
- Wedderburn principal theorem, 570
- Wedderburn structure theorem, 553, 570
- Wedderburn-Malcev theorem, 570
- weight function, 211
- Weisner formula, 41, 527
- Weisner function on lunes, 470
- Whitney (co)homology, 409
- Whitney numbers of the first kind, 43
- Whitney polynomial, 351
- Winder formula, 42
- Witt identity, 185

**Z**

- Zagier formula, 234, 238
- Zaslavsky formula, 41, 326, 376, 403
- zero divisor, 556
- zeta function, 526
- Zie element, 282
- Zie family, 315
- zonotope, 44