

Index

Page locations for definitions, as well as for references which are particularly fundamental, are indicated in **boldface**.

- (A), actions-list, 109
- Abhyankar, S., 161
- Abramenko, P.
 - Brown, buildings book [**AB08**], 122
- abstract minimal parabolic, 84
- action-identification, 78
- actions-list (A)
 - as Aschbacher-O’Nan-Scott Theorem, 109
- Adem, A.
 - Davis, transformation groups [**AD02**], 121
 - Maginnis-Milgram, geometry and cohomology of M_{12} [**AMM91**], 136
- adjoint module
 - of Lie algebra, 9
 - of Lie-type group, 14
- affine
 - building, 132
 - (Dynkin) diagram, 132
 - group $r^d : GL_d(r)$
 - centrally extended —, matrix action, 111
 - permutation action, 107
 - maximal subgroup of S_n , 107
 - primitive action HA, 109
 - Weyl group, 132
 - $AGL_d(r) = r^d : GL_d(r)$, *see also* affine group
- algebraic
 - geometry, 19
 - group, 19
 - maximal subgroups of —, 110, 112, 113
 - semisimple —, 19
 - variety, 19
- almost
 - almost strongly p -embedded, **43**, 68, 151
 - almost-simple, 21
 - as maximal subgroup, **107**, 107, 108, **111**, 111–114, 116, 120, 155, 194
 - primitive action AS, 109
- Alperin, J., 49, 98, 99
 - Alperin Fusion Theorem, 70
 - Alperin-McKay Conjecture, 103
 - Alperin-weight, **98**, 100, 137, 193
 - Alperin Weight Conjecture, 98
 - Brauer-Gorenstein, quasidihedral and wreathed Sylows [**ABG73**], **33**, 142
- alternating group A_n , 2
- amalgam, 82, **86**, 87
- A_n , alternating group, 2
 - $A_5 \cong L_2(4) \cong L_2(5)$, 25
 - $A_6 \cong M'_{10} \cong L_2(9) \cong Sp_4(2)'$, 25
 - $A_7 < A_8 \cong L_4(2)$, 26
 - $A_8 \cong L_4(2)$, 25
 - maximal subgroups, 108
 - recognition, 80
 - representations, 91
- $A_n(q)$, linear group $L_{n+1}(q)$, 16
 - ${}^2A_n(q)$, unitary group $U_{n+1}(q)$, 16
- An, J., 99, 100
- Andersen, H.
 - Jantzen-Soergel, representations in characteristic p [**AJS94**], 96
- Andersen, K.
 - Grodal-Møller-Viruel, classifying odd p -compact groups [**AGMV08**], 135
- anti-diagonal, 9
- anti-symmetric (symplectic) form, 8
- approximate group, 168
- Arad, Z.
 - Fisman, factorizable groups [**AF84**], 158
- Artemovich, O.
 - odd Z^* theorem [**Art88a**], 149
- AS, almost-simple primitive action, **109**, 117, 154, 155, 160
- Aschbacher, M., xiii, 29, 37, 41, 55, 63, 66, 107, 108, 111, 112, 141, 147, 171
 - Aschbacher block, 63
 - Aschbacher-O’Nan-Scott Theorem, 107, **108**, 110, 116, 154, 160
 - Classical Involution Theorem [**Asc77a**] [**Asc77b**] [**Asc80**], 82

- condition for strongly embedded [Asc73], 148, 181
- fusion system approach to CFSG [Asc15], 44
- Gorenstein-Lyons, pre-uniqueness to Uniqueness [AGL81], 43
- group theory book [Asc00], 2
- Guralnick, applications of H^1 [AG84], 119, 159
- Kessar-Oliver, fusion systems book [AKO11], 71
- Kleidman, Quillen Conjecture for simple [AK90], 47
- Lyons-Smith-Solomon, outline of CFSG [ALSS11], xiii, 29, 55
- Oliver, fusion systems [AO16], 71
- rank 3 groups [Asc81a, Asc83a], 42
- Scott, maximal subgroups [AS85], 107, 171
- Seitz, involutions in $Chv(2)$ [AS76], 197
- Smith, quasithin [AS04a, AS04b], xiii, 29, 39, 44, 55, 69, 82, 84, 144, 147
- Smith, Quillen Conjecture [AS93], xiii, 47, 49, 52
- sporadic groups book [Asc94], 3, 83, 86
- Standard Component Theorem, 38
- symplectic not extraspecial [Asc76], 43, 141
- Uniqueness Case
 - elimination [Asc83b, Asc83c], 43, 68
 - weak closure [Asc81b], 68
- Atlas of Finite Groups [CCN+85], 3
 - Modular Atlas [JLPW81], 95
- AWC, *see also* Alperin Weight Conjecture
 - AWC-good, 100

- Babai, L., 160
 - Luks-Seress, fast management of permutation groups [BLS97], 160
- Baby Monster BM , 5
- Baddeley, R.
 - Praeger, primitive overgroups of quasiprimitive [BP03], 109
 - Praeger-Schneider, blow-up decompositions for quasiprimitive [BPS07], 109
- Baer, R.
 - Baer-Suzuki Theorem, 150
- balance, 34, 36, 40
- Bandman, T.
 - Garion-Kunyavskii, equations in matrix groups [BGK14], 167
- barycentric subdivision, 123
- B -conjecture, 37
- $BDI(4)$, *see also* Dwyer-Wilkerson space
- Beineke, L.
 - Wilson, algebraic graph theory [BW04], 153
- Belyaev, V., 165
- Bender, H., 21, 65, 79, 148
 - Bender groups, 35
 - Bender-Suzuki Theorem, *see also* Strongly Embedded Theorem
- Bennett, C.
 - Shpectorov, revision of Phan, 81
- Benson, D., 71
 - Benson-Solomon exotic fusion system, 71
 - Smith, classifying spaces for sporadic groups [BS08a], 130, 137
- Berger, T.
 - Knörr, height 0 conjecture [BK88], 102
- Berkman, A.
 - Borovik, identification theorem for finite Morley rank [BB04], 157
- BG , *see also* classifying space
- block
 - χ - —, 63
 - group algebra —, 89
 - imprimitivity —, 105
- Blyth, R., xiii
 - Fumagalli-Origi, minimal nilpotent covers [BFM15, Thm 2], 160
- BM , Baby Monster sporadic group, 5, 97
 - 2-local geometry, 131
- BN -pair, 17
 - split —, 96
 - of rank 2, 81, 82
 - weak — of rank 2, 86, 87
- $B_n(q)$, orthogonal group $\Omega_{2n+1}(q)$, 16
- ${}^2B_2(q)$, Suzuki twisted Lie-type group
- $Sz(q)$, 16
- Bombieri, E., 78
- Borel, A.
 - Borel subgroup, 17
 - Borel-Tits Theorem, 18, 39
- Borovik, A., 165
 - Berkman- —, identification theorem for finite Morley rank [BB04], 157
- boundary
 - image of boundary map in homology, 45
 - map in homology, 53
 - topological — of simplex, 122
- bouquet of spheres, 128
- $\mathcal{B}_p(-)$, poset of p -radical subgroups, 64, 98, 100, 133, 134, 137
- Brauer, R., 89, 102
 - Alperin- — -Gorenstein, quasidihedral and wreathed Sylows [ABG73], 33, 142
 - Brauer group, 162
 - relative —, 162
 - Brauer Height 0 Conjecture, 102
 - Brauer-Fowler Theorem, 30

- Fowler, finitely many G over $C_G(t)$ [**BF55**], 30
- Bredon-Galois cohomology, 163
- Breuillard, E.
 - Green-Tao, Suzuki groups $Sz(q)$ as expanders [**BGT11**], 168
 - Green-Tao, structure of approximate groups [**BGT12**], 168
 - introduction to approximate groups [**Bre14**], 168
- Broto, C.
 - Levi-Oliver, homotopy of fusion systems [**BLO03**], 71
- Broué, M., 99
 - odd Z^* -theorem [**Bro83**], 150
- Brouwer, A.
 - Cohen-Neumaier, distance-regular graphs [**BCN89**], 153
- Brown, K., 45, 46
 - Abramenko- —, buildings book [**AB08**], 122
 - group cohomology book [**Bro94**], 172
 - homological Sylow theorem, 46
 - probabilistic zeta function on group [**Bro00**], 151
 - Quillen, projectivity of $\tilde{L}(S_p(G))$, **46**, 133
- Bruhat, F.
 - Bruhat decomposition, 128
 - Tits, affine building, 132
- Buekenhout, F., 129
 - Cohen, diagram geometries book [**BC13**], 125
 - diagram geometries [**Bue79**], 129
- building, 80, 83, 86, 96, 113, 121, 122, 125, **127**, 128, 129, 131, 133, 158
 - affine —, **132**, 132
- Burnside, W.
 - Burnside Fusion Theorem, **142**, 144, 146
 - Burnside Problem, restricted —, 27
 - reduction theorem for 2-transitive, 26
- C_3 -geometry for A_7 , **131**, 135, 136
- Cabanes, M.
 - Alperin Conjecture for Lie type [**Cab88**], 99
 - reduction for Alperin Conjecture [**Cab13**], 100
- Cameron, P.
 - Cameron-Praeger-Saxl- —, Sims conjecture [**CPSS83**], 154
 - CFSG applied to permutation groups [**Cam81**], 19, **25**, 106, 108, 109
 - Neumann-Teague, primitive degrees [**CNT82**], 159
 - permutation groups book [**Cam99**], 106, 109
 - Praeger-Saxl-Seitz, Sims conjecture [**CPSS83**], 154
 - Solomon-Turull, chains of subgroups [**CST89**], 116
- Cartan, E., 9
 - Cartan-Killing classification of Lie algebras, 9
 - Cartan decomposition, 10
 - Cartan matrix, 131
 - Cartan subalgebra, 9
 - Cartan subgroup, 17
- Cartier, P., 14
- case divisions in CFSG, 29
 - odd vs even, 29, **33**
 - small vs generic, 36
- category
 - based approach to topology, 71
 - equivalence, 72
 - from group-fusion, 44, **71**
 - orbit- —, 72
 - poset as —, 34
- Cayley, A.
 - Cayley algebra, as module, **97**, 117, 197
 - Cayley graph, 159, 167
- CD, compound diagonal primitive action, **109**, 116, 171, 172
- cell complex, 71
- central product, 22
- centric, *see also* p -centric
- CFSG, 1
 - CFSG-list, 1
- $C(G, T)$, 62
 - $C(G, T)$ -Theorem
 - Global —, **64**, 65, 66, 84, 144
 - Local —, **63**, 65
- chamber, 124
 - complex, 128
- character, 89
 - table, 89
- characteristic
 - core $C(G, T)$, 62
 - $R < T$ -version $C(G, R)$, 64
 - Euler — χ , 46
 - of a Lie-type group, 6
 - p type, 40
 - subgroup, 57
 - 2 type, 32
 - $\{2, p\}$ type, 41
- Chermak, A.
 - fusion systems and localities [**Che13**], 72
- Chevalley, C., 14
 - Chevalley basis, 14
 - Chevalley construction, 14
 - Chevalley group, 14
 - universal —, 81
- $\chi(-)$, Euler characteristic of complex, 46
 - $\tilde{\chi}(-)$, reduced —, 46
 - χ -block, 63

- $C_i(T, V)$, centralizer $C_T(W_i)$ of i -th weak closure, 67
- classical
 - group, 6
 - maximal subgroups of —, 111
 - Involution Theorem, **82**, 158
- classification
 - doubly- (hence multiply-) transitive groups, **26**, 80
 - Even Case of CFSG, 44
 - $e(G) = 3$ (“rank 3”), 42
 - $GF(2)$ type, **43**, 82, 142
 - $GF(2^n)$ type, 43
 - quasithin— $e(G) \leq 2$, 29, **39**, 65, 69, 82, 84, 143
 - quasithin theorem, applied in GLS program, 39, 44, **147**
 - standard type, **42**, 81
 - finite simple groups (CFSG), 1
 - geometries (various classes), 132, 133
 - maximal subgroups (of simple groups), 107, 111–114
 - Odd Case of CFSG, 38
 - $m_2(G) \leq 2$, **33**, 36, 38, 79, 142, 157
 - standard form, **38**, 42, 82
 - p -compact groups, 135
 - p -exceptional groups, 117
 - primitive actions,
 - Aschbacher-O’Nan-Scott Theorem, 108
 - root systems for simple Lie algebras over \mathbb{C} , **12**, 19
 - semisimple algebraic groups, **19**, 121
 - simple fusion systems—project of
 - Aschbacher, 45
 - simple Lie algebras (Cartan-Killing), 12
 - transposition-groups (various), 80, 82
 - transvection groups, 82
- classifying space BG , 71
 - p -completed — BG_p^\wedge , 137
- Clifford’s Theorem, 90
- $C_n(q)$, symplectic group $Sp_{2n}(q)$, 16
 - ${}^2C_2(q)$, Suzuki twisted group Lie-type $Sz(q)$, 16
- Co_1 , Conway sporadic group, **4**, 97, 114
 - 2-local geometry, 130
- Co_2 , Conway sporadic group, **4**, 114, 141
 - 2-local geometry, 131
- Co_3 , Conway sporadic group, **4**, 26, 71
- cocode module, **4**, **65**, 69
- code module, **65**, 136
- Cohen, A., 153, 154
 - Brouwer- — -Neumaier, distance-regular graphs [**BCN89**], 153
 - Buekenhout- —, diagram geometries
 - book [**BC13**], 125
- cohomology
 - Bredon-Galois —, 163
 - group — $H^*(-)$, 45
 - decomposition of —, 136
 - p -part $H^n(-)_p$, 70
 - ℓ -adic —, 93
 - module —, **137**, 159
 - decomposition of —, 137
 - Tate — $\hat{H}^*(-)$, 173
- complete
 - signalizer functor, 34
- component, 22
 - type, **31**, 45
 - p - —, 40, 41
- conjugate-symmetric (unitary) form, 8
- conjugation family, **70**, 146, 151
- continuous geometry, 121
- contractibility, **45**, 46, 134, 135
- control of fusion, 145
- Conway, J.
 - Conway sporadic groups, **4**, 83
 - et al., Atlas [**CCN+85**], 3
- Cooperstein, B.
 - Cooperstein-Mason list of FF-offenders [**Coo78**], 61
 - embedding \mathbb{F}_2 geometries [**Coo01**], 136
- core
 - characteristic — $C(G, T)$, 62
 - $R < T$ -version $C(G, R)$, 64
 - $O_{2'}(-)$, 31
- co-root, 93
- coset complex, 124
- Coxeter, H. S. M.
 - Coxeter group, 128
 - Coxeter number, 96
- (CPU), obstruction to pushing-up, **62**, 63, 64, 66, 68, 69
 - $R < T$ -version R -(CPU), **64**, 65, 85
- Craven, D.
 - fusion systems book [**Cra11**], 71
- Curtis, C., 96
 - Curtis-Tits presentation, 78, **81**
 - Curtis-Tits relations, 43, **81**
 - Kantor-Seitz, 2-transitive, 26
 - Oxford lectures on Chevalley groups [**Cur71**], 14
- cycle
 - in homology, 45
 - of permutation in S_n , 80
 - cycle-type, 91
- D_{2n} , dihedral group of order $2n$, **48**, 178, 185
 - involution fusion, 177
- Dade, E., 99
 - projective version of Alperin Conjecture, 99, 103
- Davies, B.
 - whither mathematics [**Dav05**], 29
- Davis, J.

- Adem- —, transformation groups
 - [**AD02**], 121
- decomposition
 - of classifying space, 137
 - of cohomology, 136
- defect
 - group, 90
 - zero (projective and irreducible), 90
- Delgado, A.
 - Goldschmidt-Stellmacher, groups and graphs [**DGS85**], 86
- Deligne, P., 93
 - Deligne-Lusztig theory, **92**, 103
- Diaconis, P., xiii, 115
 - Saloff-Coste, walks on group generators [**DSC98**], 116
- diagonal
 - anti- —, 9
 - automorphisms in Lie type, 24
 - compound — primitive action CD, 109
 - diagonal-field-graph theorem (Lie-type outer automorphisms), 24
 - diagonally embedded, 22
 - maximal subgroup of S_n , 107
 - simple — primitive action SD, 109
 - subgroup, *see also* Cartan subgroup
- diagram
 - Dynkin —, 10
 - affine —, 132
 - twisted —, 12
 - geometry, 125
 - inductive (residual) property, **125**, 128–131
 - Young —, 191
- Dichotomy Theorem, 33
- Dickson, L., 15
 - Dickson invariants $DI(4)$, 71
- dihedral group D_{2n} , 48
- discrete geometry, 121
- distance-transitive, 153
- Dixon, J.
 - Mortimer, permutation groups book, 109
 - probability of generating S_n [**Dix69**], 119
- $D_n(q)$, orthogonal group $\Omega_{2n}^+(q)$, 16
- ${}^2D_n(q)$, orthogonal group $\Omega_{2n}^-(q)$, 16
- ${}^3D_4(q)$, twisted Lie-type group
 - “triality- $D_4(q)$ ”, 16
- dominant weight, 94
- Doro, S., 166
- doubly-transitive, 25
 - classification of — groups, 25
- duality
 - of homology and cohomology, 173
 - of partitions, 191
 - of vector spaces, 10
- Dwyer, W., 137
 - Dwyer-Wilkerson space $BDI(4)$, 71
- Dynkin, E., 110, 112
 - Dynkin diagram, 10
 - affine —, 132
 - list of —s, 12
 - twisted —, 12
 - subalgebras of Lie algebras [**Dyn52**], 112
- $E(-)$, product of components, 21
- $e(-)$, maximum of odd 2-local p -ranks
 - $m_{2,p}(-)$, 36
 - approximates Lie rank, 39
- $E_6(q)$, Lie-type group, **16**, 112, 113, 197
- ${}^2E_6(q)$, twisted Lie-type group, 16
- $E_7(q)$, Lie-type group, 16
- $E_8(q)$, Lie-type group, 16
- embedded
 - diagonally —, 22
 - strongly —, *see also* strongly embedded
 - tightly —, 37
- embedding, of a geometry, 136
- E_{p^r} , elementary p -group of rank r , 56
- equivalence
 - category —, 72
 - homotopy —, 72
- Euler characteristic χ , 46
 - reduced — $\tilde{\chi}$, 46
- even
 - Case (characteristic 2 type), 32
 - classification, 44
 - Example, 31
 - Small — Subcase (quasithin), 36
 - characteristic, **39**, 84, 147
 - type, 39, **44**, 147
 - exceptional group, 15
 - maximal subgroups, 112
 - representations, 97
 - usage also for non-classical twisted groups, 110
- exotic
 - fusion system, 71
 - local subgroups in Lie-type groups, 113
 - space, 71
- expander graph, 167
- exponentiation of matrices, 13
- extraspecial, 140
 - large —, *see also* large extraspecial
 - semi- —, 197
- extremal, 139
- $F(-)$, Fitting subgroup, 20
 - $F^*(-)$, generalized —, 21
- F_1 , Monster sporadic group M , 5
- F_2 , Baby Monster sporadic group BM , 5
- F_3 , Thompson sporadic group Th , 5
- $F_4(q)$, Lie-type group, **16**, 113
 - ${}^2F_4(q)$, twisted Lie-type group, 16
- F_5 , Harada-Norton sporadic group HN , 5

- (FA), Frattini factorization relative to module, 56
- factorization
 - Frattini — relative to normal subgroup, **55**, 151
 - Frattini — (FA) relative to module, 56
 - Thompson — (TF) based on $J(-)$, 58
 - weak-closure — (WC), 68
- failure of factorization, *see also* FF
- Fein, B.
 - Kantor-Schacher, relative Brauer groups [**FKS81**], 163
- Feit, W.
 - modular representations book [**Fei82**], 89
 - some consequences of CFSG [**Fei80**], 158
 - Thompson, Odd Order Theorem, 30
- FF, failure of factorization, 60
 - p -solvable —, 61
 - list of groups and modules, **61**, 63, 69, 85, 90, 97
 - module, 60
 - offender, 60
 - quadratic —, **61**, 75
- Fi_{22} , Fischer sporadic group, **4**, 65, 66, 80, 83
- Fi_{23} , Fischer sporadic group, **4**, 65, 66, 69, 77, 80, 83
- Fi'_{24} , Fischer sporadic group, **4**, 80, 83
- field automorphism, of Lie-type group, 24
- finitely generated, 161
- Fischer, B., 5, 80, 82
 - Fischer sporadic groups, **4**
- Fisman, E.
 - Arad- —, factorizable groups [**AF84**], 158
- Fitting, H.
 - Fitting subgroup $F(-)$, 20
 - generalized — $F^*(-)$, 21
 - Fitting's Theorem, 21
 - generalization to $F^*(-)$, 21
- 5-transitive, 4, 25
- fixed-point ratio, 157, **164**
- flag, 6
 - flag-transitivity, **6**, 8, 18, 158, 163
 - full —, 7
- Fong, P.
 - Seitz, BN -pair of rank 2 [**FS73**], 81
- form (bilinear), 8
- four-group, E_4 , 70
- 4-transitive, 4, 25
- Fowler, K.
 - Brauer- —, finitely many G over $C_G(t)$ [**BF55**], 30
- Franchi, C., xii
 - Mainardis-Solomon, HN via bicharacteristic [**FMS08**], 141
- Frattini, G., 26, 55
 - Frattini Argument, 55
 - Frattini factorization (FA) relative to module, **56**, 58, 67
- free module, 90
- Frobenius, G.
 - character criterion for commutator, 103
 - Frobenius automorphism of algebraic group, 92
 - Frobenius Conjecture on solutions of $x^n = 1$, 157
 - Frobenius Normal p -Complement Theorem, 149
 - Frobenius reciprocity in representation theory, 136
- Frohardt, D.
 - Magaard, Grassmannian fixed-point ratios [**FM00**], 165
 - Magaard, factors of monodromy groups [**FM01**], 164
- full unipotent group, 17
- Fumagalli, F.
 - Blyth- — -Fumagalli-Origi, minimal nilpotent covers [**BFM15**, Thm 2], 160
- fundamental
 - group in topology, 164
 - group of Lie type group, 24
 - $SL_2(q)$, 82
 - weight, 93
- fusion, 45, **70**, 70, 79, 139
 - control of —, 145
 - system, 44, 45, 70, **71**, 133, 150, 151
 - exotic —, 71
 - simple —, 45
- $G(q)$, Lie-type group of type G over \mathbb{F}_q , 14, **16**
- $G_2(q)$, Lie-type group, 15, **16**, 87, 97, 112, 113, 117, 129, 197
 - ${}^2G_2(q)$, Ree twisted group $Ree(q)$, 16
- Garion, S.
 - Bandman- — -Kunyavskii, equations in matrix groups [**BGK14**], 167
- gate property of buildings, 134
- Gelfand, S., xiii
- generalized
 - Fitting subgroup $F^*(-)$, 21
 - hexagon (building for G_2 etc), **129**, 136
 - polygon, **129**, 131
 - Moufang —, 81
 - quadrangle (polar space for Sp_4 etc), **129**, 189
 - quaternion group Q_n , 58
 - Steinberg module, **46**, 133, 135
 - triangle (projective plane), 129
- genus, 164
 - continuous —, 121
 - discrete —, 121
 - projective —, 121

- sporadic —, 129
- Tits —, 131
- 2-local —, 129
- $GF(2)$ type, 41, 82, **140**, 142, 186
 - classification, 43
 - $GF(2^n)$ type, 42, **141**
 - classification, 43
- Gilman, R., 42
 - Griess, classification of standard type [**GG83**], **42**, 81
- Giudici, M.
 - Liebeck-Praeger-Saxl-Tiep, orbits of linear groups [**GLP⁺16**], 103, **117**
- Glauberman, G., 49, 166
 - p -solvable failure of factorization, 61
 - Lynd, fixed points and linking systems [**GL16**], 72
 - Z^* -Theorem [**Gla66**], **139**, 141–143, 149
- $GL_n(q)$, linear group (general), 6
 - maximal subgroups, 111
- global
 - $C(G, T)$ -Theorem, 64
 - field, 162
- GLS, Gorenstein-Lyons-Solomon
 - “revisionism”, 44
 - GLS1, introduction to revisionism [**GLS94**], 44, 147
 - GLS2, general group theory [**GLS96**], 2, 139
 - GLS3, properties of the simple groups [**GLS98**], 2
 - GLS4, uniqueness theorems [**GLS99**], 151
- Golay code, **4**, 83, 97, 114
- Goldschmidt, D.
 - Delgado- — -Stellmacher, groups and graphs [**DGS85**], 86
- Gorenstein, D., 21, 29, 34, 37, 41, 147, 150
 - Alperin-Brauer- —, quasidihedral and wreathed Sylows [**ABG73**], **33**, 142
 - Aschbacher- — -Lyons, pre-uniqueness to Uniqueness [**AGL81**], 43
 - CFSG outline
 - introduction [**Gor82**], **29**, 77
 - Odd Case [**Gor83**], 29
 - Gorenstein-Walter (GW) type
 - $(m_2(G) \leq 2$ and component type), 36
 - Lyons, trichotomy [**GL83**], **42**, 151
 - Lyons-Solomon, GLS1: introduction to revisionism [**GLS94**, p 36], 147
 - Lyons-Solomon, GLS2: general group theory [**GLS96**], 2, 139
 - Lyons-Solomon, GLS3: properties of the simple groups [**GLS98**], 2
 - Lyons-Solomon, GLS4: uniqueness theorems [**GLS99**], 151
- graph automorphism of Lie-type group, 24
- Green, B.
 - approximate groups [**Gre12**], 168
 - Breuillard- — -Tao, structure of approximate groups [**BGT12**], 168
 - Breuillard- — -Tao, Suzuki groups $Sz(q)$ as expanders [**BGT11**], 168
- Green, D., xiii
 - Héthelyi-Mazza, Oliver’s Conjecture II [**GHM10**], 75
 - Héthelyi-Mazza, strong form of Oliver Conjecture [**GHM11**], 75
 - Lynd, weak closure and Oliver’s conjecture [**GL13**], 75
- Griess, R., 5, 42
 - Gilman- —, classification of standard type [**GG83**], **42**, 81
 - Griess algebra, for the Monster M , 5
 - Schur multipliers of simple groups [**Gri72**], 22
 - sporadic groups book [**Gri98**], 3, 83
- Grodal, J., xiii, 137, 151
 - Andersen- — -Møller-Viruel, classifying odd p -compact groups [**AGMV08**], 135
 - higher limits via subgroup complexes [**Gro02**], 135, 136
- Gross, F.
 - odd p -central automorphisms [**Gro82**], 149
- group
 - algebra, 89
 - cohomology, 45
- Guralnick, R., xiii, 93
 - Aschbacher- —, applications of H^1 [**AG84**], 119, 159
 - genus of permutation group [**Gur92**], 164
 - Guralnick-Thompson Conjecture, 164
 - Malle, FF-modules [**GM02**], **61**, 65, 97
 - Robinson, extending Baer-Suzuki [**GR93**], **149**, 150
 - subgroups of prime power index [**Gur83**], 158
 - survey of applications of CFSG [**Gur17**], 19
 - Thompson, groups of genus 0 [**GT90**], 164
- GW type, 36
- $H^*(X)$, group cohomology of X , 45
- $H_*(-)$, homology of simplicial complex, 45
- $\tilde{H}_*(-)$, reduced —, 46
- HA, holomorph-of-abelian (affine) primitive action, **109**, 116, 154
- $\frac{1}{2}$ -transitive, 117
- Hall, J., xiii
 - locally finite simple finitary linear groups [**Hal06**], 165
 - locally finite simple Moufang loops [**Hal07**], 166

- Hall, M.
solvable Frobenius Conjecture [**Hal76**], 157
- Hall, P.
Hall π -subgroups of solvable group, 86, **158**
-Higman, restricted Burnside problem [**HH56**], 27
- Harada, K.
Harada-Norton sporadic group HN , 5
- Hartley, B., 165
- HC, holomorph-of-compound primitive action, **109**, 116, 171
- He , Held sporadic group, **5**, 79
- Hecke algebra, modular —, 99
- Held, D.
Held sporadic group He , 5
- Helfgott, H.
growth in groups survey [**Hel15**], 162
- Hering, C., 26
transitive linear groups [**Her85**], 115
- Héthelyi, L.
Green- — -Mazza, Oliver's Conjecture II [**GHM10**], 75
Green- — -Mazza, strong form of Oliver Conjecture [**GHM11**], 75
- Higman, D. G.
Higman-Sims sporadic group HS , 5
- Higman, G.
Hall - —, restricted Burnside problem [**HH56**], 27
- Hilbert, D.
Hilbert Nullstellensatz, 19
solution of Waring problem, 167
- HN , Harada-Norton sporadic group, **5**, 141
- holomorph, 109
-of-abelian (affine) primitive action HA, 109
-of-compound primitive action HC, 109
-of-simple primitive action HS, 109
- Holt, D., xiii, 148, 174
involutions fixing unique point [**Hol78**], 148
-Rees, implementing Neumann-Praeger algorithm [**HR92**], 115
- homological Sylow theorem (Brown), 46
- homology
of simplicial complex, 45
reduced —, 46
- homotopy
colimit, 137
equivalence, **45**, 47, 72
- hook length, 191
formula, 91, **191**
- Howlett, R., 26
- HS , Higman-Sims sporadic group, 4, **5**, 26, 83, 87, 141
- HS, holomorph-of-simple primitive action, **109**, 117, 171
- Humphreys, J.
Lie algebra book [**Hum78**], 9, 93
- Huppert, B., 26
- hyperbolic pair, 9
- hypercubic, 53
- I_λ , irreducible of S_n for partition λ , 91
- imprimitive
blocks of —ity, 105
direct-sum maximal subgroup of GL_n , **111**, 117
hypercube tensor-product maximal subgroup of GL_n , 111
maximal subgroup of S_n , **107**, 116
permutation representation, 105
- indecomposable module, 89
- independent generating set, 116
- internal
identification, 78
module, 56
- involution (element of order 2), 30
centralizer, 30
- irreducible module, 89
- Isaacs, I. M.
character theory book [**Isa06**], 89
-Kantor-Spaltenstein, probability of p -singular [**IKS95**], 155
-Malle-Navarro, reduction theorem for McKay Conjecture [**IMN07**], 100, **102**
- isolated rank-2 group, 145
- isotropic
subspace (totally —), 8
vector, 9
- Ivanov, A., 154
-Shpectorov, tilde geometries are known [**IS94**], 131
survey of distance-transitive graphs [**Iva94**], 153
- $J(-)$, Thompson subgroup, 58
- J_1 , Janko sporadic group, **4**, 39, 79, 97, 147
- J_2 , Janko sporadic group, **4**, 83, 97
- J_3 , Janko sporadic group, **4**, 97
- J_4 , Janko sporadic group, 4
- Jackowski, S., 137
- James, G.
-Kerber, representations of S_n [**JK81**], 91, 92
- Janko, Z., 4, 148
Janko sporadic groups, 4
- Jantzen, J.
Andersen- — -Soergel, representations in characteristic p [**AJS94**], 96
representations of algebraic groups [**Jan03**], 95
- join (of complexes), **45**, 48, 125

- factorization of $\mathcal{A}_p(-)$ for group product, 47, **48**, 54
- \mathcal{K} , known simple groups, 1
- \mathcal{K} -group, 1
- Kantor, W., xiii, 133, 154, 160
- Curtis- — -Seitz, 2-transitive, 26
- Fein- — -Schacher, relative Brauer groups [**FKS81**], 163
- Isaacs- — -Spaltenstein, probability of p -singular [**IKS95**], 155
- Liebler-Tits, automorphisms of affine buildings [**KL78**], 132
- Lubotzky, probably of generating classical group [**KL90a**], **119**
- primitive odd degree and projective planes [**Kan87**], 158
- quotients of affine buildings, 132
- subgroups generated by long-root elements [**Kan79**], 163
- survey of applications of CFSG [**Kan85**], 19, 158
- Kassabov, M.
 - Lubotzky-Nikolov, simple groups as expanders [**KLN06**], 168
- Keller, T.
 - $k(GV)$ problem revisited [**Kel05**], 165
- Kemper, G.
 - depth of invariant rings [**Kem01**], 151
- Kessar, R.
 - Aschbacher- — -Oliver, fusion systems book [**AKO11**], 71
 - Malle, height 0 conjecture [**KM13**], 102
- \mathcal{K} -group, **1**, 20
- $k(GV)$ -problem, 115
- Killing, W., 9
 - Cartan-Killing classification of Lie algebras, 9
 - Killing form, 10
- Kleidman, P.
 - Aschbacher- —, Quillen Conjecture for simple [**AK90**], 47
 - Liebeck, maximals in classical groups [**KL90b**], **112**, 117
 - Liebeck, survey of maximal subgroups [**KL88**], 19, 105
- Kleshchev, A.
 - branching rules [**Kle97**], 135
- Klinger, K., 141
 - Klinger-Mason characteristic $\{2, p\}$ type methods, 41
- Knörr, R.
 - Berger- —, height 0 conjecture [**BK88**], 102
 - Robinson, remarks on Alperin Conjecture [**KR89**], 137
- Kostant, B., 14
 - Kostant \mathbb{Z} -form, 14
- Kovacs, L.
 - wreath products [**Kov85**], 171
- Künneth formula (product homology), 53
- Kunyavskii, B.
 - Bandman-Garion- —, equations in matrix groups [**BGK14**], 167
- $L(-)$, Lefschetz module of complex, 46
- $\tilde{L}(-)$, reduced —, 46
- Landazuri, V.
 - Seitz, minimal projective degrees for Chevalley groups [**LS74**], 93
- large
 - 2-subgroup, 140
 - extraspecial 2-subgroup, 4, **140**, 141, 142, 186, 188
- Larsen, M., 165
 - Shalev-Tiep, Waring problem for simple groups [**LST11**], 167
- Leech lattice, 4, 5, 78, 97, 114
- Lefschetz module, 46
 - reduced —, 46
- Levi, E.
 - Levi complement, 17
 - Levi decomposition, 17
- Levi, R.
 - Broto- — -Oliver, homotopy of fusion systems [**BLO03**], 71
- Li, C.
 - Praeger- — -Niemeyer, vertex-transitive graphs [**PLN97**, Sec 6], 109, 153
- Lie, S.
 - Lie algebra, 9
 - classification (Cartan-Killing), 12
 - Lie group (over \mathbb{C}), 13
 - Lie rank
 - of Lie algebra or root system, 9
 - of Lie-type group, **16**, 39
 - Lie type
 - of Lie algebra or root system, 12
 - of Lie-type group, 16
 - Lie-type group, **1**, **16**
 - geometry (building), 125
 - maximal subgroups, 110
 - outer automorphisms, 24
 - recognition, 80
 - representations, 92
 - twisted —, 15
 - untwisted — (Chevalley group), 16
- Liebeck, M., 154
 - affine rank 3 [**Lie87a**], 26, 115, 117
 - finite simple Moufang loops [**Lie87b**], 166
 - Giudici- — -Praeger-Saxl-Tiep, orbits of linear groups [**GLP⁺16**], 103, **117**
 - Kleidman- —, maximals in classical groups [**KL90b**], **112**, 117

- Kleidman- —, survey of maximal subgroups [KL88], 19, 105
- O'Brien-Shalev-Tiep, Ore Conjecture [LOST10], 103
- Praeger-Saxl, O'Nan-Scott for primitive [LPS88], 108, 109
- Praeger-Saxl, maximal subgroups of A_n , S_n [LPS87], 108
- Saxl, primitive groups and monodromy [LS91], 164
- Saxl, primitive groups of odd degree [LS85], 158
- Saxl, survey of maximal subgroups [LS92], 105
- Saxl-Seitz, overgroups of irreducible in classical [LSS87], 135
- Saxl-Testerman, large-rank subgroups in Lie type [LST96], 120
- Seitz, finite subgroups of exceptional algebraic [LS99a], 113
- Seitz, maximals of exceptional groups [LS90], 113
- Seitz, maximals of positive dimension in exceptional [LS04], 113
- Seitz, subgroup structure in exceptional [LS98b], 113
- Seitz, subgroups generated by root elements [LS94], 163
- Seitz, subgroups of classical groups [LS98a], 112
- Seitz, survey of maximals in exceptional [LS03], 112, 113
- Shalev, permutation groups and probability [LS99b], 164
- Shalev, probability of generating simple group [LS95], 119, 120
- survey of probabilistic results [Lie13], 114
- survey of subgroups of algebraic groups [Lie95], 110
- Liebler, R.
- Kantor- — -Tits, automorphisms of affine buildings [KLT87], 132
- Yellen, groups of central type [LY79], 158
- linear group, 6
- general — $GL_n(q)$, 6
- simple — $L_n(q)$, 6
- special — $SL_n(q)$ (determinant 1), 6
- projective — $PSL_n(q) = L_n(q)$, 6
- linking system, 72
- obstruction to —, 72
- $L_n(q)$, linear group, 6
- $L_2(q) \cong \Omega_4^-(q)$, 60
- local
- $C(G, T)$ -Theorem, 63
- field, 132
- subgroup (p -local —), 7
- locally finite, 165
- long root, 10
- loop
- for fundamental group, 164
- group-minus-associativity, 166
- Moufang loop, 165
- Paige loop, 166
- Lubotzky, A.
- discrete groups and expander graphs [Lub94], 167
- Kantor- —, probably of generating classical group [KL90a], 119
- Kassabov- — -Nikolov, simple groups as expanders [KLN06], 168
- Mann, polynomial subgroup growth [LM91], 162
- Mann-Segal, polynomial subgroup growth in finitely generated [LMS93], 162
- Lucido, M.
- prime graph components [Luc99], 158
- Luks, E.
- Babai- — -Seress, fast management of permutation groups [BLS97], 160
- graph isomorphism of bounded valence in polynomial time [Luk82], 160
- polynomial time composition factors [Luk87], 160
- Lusztig, G., 93, 96
- Deligne-Lusztig theory, 92, 103
- Lusztig induction, 92, 103
- Ly , Lyons sporadic group, 5, 38
- diagram geometry, 132
- Lynd, J., 75
- Glauberman- —, fixed points and linking systems [GL16], 72
- Green- —, weak closure and Oliver's conjecture [GL13], 75
- Thompson-Lyons transfer for fusion systems [Lyn14], 150
- Lyons, R., 5, 33, 41
- Aschbacher- — -Smith-Solomon, outline of CFSG [ALSS11], xiii, 29, 55
- Aschbacher-Gorenstein- —, pre-uniqueness to Uniqueness [AGL81], 43
- characterization of $U_3(4)$ [Lyo72], 142
- Gorenstein- —, trichotomy [GL83], 42, 151
- Gorenstein- — -Solomon, GLS1: introduction to revisionism [GLS94, p 36], 147
- Gorenstein- — -Solomon, GLS2: general group theory [GLS96], 2, 139
- Gorenstein- — -Solomon, GLS3: properties of the simple groups [GLS98], 2

- Gorenstein- — -Solomon, GLS4:
 uniqueness theorems [GLS99], 151
 Lyons sporadic group *Ly*, 5
 Thompson-Lyons transfer, 150
- M*, Monster sporadic group, **5**, 97, 114
 2-local geometry, 130
- M*₁₀, point stabilizer in *M*₁₁, 25
- M*₁₁, Mathieu sporadic group, **4**, 25, 26,
 117, 118, 141
- M*₁₂, Mathieu sporadic group, **4**, 25, 26, 97
- M*₂₂, Mathieu sporadic group, **4**, 26, 65
 2-local geometry, 131
- M*₂₃, Mathieu sporadic group, **4**, 25, 26,
 65, 69, 77, 85, 86, 117, 118
- M*₂₄, Mathieu sporadic group, **4**, 25, 26,
 65, 79, 97, 114
 2-local geometry, 130, 135, 136
- Magaard, K.
 Frohardt- —, factors of monodromy
 groups [FM01], 164
 Frohardt- —, Grassmannian fixed-point
 ratios [FM00], 165
 -Waldecker, at most 2 fixed points
 [MW15a], 165
 -Waldecker, trivial 4-point stabilizer
 [MW15b], 165
- Maginnis, J.
 Adem — -Milgram, geometry and
 cohomology of *M*₁₂ [AMM91], 136
 -Onofrei, Lefschetz modules for sporadic
 groups [MO09], 135
- Maillet, E., 26
- Mainardis, M., xii
 Franchi- — -Solomon, *HN* via
 bicharacteristic [FMS08], 141
- Malle, G.
 Guralnick- —, FF-modules [GM02], **61**,
 65, 97
- Isaacs- — -Navarro, reduction theorem
 for McKay Conjecture [IMN07], 100,
102
- Kessar- —, height 0 conjecture [KM13],
 102
- Saxl-Weigel, generation of classical
 groups [MSW94], 120
- Späth, McKay conjecture odd degree
 [MS16], 102
- Testerman, maximals in Lie type
 [MT11], 112
- Mann, A.
 Lubotzky- —, polynomial subgroup
 growth [LM91], 162
- Lubotzky- — -Segal, polynomial
 subgroup growth in finitely generated
 [LMS93], 162
- Segal, finiteness conditions in residually
 finite [MS90], 162
- Martino, J., 72
 Martino-Priddy Conjecture, **72**, 74, 75
- Mason, G., 141
 Cooperstein-Mason list of FF-offenders,
 61
 Klinger-Mason characteristic $\{2, p\}$ type
 methods, 41
 quasithin manuscript, 39
- Mathieu, E., 4
 Mathieu sporadic groups, 4
- maximal
 parabolic subgroup, 18
 subgroups of simple groups, 105
- Mazza, N.
 Green-Héthelyi- —, Oliver's Conjecture
 II [GHM10], 75
 Green-Héthelyi- —, strong form of Oliver
 Conjecture [GHM11], 75
- McBride, P., 84
- McClure, J., 137
- McKay, J., 102
 Alperin-McKay Conjecture, 103
 McKay Conjecture, 100, **102**
- McL*, McLaughlin sporadic group, **4**, **5**, 83
- McLaughlin, J., 5
 groups generated by transvections, 82
 McLaughlin sporadic group *McL*, 5
- Meierfrankenfeld, U., 44, 65, 151
 locally finite not finitary [Mei95], 166
 -Stellmacher-Stroth, overview of
 characteristic-*p* approach [MSS03], 44
- Milgram, R. J.
 Adem-Maginnis- —, geometry and
 cohomology of *M*₁₂ [AMM91], 136
- minimal
 parabolic subgroup, 18
 weight, 97
- minuscule weight, 97
- Miyamoto, M.
 conjugation families [Miy77], 151
- modular
 Atlas [JLPW81], 95
 Hecke algebra, 99
 representation, 89
- module, underlying space of representation,
 89
- Møller, J.
 Andersen-Grodal- — -Viruel, classifying
 odd *p*-compact groups [AGMV08],
 135
- monodromy group, 164
- monomial
 matrices, 7
 subgroup, 17
- Monster *M*, 5
- Morigi, M.
 Blyth-Fumagalli- —, minimal nilpotent
 covers [BFM15, Thm 2], 160

- Morita equivalence, 162
- Mortimer, B
 Dixon- —, permutation groups book, 109
- Moufang, R.
 Moufang generalized polygon, 81
 Moufang loop, 165, 166
 simple —, 166
- $m_p(-)$, p -rank, 2
 $m_{2,p}(-)$, p -rank in 2-locals, 36
- multiple transitivity, 2, 4, 6, **25**, 78
- Munkres, J.
 algebraic topology book [**Mun84**], 45
- Nagao, H., 26
- natural module, **6**, 78, 90, 91, 112
- Navarro, G.
 Isaacs-Malle- —, reduction theorem for
 McKay Conjecture [**IMN07**], 100, **102**
 -Späth, height 0 conjecture [**NS14**], 103
 -Tiep, Alperin Weight Conjecture
 [**NT11**], 100
 -Tiep, characters of relative p' -degree
 [**NT13**], 103
- negative root, 10
- Netto, E.
 2-generation of S_n [**Net64**], 119
- Neumaier, A.
 Bruwer-Cohen- —, distance-regular
 graphs [**BCN89**], 153
 C_3 -geometry for A_7 , 131
- Neumann, P.
 Cameron- — -Teague, primitive
 degrees [**CNT82**], 159
 -Praeger, recognition algorithm for linear
 groups [**NP92**], 115
- Niemeyer, A.
 -Praeger, estimating proportions of
 elements in Lie type [**NP10**], 156
 Praeger-Li- —, vertex-transitive graphs
 [**PLN97**, Sec 6], 109, 153
 -Praeger-Seress, randomised algorithms
 survey [**NPS13**], 115
- Nikolov, N.
 Kassabov-Lubotzky- —, simple groups as
 expanders [**KLN06**], 168
- nilpotent
 algebra, 9
 covering, 160
 group, 13
- nondegenerate subspace, 8
- Norton, S.
 Harada-Norton sporadic group HN , 5
- n -transitive, 25
- O'Brien, E., 100
 Liebeck- — -Shalev-Tiep, Ore Conjecture
 [**LOST10**], 103
- obstruction
 to linking system, 72
 to pushing-up (CPU), 62
- octad, 130
- Odd
 Case (component type), 31
 classification, 38
 Example, 30
 Small — Subcase ($m_2(G) \leq 2$), 36
 Odd Order Theorem, **30**, 48, 50
 Odd-Even Dichotomy Theorem, 33
- offender, FF- —, 60
- Oliver, B., xiii, 70, 137
 Aschbacher- —, fusion systems [**AO16**],
 71
 Aschbacher-Kessar- —, fusion systems
 book [**AKO11**], 71
 Broto-Levi- —, homotopy of fusion
 systems [**BLO03**], 71
 Martino-Priddy $p = 2$ [**Oli06**], 72
 Martino-Priddy odd [**Oli04**], **72**, 75
 Oliver Conjecture on $J(T)$, 73
 -Ventura, saturated fusion systems over
 2-groups [**OV09**], 151
- $\Omega_1(-)$, subgroup generated by elements of
 order p , 56
- $\Omega_n(q)$, orthogonal group, 8
 $\Omega_{2n}^+(q)$, of plus type, 16
 $\Omega_{2n}^-(q)$, of minus type, 16
- $O'N$, O'Nan sporadic group, 5
- O'Nan, M., 5, 26, 107
 Aschbacher-O'Nan-Scott Theorem, 108
 O'Nan sporadic group $O'N$, 5
 O'Nan-Scott Theorem, 107
- Onofrei, S.
 fusion systems with parabolic families
 [**Ono11**], 133
 Maginnis- —, Lefschetz modules for
 sporadic groups [**MO09**], 135
- $O_p(-)$, largest normal p -subgroup, 32
 $O_{p'}(-)$, largest normal p' -subgroup, 31
- order complex of a poset, 45
- ordinary representation theory, 89
- Ore Conjecture, **103**, 167
- orthogonal
 form (symmetric), 8
 group, 8
- outer automorphisms
 Lie-type groups, 24
 simple groups, 23
- PA, product action (primitive), **109**, 116,
 154, 171
- Paige loop, 166
- panel, 124
- parabolic subgroup, 17
 abstract minimal —, 84
 maximal —, 18
 as maximal subgroup in Lie type, 111,
 113, 120

- minimal —, 18
- of Weyl group W , 124
- Parker, C.
 - Stroth, $F_4(2)$ and automorphisms [PS14], 148
 - Stroth, strongly p -embedded [PS11], 151
- partially ordered set, *see also* poset
- partition λ of n , 91
- path between chambers, 124
- p -centric, 73, 74, 137
- p -compact group, 135
- p -component type, 40
- permutation matrices, 7
- Petersen, J.
 - Petersen geometry, 131
 - Petersen graph, 131
- p -exceptional, 117
- p -fusion, *see also* fusion
- Phan, K., 81
- Φ , root system, 10
 - Φ^+ , positive roots, 10
 - Φ^- , negative roots, 10
- $P(I)$, projective cover of irreducible I , 90
- Π , simple system in root system Φ , 10
- Pink, R., 165
- p -local subgroup, 7
- p -modular representation, 89
- polar space (projective space for bilinear form), 122
- polynomial subgroup growth, 161
- poset, partially ordered set, 34
- positive root, 10
- p -preuniqueness type, 41
- p -radical poset $\mathcal{B}_p(-)$, 64
- Praeger, C., xiii, 106, 153, 154
 - Baddeley- —, primitive overgroups of quasiprimitive [BP03], 109
 - Baddeley- — -Schneider, blow-up decompositions for quasiprimitive [BPS07], 109
 - Cameron- — -Saxl-Seitz, Sims conjecture [CPSS83], 154
 - Giudici-Liebeck- — -Saxl-Tiep, orbits of linear groups [GLP⁺16], 103, 117
 - inclusion problem for primitive groups [Pra90], 171
 - Liebeck- — -Saxl, maximal subgroups of A_n, S_n [LPS87], 108
 - Liebeck- — -Saxl, O’Nan-Scott for primitive [LPS88], 108, 109
 - Li-Niemeyer, vertex-transitive graphs [PLN97, Sec 6], 109, 153
 - Neumann- —, recognition algorithm for linear groups [NP92], 115
 - Niemeyer- —, estimating proportions of elements in Lie type [NP10], 156
 - Niemeyer- — -Seress, randomised algorithms survey [NPS13], 115
 - O’Nan-Scott for quasiprimitive [Pra93], 109, 110
 - quasiprimitive graphs survey [Pra97], 115
 - Saxl-Yokoyama, distance transitive graphs [PSY87], 154
 - Schneider, forthcoming permutation groups book [PS], 109, 171
 - simple groups and primitive groups [Pra83], 106
- p -reduced, 57
- presentation (generators and relations), 78
 - Curtis-Tits — for Lie type, 81
- preuniqueness type, 41
- Priddy, S., 72
 - Martino-Priddy Conjecture, 72
- primitive, 106, 107, 116, 117, 154, 158, 160, 171
 - Aschbacher-O’Nan-Scott Theorem (classification), 108
- product
 - homology (K nneth formula), 52, 53, 54
 - hypercube — maximal subgroup of S_n , 107
 - hypercube tensor — maximal subgroup of GL_n , 111
 - primitive action, 109
- projective
 - cover $P(I)$ of irreducible I , 90
 - dimension, 126
 - geometry, 78, 121
 - line, 122
 - module, 90
 - indecomposable — $P(I)$, 90
 - irreducible — (defect 0), 90, 95, 98, 100
 - relatively —, 135
 - virtual —, 46, 133, 135–137
 - plane, 125
 - point, 122
 - space, 122
 - special linear group $PSL_n(q)$, *see also* $L_n(q)$
- PSG, *see also* subgroup growth, polynomial
- p -singular, 155
- $PSL_n(q)$, simple linear group, *see also* $L_n(q)$
- p -solvable, 49, 59, 61
- Puig, L., 71
 - Frobenius categories [Pui06], 71
 - reduction theorem for Alperin Conjecture [Pui11], 100
- pushing-up, 62
 - methods, 65, 68, 85
 - obstruction to —, *see also* (CPU)
 - rank-1, 64

- rank-2, 65
- q -hyperclementary, 53
- q -restricted weight, 94
- QT, *see also* quasithin
- Q_{2^n} , generalized quaternion of order 2^n , 58
- quadratic
 - action, **61**, 73, 75
 - form of Oliver's conjecture on $J(T)$, 75
 - offender, 61
- quasi-dihedral, 142
- quasiprimitive, **109**, 110
- quasisimple, 6
- quasithin ($e(G) \leq 2$), 36
 - classification, 39
- quaternion
 - (generalized) — group Q_n , 58
- Quillen, D., 45, 46, 48, 71
 - Brown- —, projectivity of $\tilde{L}(S_p(G))$, **46**, 133
 - properties of p -subgroups poset [**Qui78**], 46
 - Quillen Conjecture the on p -subgroups complex, 47
 - Quillen-dimension, **48**, 52
- radical subgroups poset $\mathcal{B}_p(-)$, 64
- rank
 - Lie — of algebra or group, 9
 - of diagram geometry, 129
 - of permutation representation (number of suborbits), 83
 - p -rank $m_p(-)$, 2
 - rank-3 permutation representation, 5, 78, 80, **83**, 87, 189
- recognition theorems, 77
 - alternating groups, 80
 - Lie-type groups, 80
 - sporadic groups, 82
- reduced
 - Euler characteristic $\tilde{\chi}$, 46
 - homology, 46
 - Lefschetz module, 46
- reductive, 113
- Ree, R.
 - Ree twisted groups $Ree(3^a)$, 15
- $Ree(q)$, Ree twisted group, 15, 16, 78, 79
- Rees, S.
 - Holt- —, implementing Neumann-Praeger algorithm [**HR92**], 115
- relatively projective module, 135
- representation, 89
 - modular — (characteristic p), 89
 - ordinary — (characteristic 0), 89
- residual property of buildings, 128
- residually finite, 161
- residue (link), 125
- restricted
 - Burnside problem, 27
 - weight, 94
- revisionism (GLS), 1, 39, **44**, 147, 151
- Richen, W. F., 96
- Riemann, B.
 - Riemann sphere, 164
 - Riemann surface, 164
- Robinson, G.
 - Guralnick- —, extending Baer-Suzuki [**GR93**], **149**, 150
 - Knörr- —, remarks on Alperin Conjecture [**KR89**], 137
 - odd Z^* and block units [**Rob90**], 150
 - odd Z^* and central units [**Rob09**], 150
 - remarks on permutation modules [**Rob88**], 53
 - Robinson subgroup, 53
 - simple endotrivial modules [**Rob11**], 151
 - Thompson, $k(GV)$ problem [**RT96**], 115
- Ronan, M., 130
 - buildings book [**Ron89**], 128
 - Smith, 2-local geometries for sporadics [**RS80**], 129
 - Smith, sheaves on buildings [**RS85**], 96, 136
- root, 10
 - co-root, 93
 - group U_α , 13, **17**, 19, 94, 156, 163
 - T -root group, 156
 - involution, 82
 - long —, 10
 - negative —, 10
 - positive —, 10
 - short —, 10
 - simple —, 10
 - space U_α , **10**, 10, 17, 94, 156
 - system Φ , 10
 - classification of —s, 12
- Rowley, P.
 - Z_3^* -theorem [**Row81**], 150
- Ru , Rudvalis sporadic group, **5**, 87
- Rudvalis, A.
 - Rudvalis sporadic group Ru , 5
- Ruiz, A.
 - Viruel, exotic odd p -local finite groups [**RV04**], 71
- Ryba, A.
 - Smith-Yoshiara, projective modules for sporadic geometries [**RSY90**], 135
- (S), structures-list, 107
- $\mathcal{S}(5, 6, 12)$, Steiner system, **4**
- $\mathcal{S}(5, 8, 24)$, Steiner system, **4**, 114, 130
- Sagan, B.
 - representations of S_n [**Sag01**], 91
- Saloff-Coste, L.
 - Diaconis- —, walks on group generators [**DSC98**], 116

- Sawabe, M., 100
- Saxl, J., 154
- Cameron-Praeger- — -Seitz, Sims conjecture [**CPSS83**], 154
 - Giudici-Liebeck-Praeger- — -Tiep, orbits of linear groups [**GLP⁺16**], 103, **117**
 - Liebeck- —, primitive groups and monodromy [**LS91**], 164
 - Liebeck- —, primitive groups of odd degree [**LS85**], 158
 - Liebeck- —, survey of maximal subgroups [**LS92**], 105
 - Liebeck-Praeger- —, maximal subgroups of A_n, S_n [**LPS87**], 108
 - Liebeck-Praeger- —, O’Nan-Scott for primitive [**LPS88**], 108, 109
 - Liebeck- — -Seitz, overgroups of irreducible in classical [**LSS87**], 135
 - Liebeck- — -Testerman, large-rank subgroups in Lie type [**LST96**], 120
 - Malle- — -Weigel, generation of classical groups [**MSW94**], 120
 - Praeger- — -Yokoyama, distance transitive graphs [**PSY87**], 154
- Schacher, M.
- Fein- — -Kantor, relative Brauer groups [**FKS81**], 163
- Schmid, P.
- $k(GV)$ problem [**Sch07**], 99
- Schneider, C.
- Baddeley- Praeger- —, blow-up decompositions for quasiprimitive [**BPS07**], 109
 - Praeger- —, forthcoming permutation groups book [**PS**], 109, 171
- Schreier, O., 23
- Schreier Conjecture, **23**, 25–27, 108–110, 116, 154, 160
- Schur, I., 22
- Schur multiplier, 22
 - list of —s for simple groups, 22
- Scott, L., 107, 108
- Aschbacher- —, maximal subgroups [**AS85**], **107**, 171
 - Aschbacher-O’Nan-Scott Theorem, 108
 - O’Nan-Scott Theorem, **107**, 107, 109, 110, 116, 155, 171
 - representations in characteristic p [**Sc080**], **107**, 171
- SD, simple diagonal primitive action, **109**, 117, 171
- section, subquotient in group, 4
- Segal, D.
- Lubotzky-Mann - —, polynomial subgroup growth in finitely generated [**LMS93**], 162
 - Mann- —, finiteness conditions in residually finite [**MS90**], 162
- Seitz, G., xiii, 110, 112
- Aschbacher- —, involutions in $Chev(2)$ [**AS76**], 197
 - Curtis-Kantor- —, 2-transitive, 26
 - flag-transitive on building [**Sei73**], 158, 163
 - Fong- —, BN -pair of rank 2 [**FS73**], 81
 - Landazuri- —, minimal projective degrees for Chevalley groups [**LS74**], 93
 - Liebeck- —, finite subgroups of exceptional algebraic [**LS99a**], 113
 - Liebeck- —, maximals of exceptional groups [**LS90**], 113
 - Liebeck- —, maximals of positive dimension in exceptional [**LS04**], 113
 - Liebeck- —, subgroup structure in exceptional [**LS98b**], 113
 - Liebeck- —, subgroups generated by root elements [**LS94**], 163
 - Liebeck- —, subgroups of classical groups [**LS98a**], 112
 - Liebeck- —, survey of maximals in exceptional [**LS03**], 112, **113**
 - Liebeck-Saxl- —, overgroups of irreducible in classical [**LSS87**], 135
 - maximals of classical algebraic groups [**Sei87**], 112
 - T -root subgroups for maximal tori [**Sei83**], 156
- self-centralizing property of $F^*(X)$, 21
- semi-dihedral, 142
- semi-direct product, 4
- semi-extraspecial, 197
- semi-symplectic type, 141
- semisimple
- algebraic group, 19
 - element (p' -order) in Lie-type group, 17
 - group algebra, 89
- Seress, A.
- Babai-Luks- —, fast management of permutation groups [**BLS97**], 160
 - Niemeyer-Praeger- —, randomised algorithms survey [**NPS13**], 115
- sextet, 130
- shadow, 39, **65**, 69, 77, 85, 143, 144
- Shalev, A.
- Larsen- — -Tiep, Waring problem for simple groups [**LST11**], 167
 - Liebeck- —, permutation groups and probability [**LS99b**], 164
 - Liebeck- —, probability of generating simple group [**LS95**], 119, 120
 - Liebeck-O’Brien- — -Tiep, Ore Conjecture [**LOST10**], 103
- short root, 10
- Shpectorov, S.
- Bennett- —, revision of Phan, 81

- Ivanov- —, tilde geometries are known [IS94], 131
- Shute, G., 165
- sign representation of S_n , 191
- signalizer, 34
- functor, **34**, 40
 - complete —, **35**, 40
 - methods, 33, **36**, 40, 146
 - Signalizer Functor Theorem, 34
- simple
- almost- —, 21
 - fusion system, 45
 - groups, list in CFSG, 1
 - root, 10
 - system II, in root system Φ , 10
- simplicial
- complex, **45**, 121
 - space, 71
- Sims, C.
- Higman-Sims sporadic group HS , 5
 - Sims Conjecture bounding stabilizer order, 154
- 6-transitive, 26, 80
- $SL_n(q)$, special linear group, 6
- Small
- Even Subcase ($e(G) \leq 2$ —quasithin), 36
 - Odd Subcase ($m_2(G) \leq 2$), 36
- Smith, F., 148
- Smith, S., 130, 142
- Aschbacher- —, quasithin [AS04a, AS04b], xiii, 29, **39**, 44, 55, 69, 82, 84, 144, 147
 - Aschbacher- —, Quillen Conjecture [AS93], xiii, **47**, 49, 52
 - Aschbacher–Lyons- — –Solomon, outline of CFSG [ALSS11], xiii, **29**, 55
 - Benson- —, classifying spaces for sporadic groups [BS08a], 130, **137**
 - large extraspecial orthogonal [Smi80], 188
 - large-extraspecial completion, 43
 - Ronan- —, 2-local geometries for sporadics [RS80], 129
 - Ronan- —, sheaves on buildings [RS85], 96, 136
 - Ryba- — –Yoshiara, projective modules for sporadic geometries [RSY90], 135
 - subgroup complexes book [Smi11], xiii, 45
- S^n , n -dimensional sphere, 48
- S^0 , two discrete points, 48
- S_n , symmetric group, 2
- maximal subgroups, 107
- socle, 26, **106**, 118, 159, 171
- Soergel, W.
- Andersen-Jantzen- —, representations in characteristic p [AJS94], 96
- Solomon, L.
- Solomon-Tits argument, 134
- Solomon, R., xiii, 71
- Aschbacher–Lyons–Smith- —, outline of CFSG [ALSS11], xiii, **29**, 55
 - Benson–Solomon exotic fusion system, 71
 - Cameron- — –Turull, chains of subgroups [CST89], 116
 - Franchi–Mainardis- —, HN via bicharacteristic [FMS08], 141
 - Gorenstein–Lyons- —, GLS1: introduction to revisionism [GLS94, p 36], 147
 - Gorenstein–Lyons- —, GLS2: general group theory [GLS96], 2, 139
 - Gorenstein–Lyons- —, GLS3: properties of the simple groups [GLS98], 2
 - Gorenstein–Lyons- —, GLS4: uniqueness theorems [GLS99], 151
- $Sp_{2n}(q)$, symplectic group, 8
- $Sp_4(q) \cong \Omega_5(q)$, 190
- Späth, B.
- Malle- —, McKay conjecture odd degree [MS16], 102
 - Navarro- —, height 0 conjecture [NS14], 103
- Spaltenstein, N.
- Isaacs–Kantor- —, probability of p -singular [IKS95], 155
- $S_p(G)$, poset of p -subgroups, 45, **46**, 121
- sphere, 48
- as apartment in building, 122, 125, **127**, 134
 - Riemann —, 164
 - S^n as join of copies of S^0 , 48
- spin module, 96, 97
- split
- BN -pair, 96
 - torus, 17
- sporadic, 3
- geometry, **129**, 130, 131, 133, 135–137
 - groups, 3
 - maximal subgroups, 113
 - recognition, 82
 - representations, 97
- standard
- component, 37
 - Standard Component Theorem, 38
 - Example, $GL_n(q)$, 6
 - form, 37
 - classification, 38
 - problem, 38
 - type, 41
 - classification, 42
- Steinberg, R., 15
- lecture notes on Chevalley groups [Ste68], 94
 - Steinberg complex, 135
 - Steinberg module, 46, **95**, 133–135

- generalized —, 46
- Steinberg relations, 81
- Steinberg Tensor Product Theorem, 95
- Steinberg variations (twisted groups), 15
- Steiner system, **4**, 83, 114
- Stellmacher, B., 44, 65, 151
 - Delgado-Goldschmidt- —, groups and graphs [**DGS85**], 86
 - Meierfrankenfeld- — -Stroth, overview of characteristic- p approach [**MSS03**], 44
- Strong Trichotomy Theorem, 42
- strongly embedded
 - Strongly Embedded Theorem, **35**, 44, 62, 146–148, 150
 - strongly p -embedded theorem, 44, **151**
 - subgroup, **35**, 37, 146, 147
 - strongly p -embedded —, 41, 43, 44, **150**
- Stroth, G., xiii, 43, 44, 148, 151
 - Meierfrankenfeld-Stellmacher- —, overview of characteristic- p approach [**MSS03**], 44
 - Parker- —, $F_4(2)$ and automorphisms [**PS14**], 148
 - Parker- —, strongly p -embedded [**PS11**], 151
 - Uniqueness Case, anticipated treatment, 44
- structures-list (S)
 - as O’Nan-Scott Theorem, 107
- subgroup growth, 161
 - polynomial —, 161
- subnormal, 20
- suborbit, **83**, 189
- Suz*, Suzuki sporadic group, **5**, 83, 97
 - diagram geometry, 132
- Suzuki, M., 5
 - Baer-Suzuki Theorem, 150
 - Bender-Suzuki Theorem, *see also* Strongly Embedded Theorem
 - Suzuki sporadic group *Suz*, 5
 - Suzuki twisted groups $Sz(2^{2n+1})$, 15
- symmetric
 - form (orthogonal), 8
 - group S_n , 2
- symplectic
 - form (anti-symmetric), 8
 - group, 8
 - type (2-group), 140
- $Sz(q)$, Suzuki twisted Lie-type group, 15, **16**, 35, 49, 50, 85, 168
- Tao, T., 168
 - Breuillard-Green- —, structure of approximate groups [**BGT12**], 168
 - Breuillard-Green- —, Suzuki groups $Sz(q)$ as expanders [**BGT11**], 168
- Tate cohomology, 173
- Taylor, D., 6
 - classical groups book [**Tay92**], 6
- Teague, D.
 - Cameron-Neumann- —, primitive degrees [**CNT82**], 159
- Testerman, D.
 - irreducible subgroups in exceptional groups [**Tes88**], 112, 113
 - Liebeck-Saxl- —, large-rank subgroups in Lie type [**LST96**], 120
 - Malle- —, maximals in Lie type [**MT11**], 112
- (TF), Thompson Factorization based on $J(-)$, 58
- Th*, Thompson sporadic group, 5
- thick geometry, 124
- thin geometry, 124
- Thomas, S., 165
- Thompson, J., 5, 34, 39, 55, 57, 66, 78
 - B -conjecture, 37
 - Feit- —, Odd Order Theorem, 30
 - Guralnick- —, groups of genus 0 [**GT90**], 164
 - Guralnick-Thompson Conjecture, 164
 - N -groups [**Tho68**], 36
 - p -solvable factorization [**Tho66**], 59
 - Robinson- —, $k(GV)$ problem [**RT96**], 115
 - Thompson Dihedral Theorem, 48
 - Thompson Factorization (TF), **58**, 63, 67, 75
 - Thompson-Lyons transfer, 150
 - Thompson Order Formula, **79**, 184
 - Thompson Replacement Theorem [**Tho69**], 61
 - Thompson sporadic group *Th*, 5
 - Thompson strategy, **62**, 64, 67–69, 84
 - Thompson subgroup $J(-)$, 58
 - Thompson Transfer Theorem, **143**, 144, 145, 150
- $\{3, 4^+\}$ -transpositions, 82
- $\frac{3}{2}$ -transitive, 117
- 3-transpositions, **4**, 80, 82, 189
- 3-transitive, 4, 25
- TI-set, 141
- Tiep, P. H., xiii, 93, 99, 117
 - CFSG applied to representation theory [**Tie14**], 19, 99, 167
 - Giudici-Liebeck-Praeger-Saxl- —, orbits of linear groups [**GLP+16**], 103, **117**
 - Larsen-Shalev- —, Waring problem for simple groups [**LST11**], 167
 - Liebeck-O’Brien-Shale- —, Ore Conjecture [**LOST10**], 103
 - Navarro- —, Alperin Weight Conjecture [**NT11**], 100
 - Navarro- —, characters of relative p' -degree [**NT13**], 103

- tightly embedded, 37
- tilde geometries, 130
- Timmesfeld, F., 142
 - large-extraspecial reduction, 43
 - root involutions [**Tim75**], 82
 - $\{3, 4^+\}$ -transpositions [**Tim73**], 82
 - Tits geometries and parabolic systems [**Tim83**], 133
- Tits, J., 80, 122, 129
 - Borel-Tits Theorem, 18
 - Bruhat-Tits, affine building, 132
 - buildings book [**Tit74**], 81, **128**
 - Curtis-Tits presentation, 81
 - Curtis-Tits relations, 81
 - Kantor-Liebler- —, automorphisms of affine buildings [**KLT87**], 132
 - local approach to buildings [**Tit81**], 129
 - Solomon-Tits argument, 134
 - Tits geometries, 131
 - Weiss, Moufang polygons [**TW02**], 81
- Toborg, I.
 - Z_3^* -theorem [**Tob16**], 150
- torus, 17
 - nonsplit —, **92**, 117, 156
 - split —, 17
- totally isotropic subspace, 8
- transfer, 143, 150, **172**
- transitivity, 105
 - distance- —, 153
 - flag —, 6
 - multiple —, 2
- transvection, 60, **183**
 - classification (McLaughlin) of groups generated by —, 82
- triality, **12**, 166
- Trichotomy Theorem, 42
 - Strong—, 42
 - Weak —, 40
- trio, 130
- triply transitive, *see also* 3-transitive
- T -root group, for maximal torus T , 156
- truncation (of a geometry), 130
- Turull, A.
 - Cameron-Solomon- —, chains of subgroups [**CST89**], 116
- TW, twisted wreath product primitive action, 108, **109**, 116, 171
- twisted
 - Dynkin diagram, 12
 - group (Lie-type), 15
 - type, 12
 - wreath product, 108
- 2-central, 86
- 2-component, **31**, 33, 36, 37, 44
- 2-local geometry, **129**, 130, 135–137
- 2-radical poset $\mathcal{B}_2(-)$, 64
- 2-transitive, *see also* doubly-transitive type
 - Lie —, 12
 - of a simplex, 123
 - twisted —, 12
- U_α , root subgroup, 17
- \mathcal{U}_α , root subspace, 10
- Unbalanced Group Theorem, 37
- unipotent, 13
 - element, 13
 - full — group, 17
 - radical, 17
- uniqueness
 - Case, 41, **43**
 - methods, 41, 68
 - of group up to isomorphism, 77
 - pre-uniqueness type, 41
- unitary
 - form (conjugate-symmetric), 8
 - group, 8
- universal
 - Chevalley group, 81
 - enveloping algebra, 14
- $U_n(q)$, unitary group, 8
 - $U_4(q) \cong \Omega_6^-(q)$, 190
 - $U_4(2) \cong Sp_4(3)$, 190
- untwisted Lie-type group (Chevalley group), 16
- van Bon, J., xii, 154
 - primitive distance transitive [**vB07**], 153
- Varadarajan, V.
 - Lie theory book [**Var84**] , 9
- variety, algebraic —, 19
- Venice Summer School on Finite Groups
 - 2008, 107
 - 2015, xi
 - 2017, 112
- Ventura, J.
 - Oliver- —, saturated fusion systems over 2-groups [**OV09**], 151
- virtual module, 46
- Viruel, A.
 - Andersen-Grodal-Møller- —, classifying odd p -compact groups [**AGMV08**], 135
 - Ruiz- —, exotic odd p -local finite groups [**RV04**], 71
- $V(\lambda)$, irreducible for high weight λ , 94
- V_λ , λ -weight space on V , 10, 94
- Waldecker, R., xii
 - Magaard- —, at most 2 fixed points [**MW15a**], 165
 - Magaard- —, trivial 4-point stabilizer [**MW15b**], 165
 - new proof of Z^* -Theorem [**Wal13**], 139
- Walter, J., 21, 33, 37, 79, 147
 - Gorenstein-Walter type, 36
- Waring problem, 167

- for simple groups, 167
- (WC), weak closure factorization, 68
- weak
 - closure, 67
 - factorization (WC), 66, **68**
 - Trichotomy Theorem, 40
 - weakly closed, **56**, 67
- Webb, P., 45, 46, 135, 136
 - subgroup complexes survey [**Web87**], 46
- Weigel, T.
 - Malle-Saxl- —, generation of classical groups [**MSW94**], 120
- weight, 10
 - Alperin- —, **98**, 100
 - Curtis-Richen —, 96
 - dominant —, 94
 - fundamental —, 93
 - highest —
 - representations of Lie algebras, 93, 94
 - representations of Lie-type group, **94**, 94, 96–98, 100, 191
 - minimal —, 97
 - minuscule —, 97
 - space, 10
- Weiss, E.
 - cohomology of groups [**Wei69**], 172
- Weiss, R.
 - Tits- —, Moufang polygons [**TW02**], 81
- Weyl
 - formula, 95, **192**
 - group, 10
 - affine —, 132
 - module, **95**, 97, 192
- Wielandt, H., 26
- Wilkerson, C.
 - Dwyer-Wilkerson space $BDI(4)$, 71
- Wilson, J., 162
- Wilson, R., 105, 108, 172
 - maximal subgroups of sporadics [**Wil86**], 113
 - simple groups book [**Wil09**], 2, 6, 105, **107**, 110–112, 114, 171
- Wilson, R. J.
 - Beineke- —, algebraic graph theory [**BW04**], 153
- Witt's Lemma, **8**, 83
- $W(\lambda)$, Weyl module for high weight λ , 95
- wreath product, 3
 - twisted —, 108
 - primitive action TW, 108
- wreathed 2-group, 142
- $W(T, V)$, weak closure of V in T , 67
 - $W_i(T, V)$, i -th weak closure, 67
- Yellen, J.
 - Liebler- —, groups of central type [**LY79**], 158
- Yokoyama, K.
 - Praeger-Saxl- —, distance transitive graphs [**PSY87**], 154
- Yoshiara, S., 100
 - Ryba-Smith- —, projective modules for sporadic geometries [**RSY90**], 135
- Young, A.
 - Young diagram, 91, **191**
 - Young tableau, 91
- $Z^*(X)$, preimage of $Z(X/O_{2'}(X))$, 139
 - Z^* -Theorem (Glauberman), 139
- Zaleskii, A., 166
- Zelmanov, E.
 - restricted Burnside problem [**Zel91**], 27
- Zhang, J.
 - defect groups [**Zha94**], 151