

Index

- S*-sequence, 161
- sl_2 -pair, 88
- sl_2 -triple, 88

- absolute zero divisor, 24, 122
- adjoint of an adjointable map, 26
- adjoint operator, 19
- adjoint representation, 23
- algebra, 6
 - $(2n + 1)$ -graded algebra, 8
 - complete normed, 269
 - graded, 7
 - locally finite, 45
 - locally nilpotent, 14
 - nilpotent, 14
 - normed, 269
 - power associative, 121
 - pregraded, 8
 - prime, 6
 - semiprime, 6
 - simple, 6
 - split Cayley, 16
 - topologically simple, 280
 - unital, 6
 - Witt, 21
- annihilator, 8, 22, 71, 174
 - eventual, 33
- associative pair, 172

- Banach inner product space, 275
- Banach pairing, 273
- Banach–Jordan algebra, 269
 - compact, 282
- Banach–Lie algebra, 269
 - compact, 282

- capacity, 127, 178
- center, 6, 22, 126
- central closure, 14
 - unital, 81
- centralizer, 22
- centroid, 10, 174
 - extended, 12
- commutator, 6, 22
 - composition, 22
 - left, 22
 - length of, 22

- derivation, 6, 173
 - algebraic, 8
 - inner, 19, 173
 - nilpotent, 7
- distinguished generating set, 25

- element
 - ad-algebraic, 24
 - ad-nilpotent, 24
 - algebraic, 121
 - division, 136
 - extremal, 101
 - isotropic, 228
 - Jordan, 69
 - Jordan invertible, 123, 175
 - unit, 6
 - von Neumann regular, 87, 123, 176
- elementary group, 25

- filtration, 97
 - bounded, 97
 - principal, 97
- form, 28
 - alternate, 28
 - Hermitian, 28
 - invariant, 17
 - skew-Hermitian, 28
 - symmetric, 28
- fundamental Jordan identity, 120

- grading, 7
 - $(2n + 1)$ -grading, 8
 - \mathbb{Z} -grading, 8
 - finite, 7
 - nontrivial, 7
 - support of, 7
- graduating ideal of L , 40

- Hilbert space, 280
 - anti-conjugation, 280
 - conjugation, 280

- homomorphism of Jordan pairs, 173
- homotope, 121, 175
- hyperbolic pair, 231
- hyperbolic plane, 50
- ideal, 6, 173
 - essential, 9
 - locally nondegenerate, 161
 - nilpotent, 14
 - nondegenerate, 126, 153
 - solvable, 33
 - strong, 40
 - strongly prime, 126, 156
- idempotent, 49, 92, 122
 - *-orthogonal, 142
 - collinear, 204
 - compatible, 204
 - division, 29, 127, 193
 - Jordan pair, 176
 - orthogonal, 127, 204
 - Peirce compatible, 204
 - reduced, 127
- inner automorphism, 24
- inner ideal, 30, 124, 173, 213
 - abelian, 30
 - associative, 222
 - Clifford, 230
 - complement of, 201, 211
 - complemented, 201, 211
 - geometry of, 213
 - isotropic, 218
 - Jordan, 226
 - Jordan isomorphic, 213
 - minimal, 32, 128, 178
 - modular, 128
 - orthogonality relations of, 213
 - principal, 71, 124, 173, 203
 - regular, 222
 - special, 220, 229
 - standard, 218
 - strict, 124
- inner structure of an inner ideal, 213
- involution, 14
 - first kind, 14
 - isotropic, 228
 - orthogonal, 238
 - ring, 14
 - second kind, 14
 - symplectic type, 29
 - transpose type, 29
- isotopy, 125
- Jordan algebra, 120
 - Albert, 120
 - algebraic, 121
 - Clifford, 121
 - division, 124
 - exceptional, 120
 - I-algebra, 127
 - nil, 121
 - nondegenerate, 122
 - primitive, 128
 - reduced, 127
 - semiprimitive, 127
 - special, 120
 - strongly prime, 126
- Jordan algebra of L at a , 131
- Jordan inverse, 123, 175
- Jordan pair, 171
 - Albert, 180
 - Artinian, 177
 - Bi-Cayley, 180
 - Clifford, 179
 - complemented, 211
 - division, 176
 - exceptional, 173
 - nondegenerate, 174
 - perfect, 181
 - prime, 173
 - semiprime, 173
 - simple, 173
 - special, 173
 - strongly prime, 174
- Jordan polynomial, 125
 - admissible, 125
- Jordan triple system, 172
 - tripotent of, 204
- length, 59, 61, 126, 177, 190
- Lie algebra, 19
 - abelian complemented, 211
 - algebraic, 47
 - Artinian, 63
 - complemented, 211
 - just infinite, 149
 - locally nondegenerate, 161
 - locally solvable, 48
 - nil, 39
 - nondegenerate, 61
 - of skew-symmetric elements, 20
 - primitive, 137
 - strongly prime, 61
 - strongly primitive, 137
- Lie set, 35
- Lie–Jordan algebra, 20
- linear algebra, 28
 - finitary, 139
 - finitary orthogonal, 29
 - finitary symplectic, 29
 - general, 28
 - general of finite rank operators, 28
 - orthogonal, 29
 - special, 28
 - symplectic, 29
- local algebra at an element, 121, 175
- m-sequence, 126, 154, 174
 - generalized, 158

- Martindale algebra of quotients, 14
 - right, 15
 - symmetric, 15
- multiplication algebra of A , 10
- multiplication ideal of A , 10
- operator norm, 273
- pair of dual vector spaces, 26
- pair of skew dual vector spaces, 179
- Peirce decomposition, 122, 177
- PI-algebra, 125, 134
- point space, 234
 - type 1, 236
 - type 2, 236
- polarized involution, 172
- pregrading, 8
 - \mathbb{Z} -pregrading, 8
- radical, 34
 - Baer, 160
 - Jacobson, 127
 - Kostrikin radical, 153
 - local Kostrikin, 161
 - locally finite, 46
 - locally nilpotent, 38
 - McCrimmon, 126, 174
 - solvable, 34
- regular partner, 142
- ring, 6
 - centrally closed prime, 13
 - of scalars, 5
 - orthogonal pair of, 222
 - strongly local matrix, 243
- s -identity, 125
- sandwicher, 53
- separating subspace, 269
- skew-trace, 28
- socle, 27, 93, 128, 178
- structural transformation, 175
 - inner, 175
- subdirect product, 10
 - essential, 10
- subquotient, 175, 188
- Tits–Kantor–Koecher algebra, 181
- Vandermonde argument, 24
- weakly closed set, 35