

Index

- action groupoid, 6, 30
- almost everywhere homomorphism, 347
- almost everywhere unitary representation, 162
- almost Hausdorff, 38
- α -bounded, 244, 319
- amenable
 - G -space, 199
 - group
 - \mathbf{F}_2 isn't, 188
 - group, 187
 - groupoid, 189, 199
 - implies measurewise amenability, 253
 - topologically amenable, 189
 - map, 199
 - w.r.t. (λ, μ, α) , 255
 - measure, 274
 - on $G^{(0)}$, 192
- anchor map, 30
- approximate identity for the inductive limit topology, 20
- approximate weakly invariant mean, 247
 - normalized, 252
- approximately completely invariant mean, 261
- approximately invariant continuous mean, 198
 - conditionally compactly supported, 206
 - weak, 207
- associated equivalence relation, 280
- auxiliary G -space, 255

- Baire property, 39
- Baire space, 39, 112
 - totally, 112
- balanced tensor product, 318
- bisection, 11
- blow-up, 45, 49
- blowing up the unit space, 45
- Borel π -system, 228
- Borel approximate invariant density, 220, 230
- Borel approximate invariant mean, 220, 230
- Borel equivalence, 231

- Borel equivalent, 231
- Borel field of operators, 88
- Borel groupoid, 227
 - proper, 228
- Borel Haar system, 227
 - proper, 228
- Borel Hilbert Bundle, 85
- Borel space
 - disjoint union, 85
- Bruhat approximate cross section, 84

- $C_0(T)$ -algebra, 125
 - continous field, 126
- Cartan G -space, 34
- Cartan action, 34
- CCR, 128
- co-trivial equivalence relation, 5
- commutant, 88
- completely invariant mean, 260
- complex Radon measure, 79
 - α -bounded, 244
 - λ -bounded, 219
 - Radon-Nikodym Theorem, 80
 - total variation, 80
 - vs complex measure, 79
- composable pairs, 3
- conditionally compact, 102
- conditionally compactly supported, 206
- continuous choice of Haar measures, 81
- continuous family of states, 336
- continuous field of C^* -algebras, 126
- continuous in the inductive limit topology, 19
- conull set, 162
- covariant pair, *see also* covariant representation
- covariant representation, 24
- cross norm, 317
- cross section, 63
 - regular, 63

- decomposable operator, 88
- diagonal, 87
- diagonally compact, 102

- direct integral, 86, 88
- discrete isotropy at v , 298
- discretely trivial isotropy, 298
- Disintegration Theorem, 169
- equivalence, 44
 - Borel, 231
 - orbit spaces, 46
- equivalence relation, 5
 - co-trivial, 5
 - generalized, 5
 - trivial, 5
- equivalence theorem, 60, 99
 - Morita compatible, 60
 - reduced version, 60, 97
- equivalent groupoids, 44
- essential unitary representation, 163
- essentially free, 279
- étale groupoid, 12, 150
- eventually compactly supported, 343
- Fell topology, 81
- Fell's Criterion, 1
- first category, 39
- free action, 29
- F_σ -subset, 38
- full groupoid C^* -algebra, 18
- full subset, 46
- fullprojection, 95
- fundamental groupoid, 3
- G -invariant function, 257
- G -irreducible, 112
- G -space, 29
 - proper, 32
- \mathcal{G} -space, 6
- GCR, 128
- G_δ -subset, 38
- generalized equivalence relation, 5
- generalized limit, 143
- generalized morphism, 52
 - composition, 53
 - factors, 55
 - isomorphic, 53
- (G, H) -equivalence, 44
- graph, 52
- group action, 6
 - free, 7
- group bundle groupoid, 7
- groupoid, 3
 - action, 6
 - amenable, 189, 199
 - arrow picture, 5
 - blow-up, 45
 - bundle, 7
 - equivalence, 44
 - equivalence relation, 5
 - étale, 12
 - group bundle, 7
 - homomorphism, 5
 - isomorphism, 5
 - measurewise amenable, 193, 274
 - metrically amenable, 126
 - principal, 30
 - proper, 33, 153
 - properly amenable, 199
 - pull-back, 45
 - r -discrete, 11
 - reduction, 4
 - restriction, 4
 - small category with inverses, 7
 - space of closed subgroups, 81
 - topological, 3
 - topologically amenable, 189
 - transformation, 6
 - transitive, 30
 - unitary representation, 162
- groupoid C^* -algebra, 18
 - for a group, 20
 - for transformation groups, 22
 - full or universal, 18
 - reduced, 19
- groupoid action, 29
 - Cartan, 34
 - free, 29
 - minimal, 110, 302
 - orbit, 30
 - orbit map, 30
 - orbit space, 30
 - proper, 32
 - transitive, 29
- groupoid bundle, 7
- groupoid homomorphism, 5
- groupoid isomorphism, 5
- G -set, 11
- G -simple, 279
- Haar measure, 141
- Haar system, 9
 - imprimitivity groupoid, 154
 - proper groupoid, 153
 - transitive groupoid, 153
 - wide subgroupoid, 155
- homomorphism
 - nondegenerate, 331
 - of C^* -algebras, xv
- I -norm, 16
- I -norm bounded, 16
- ideals in C^* -algebras, xv
- imprimitivity groupoid, 47, 48
 - equivalent to, 48
 - homeomorphic to, 47
- induced representation, 115
 - induction in stages, 118
 - regular representation, 117
- inducing representations, *see also* induced representation

- inductive limit topology, 2, 343
 - eventually compactly supported, 343
 - proper convergence, 2
- inessential reductions, 162
- integrated form of a representation, 164
- invariant π -system, 198
- invariant set, 108, 349
- irreducible closed set, 112
- isotropy group, 4, 30, 37, 44
- isotropy groupoid, 143, 145
- isotropy map, 83, 145

- λ -bounded, 219
- liminal, 128
- liminary, 128
- linking groupoid, 46, 56
- local basis, 343
- locally closed, 38
- locally compact, 1
- locally convex, 343
- locally in $L^2(\mu)$, 305
- locally ν -null, 80
- locally of second category, 39
- Lusin's Theorem, 290

- Mackey-Glimm-Ramsay Dichotomy, 38
- meager, 39
- mean, 187, 193, 244
 - completely invariant, 260
 - invariant, 193, 244
- measurewise amenable, 193, 274
- measurewise invariant mean, 220, 252
- metrically amenable, 126
- metrically amenable, 196
- minimal action, 110
- modular function, 157
 - group, 15, 64
 - multiplicative, 162
- moment map, 29, *see also* anchor map, *see also* structure map

- non-amenable group, 188
- non-meager, 39
- nondegenerate, 18
- nowhere dense, 39

- open at u , 146
- open map, 1
- orbit, 30
- orbit map, 30
- orbit space, 30
 - topology, 30

- pair groupoid, 5, 141
- π -compact, 77
- π -system, 72
 - compactly supported, 207
 - conditionally compactly supported, 206
 - equivariant, 73
 - finite, 207
 - full, 72
 - invariant vs equivariant, 73
 - proper, 72
- Polish space, 38
- positive definite function, 188
- positive type function, 189
- postliminal, 128
- postliminary, 128
- pre-compact, 80
- principal groupoid, 30
- projective tensor product, 317
- proper G -space, 32
- proper action, 32
- proper Borel G -space, 228
- proper Borel groupoid, 228
- proper Borel Haar system, 228
- proper groupoid, 33, 153
 - has Haar system, 153
- properly amenable
 - G -space, 199
 - groupoid, 199
 - Borel, 228
 - map, 199
- properly Borel amenable, 228
- pseudo-image, 267
- pull-back, 45
- push-forward measure, 158

- quasi-interior, 39
- quasi-invariant measure, 157, 243
 - exists, 158
- quotient Borel structure, 93
- quotient topology, 30

- r -compact support, 12
- r -discrete, 11, 150
- Radon family of measures, 70
- Radon measure, 1, 69, 79, 244
 - complex, 79
- Ramsay Dichotomy, 38
- range map, 3
- reduced groupoid C^* -algebra, 19
 - for a group, 21
 - for transformation groups, 23
- reduced norm, 19
- reduction, 4
- reduction homomorphism, 349
- regular measure, 69
- regular neighborhood basis, 50
- regular representation, 18, 119
- regular cross section, 63
- relatively bounded, 79
- Renault's Disintegration Theorem, 19, 169
- representation, 16
 - continuous in the inductive limit topology, 19
 - induced from an isotropy group, 123
 - nondegenerate, 18

- regular, 18, 119
- support, 111
- unitary, 162
- representations of C^* -algebras, xv
- Riesz Representation Theorem, 69
- saturated set, 108, 183
- saturation of a measure, 158
- saturation of a set, 111, 183
- second category, 39
- slice maps, 317
- small category, 7
- source map, 3
- stability group, 30
- state, 331
 - continuous family, 336
 - faithful, 335
 - restriction to $C_0(X)$, 331
- strict dual, 315
- strict homomorphism, 52
- strongly essentially free, 311
- structure map, 30
- subgroupoid, 4
- support of $\alpha|_L$, 291
- support of M , 107, 111
- support of a representation, 111
- systems of measures, *see also* π -system
- T_0 topological space, 38
- Tietze Extension Theorem, 2
- topological approximate invariant density, 221
- topological groupoid, 3
- topological invariant mean, 219
- topologically amenable groupoid, 189
- total variation measure, 80, 198, 315
- total variation norm, 197, 315
- totally Baire space, 112
- transformation group, 6
- transformation groupoid, 6, 30
- transitive action, 29
- transitive groupoid, 30
 - amenable, 277
 - C^* -algebra, 62
 - equivalent to $G(u)$, 44
- translation map, 34
- transversal, 46
- trivial equivalence relation, 5
- type I, 128
- unit fixing groupoid extension, 236
- unit space, 4
- unitary representation, 162, 163
 - almost everywhere, 162
 - integrated form, 164
 - weak, 163
- universal groupoid C^* -algebra, 18
- universal norm, 18
- Urysohn's Lemma, 2
- weak approximately invariant continuous mean, 207
- weak topology, 316
- weak unitary representation, 163
- weak-representation, 169
 - equivalent, 169
 - nondegenerate, 169
- wide subgroupoid, 48, 155