

# Index

- 5 $r$ -covering lemma, 7
- $\partial A$ , xi
- $A^c$ , xi
- $\bar{A}$ , xi
- $\mathcal{A}_p(E)$ , 85
- $\mathcal{A}'_p(E)$ , 85
- $\mathcal{A}^*_p(E)$ , 93
- $|A|$ , xi
- $A_p$ , 168
- $A_1$ , 179
- $A_\infty$ , 173
- Ahlfors–David regular set, 138
- Aikawa condition, 225
  - self-improvement, 227
- Assouad dimension, 232
  - and Hardy’s inequality, 241
- Boman chain condition, 195
- boundary Poincaré inequality, 126
- boundary values in the Sobolev sense, 35
- bounded mean oscillation (BMO), 71, 216, 279
  - dyadic, 218
  - exponential integrability, 220
  - self-improvement, 220
- $C(\Omega)$ , xi
- $C_0(\Omega)$ , xii
- $C^k(\Omega)$ , xii
- $C^k_0(\Omega)$ , xii
- $C^{0,\alpha}_{\text{loc}}(\Omega)$ , 285
- Caccioppoli estimate, 266, 269
- Calderón–Zygmund lemma, 163, 171
- capacitary weak type estimate, 94
- capacity
  - and Hausdorff dimension, 108
  - Sobolev, 85, 93
  - variational, 101
- capacity density condition, 124, 137, 147
  - case  $p = n$ , 145
  - self-improvement, 147
- Cavalieri’s principle, 7
- $\chi_A$ , xi
- chain decomposition, 195
- chain rule
  - for Lipschitz functions, 27
  - for Sobolev functions, 34
- Coifman–Rochberg lemma, 179, 180
  - for measures, 183
- comparison principle, 259
- convolution, 31
- convolution approximation, 31, 32
- covering lemma, 7
- cube, 161
  - dyadic decomposition, 162
  - dyadic maximal function on a cube, 163
  - half-open, 161
  - maximal dyadic cubes, 163
- $d(A, B)$ , xi
- $d(x, A)$ , xi
- $\mathcal{D}(u)$ , 65
- $d\sigma$ , 47
- De Giorgi’s method, 286
- derivative, 27
  - weak, 29
- $\text{diam}(A)$ , xi
- difference quotient, 43
  - integrated, 43
- differentiability, 27
  - for Lipschitz functions, 27
  - for Sobolev functions,  $p > n$ , 62
- $\text{dim}_A$ , 232
- $\text{dim}_H$ , 22
- $\text{dim}_L$ , 140
- Dirac’s delta, 257
- Dirichlet integral, 260
  - minimizer, 260
- Dirichlet problem, 260, 262
- distance function, 25, 68, 225
- distribution set, 2
- divergence, 255
- doubling weight, 161
- dyadic
  - child, 163
  - cube, 162
  - parent, 163

- energy estimate, 266, 269, 289  
 logarithmic, 267  
 Euler–Lagrange equation, 260
- $f * g$ , 31  
 $f_+$ , xi  
 $f_-$ , xi  
 $f_A$ , xii  
 $f_{Q;\sigma}$ , 174  
 $f|_B$ , xi  
 $f^*$ , 11  
 Fefferman–Stein inequality, 203  
 fractional maximal function, 20, 72, 79  
   and Riesz potential, 21  
   weak type estimate, 22
- Gehring lemma, 186  
 Green’s identity, 76
- $H^\lambda$ , 47  
 $\mathcal{H}^\lambda$ , 22  
 $\mathcal{H}_\delta^\lambda$ , 22  
 Hajlasz–Sobolev space, 65  
 Hardy’s inequality, 115, 144, 241  
   and Assouad dimension, 241  
   and lower dimension, 144  
   case  $p = n$ , 145  
   one-dimensional weighted, 118  
   pointwise, 116, 147  
   self-improvement, 121, 124  
   weighted, 129  
 Hardy–Littlewood maximal function, 1  
 Hardy–Littlewood–Sobolev theorem  
   for dyadic fractional maximal function,  
     208  
   for fractional maximal function, 21  
   for Riesz potential, 19  
 Hardy–Littlewood–Wiener maximal  
 function theorem, 8  
 Hardy–Sobolev inequality, 240  
   global, 240  
 Hardy–Sobolev–Poincaré inequality, 239  
   on domains, 239  
 Harnack’s inequality, 283  
   for  $1 < p < \infty$ , 279  
   for  $p > n$ , 278  
 Hausdorff content, 22  
   and variational capacity, 105  
   density condition, 137, 147  
 Hausdorff dimension, 22  
   and capacity, 108  
 Hausdorff measure, 22  
   normalization, 47  
 Havin–Bagby characterization of  $W_0^{1,p}(\Omega)$ ,  
   100  
 Heaviside function, 12  
 Hölder continuity  
   Campanato characterization, 70  
   for Sobolev functions, 60  
     for weak solutions, 283  
     Morrey condition, 72  
 hole filling technique, 300
- $I_\alpha f$ , 17  
 integration over spheres, 47
- John domain, 196  
 John–Nirenberg inequality, 219
- $L^p(A)$ , 6  
 $L^p(E; w \, dx)$ , 161  
 $L_{\text{loc}}^p(A)$ , 6  
 $L^p(A; \mathbb{R}^m)$ , 37  
 $L \log^+ L(\mathbb{R}^n)$ , 14  
 $\text{Leb}(f)$ , 11  
 Lebesgue density theorem, 13  
 Lebesgue differentiation theorem, 12  
   for Sobolev functions, 95  
 Lebesgue point, 11  
 Leibniz rule  
   for Lipschitz functions, 27  
   for Sobolev functions, 34
- Lip, 25  
 $\text{Lip}_0$ , 26  
 $\text{Lip}_c$ , 26  
 $\text{Lip}_{\text{loc}}$ , 25  
 Lipschitz constant, 25  
 Lipschitz function, 25  
   compactly supported, 26  
   differentiability, 27  
   extension, 26, 27  
   locally, 25  
   weak differentiability, 30  
 Lipschitz truncation, 66, 122, 307  
 local-to-global inequality, 196  
   weighted, 213  
 lower dimension, 140, 147  
   and Hardy’s inequality, 144  
 lower semicontinuity, 2
- $M^{1,p}(\mathbb{R}^n)$ , 65  
 $M^c f$ , 162  
 $M^{c,w} f$ , 162  
 $M_{Q_0}^{d,w} f$ , 198  
 $M_{Q_0}^d f$ , 163  
 $Mf$ , 1  
 $M_\alpha f$ , 20  
 $M_{\alpha,R} f$ , 20  
 $M^* f$ , 1  
 $M_R f$ , 15  
 $M_\Omega f$ , 17, 75  
 $M_{\beta,R}^{\sharp} f$ , 69  
 $M^w f$ , 162  
 maximal function, 1  
   basic properties, 3  
   centered, 1  
   continuity, 4  
   dyadic fractional on a cube, 205

- dyadic on a cube, 163
- dyadic sharp, 203
- finiteness, 8
- fractional, 20, 79
- fractional sharp, 69
- $L^\infty$ -boundedness, 6
- $L^p$ -boundedness for  $1 < p \leq \infty$ , 8
- lower semicontinuity, 2
- noncentered, 1
- on Sobolev spaces, 73, 77, 79
- on Sobolev spaces with zero boundary values, 79
- restricted, 15
- weak type estimate, 8
- weak type estimate, reverse, 13
- weighted, 162
- weighted dyadic on a cube, 198
- weighted with respect to cubes, 162
- with respect to an open set, 17, 75, 250
- with respect to cubes, 162, 180
- maximal function theorem, 8
- maximum principle, 281
  - strong, 281
  - weak, 272
- Mazur's lemma, 40
- Maz'ya inequality, 112
- McShane extension, 26, 27
- measure density condition, 118
- minimum principle
  - strong, 281
- Morrey's inequality, 58, 72
  - for Lipschitz functions, 58
  - for Sobolev functions, 60
- Moser iteration, 272, 278
- Muckenhoupt class, 168
  - $A_1$  weight, 179
  - $A_\infty$  weight, 173
  - $A_p$  weight, 168
  - self-improvement, 173, 177
- $N(A, r)$ , 140, 232
- noncontinuous maximal function, 3
- normalized Hausdorff measure, 47
- $\omega_n$ , xi
- $\text{osc}_A u$ , 283
- oscillation, 283, 285
- $p$ -Laplace equation, 255
  - Dirichlet problem, 260, 262
  - fundamental solution, 257
  - very weak solution, 307
  - weak solution, 256
  - weak subsolution, 264
  - weak supersolution, 264
- Poincaré inequality, 52, 55, 71
  - $(q, p)$ -version, 55
  - $A_p$ -weighted, 200
  - for  $1 < p < \infty$ , 52
  - for cubes, 197, 210
  - for Sobolev functions, 55
  - for two weights, 209
  - for two weights on an open set, 215
  - for zero boundary values, 57
  - on an open set, 197
  - pointwise, 49
  - reverse, 267
- pointwise capacity density condition, 134
- pointwise Hardy inequality, 116
- porous set, 229
- quasiadditivity, 248
- quasicontinuity, 91, 110
- quasieverywhere, 90
- Rademacher's theorem, 27
- regular boundary point, 285
- restricted maximal function, 15, 75
  - continuity, 16
- reverse Hölder inequality, 273, 280
  - self-improvement, 183
- reverse Poincaré inequality, 267
- Riesz potential, 17, 47
  - and maximal function, 18, 21
  - $L^p$ -boundedness for  $1 \leq p < \infty$ , 18
  - weak type estimate, 20
- self-improvement of
  - Aikawa condition, 227
  - BMO, 220
  - capacity density condition, 147
  - Hardy's inequality, 121
  - Muckenhoupt class, 173, 177
  - reverse Hölder inequality, 183, 189
  - weighted norm inequality, 166
- shadow of a cube, 195
- slit domain, 25
- Sobolev capacity, 85, 93
  - admissible function, 85
  - is outer measure, 86
  - of balls, 88
  - outer regularity, 87
- Sobolev conjugate exponent, 19
- Sobolev function
  - Lebesgue points, 95
  - quasicontinuous representative, 91
- Sobolev inequality, 52
  - for Riesz potential, 19
  - for two weights, 211
- Sobolev norm, 30
- Sobolev space, 30, 71
  - and difference quotients, 43, 65
  - Campanato approach, 69
  - Characterization by a Poincaré inequality, 71
  - density of smooth functions, 34
  - differentiability for  $p > n$ , 62
  - Hajlasz type characterization, 65, 71

- local, 30
- Morrey approach, 72
- with zero boundary values, 35, 68, 79, 97, 100, 132
- Sobolev–Gagliardo–Nirenberg inequality, 50, 57
- Sobolev–Poincaré inequality
  - for  $1 < p < n$ , 53
  - for  $p = 1$ , 54
  - for cubes, 210
  - on an open set, 216
- sparse domination, 201, 206
- supp  $f$ , xi
- strong maximum principle, 281
- strong minimum principle, 281
- support, xi
- surface measure, 47
  
- Trudinger’s inequality, 220
- truncation, 26, 50, 66
  - in Sobolev spaces, 34, 35, 37
- uniformly perfect set, 144
  
- variational approach, 260, 295
- variational capacity, 101
  - and Hausdorff content, 105
  - Lipschitz test functions, 108
  - of balls, 103
  - quasicontinuous test functions, 110
- very weak solution, 307
- von Koch snowflake, 240
  
- $W^{1,\infty}$ , 30, 33
- $W^{1,p}$ , 30
- $W_0^{1,p}$ , 35, 68, 97
- $W_{loc}^{1,p}$ , 30
- weak convergence, 38
  - in Sobolev spaces, 40, 41
- weak derivative, 29
- weak gradient, 29
- weak maximum principle, 272
- weak solution, 256
  - existence, 262
  - uniqueness, 260, 262
- weak subsolution, 264
- weak supersolution, 264
- weak type estimate, 8, 20, 22
  - capacitary, 94
  - reverse, 13
- weight, 161
  - doubling, 161
- weighted average, 174, 212
- weighted Poincaré inequality, 200, 209
- Whitney decomposition, 165, 190, 195
- Wiener criterion, 126, 285
  
- Young’s convolution inequality, 31
- zero boundary values, 26
  - in the Sobolev sense, 35
  - zero extension, 37
  - Zygmund’s class, 14