

## Index of notation

- $[1]$ , 480, 487  
 $(1)$ , 64, 75  
 $\mathcal{F} \boxtimes \mathcal{G}$ , 28, 291  
 $\mathcal{F} \otimes \mathcal{G}$ ,  $\mathcal{F} \otimes_{\text{pre}} \mathcal{G}$ , 23  
 $\mathcal{F} \otimes^{\text{ch}} \mathcal{G}$ , 23  
 $\mathbb{k}' \otimes \mathcal{F}$ , 26  
 $\mathcal{F}^+$ , 3  
 $\mathcal{F} \star \mathcal{G}$ , 329, 394, 395, 445  
 $\mathcal{F}_x$ , 2  
 $\mathcal{F}|_Y$ , 5  
 $\gamma * \gamma'$ , 43  
 $\mathcal{L}^\vee$ , 46, 142  
 $\circ f^!$ , 17  
 $\circ f_!$ , 8  
 $\circ f_*$ , 8  
 $f^\dagger$ , 156  
 $f^!$ , 17, 30  
 $f^*$ ,  $f_{\text{pre}}^*$ , 8  
 $f_\dagger$ ,  $f_\dagger^p$ , 156  
 $f_\sharp$ , 18  
 $f_!$ , 8, 16  
 $f_*$ , 138  
 $f_*$ , 8  
 $X^{\text{Zar}}$ , 242  
 $X_\eta$ , 181  
 $X_s$ , 181  
 $X/G$ , 263, 311  
 $\mathbb{A}^n$ , 67  
 $\text{Av}_{H!}^G$ ,  $\text{Av}_{H*}^G$ , 297  
 $a_X$ , xii  
 $\mathcal{B}$ ,  $\mathcal{B}_w$ , 325  
 $\mathcal{B}(s_1, \dots, s_k)$ , 327  
 $\mathcal{B}_x$ , 363  
 $\mathcal{B}_w$ , 349, 356  
 $\text{can}$ , 184, 192, 196  
 $\text{Ch}(\mathcal{A})$ ,  $\text{Ch}^-(\mathcal{A})$ ,  $\text{Ch}^+(\mathcal{A})$ ,  $\text{Ch}^b(\mathcal{A})$ , 486, 487  
 $\text{chcone}$ , 487  
 $\text{chHom}$ ,  $\text{ch}\mathcal{H}om$ , 23, 494  
 $\otimes^{\text{ch}}$ , 23, 495  
 $D(\mathcal{A})$ ,  $D^-(\mathcal{A})$ ,  $D^+(\mathcal{A})$ ,  $D^b(\mathcal{A})$ , 488  
 $D_c^b(X, \mathbb{k})$ , 81, 222  
 $D_G^b(X, \mathbb{k})$ , 285  
 $D_m^b(X_0, \overline{\mathbb{Q}}_\ell)$ , 236  
 $D_{\text{locf}}^+(X, \mathbb{k})$ , 51  
 $D_{\text{loc}}^+(X, \mathbb{k})$ , 51  
 $\mathcal{D}_X$ ,  $\mathcal{D}_X\text{-mod}$ , 243  
 $D(X, \mathbb{k})$ , 4  
 $\text{egf}$ , 230  
 $\mathcal{E}_v$ ,  $\mathcal{E}_v(Q)$ , 435  
 $\mathcal{H}$ ,  $\mathcal{H}_w$ , 389  
 $\text{Fl}_n$ , 448  
 $\text{For}^G$ ,  $\text{For}_H^G$ , 286, 291  
 $\text{Fr}_q$ ,  $\text{Fr}_q^{\text{arith}}$ , 227  
 $\text{Fr}_q$ ,  $\text{Fr}_q^{\text{abs}}$ ,  $\text{Fr}_q^{\text{arith}}$ , 231  
 $\text{Gal}(X/Y)$ , 47, 226  
 $\Gamma$ ,  $\Gamma_c$ , 5  
 $\Gamma_Y$ , 17  
 $\text{gldim}$ , 494  
 $\text{Gr}$ ,  $\text{Gr}_\lambda$ , 389, 390  
 $\text{grade}$ , 41, 82, 510  
 $\text{Gr}(k, n)$ , 126, 264  
 $\mathcal{H}$ ,  $\mathcal{H}_{\text{aff}}$ ,  $\mathcal{H}_{\text{ext}}$ ,  $\mathcal{H}_{\text{sph}}$ , 327, 398, 400  
 $\mathbf{H}^k$ , xii, 487  
 $\mathbb{H}$ , 350  
 $\mathbf{H}^k$ ,  $\mathbf{H}_c^k$ , 5  
 $\mathbf{H}_G^k$ ,  $\mathbf{H}_{c,G}^k$ , 304  
 $\mathbf{H}_k$ , 117  
 $\mathbf{H}_k^{\text{BM}}$ , 117  
 $\mathbf{H}_k^{\text{sing}}$ ,  $\mathbf{H}_{\text{sing},c}^k$ , 5  
 $\mathcal{H}om(\mathcal{F}, \mathcal{G})$ , 23  
 $\mathcal{H}(Q, \mathbb{F}_q)$ , 439  
 $\text{IC}(X; \mathbb{k})$ , 142, 252  
 $\text{IC}(Y, \mathcal{L})$ , 141  
 $\text{IC}^+(Y, \mathcal{L})$ , 147  
 $\text{Ind}(\mathcal{C})$ , 508  
 $\text{ind}_{L \subset P}^G$ , 373  
 $\text{Infl}_{G/H}^G$ , 292  
 $\text{Inv}_{H!}$ ,  $\text{Inv}_{H*}$ , 298, 299  
 $\text{Irr}(\mathcal{C})$ , 508

- $i_{\mathfrak{g}}$ , 181  
 $\text{Isom}(\mathcal{C})$ , 508  
  
 $j_{\eta}$ , 181  
 $J_n, \mathcal{J}_n$ , 199  
  
 $K(\mathcal{A}), K^-(\mathcal{A}), K^+(\mathcal{A}), K^b(\mathcal{A})$ , 486, 487  
 $K_0(\mathcal{C}), K_{\oplus}(\mathcal{C})$ , 508  
 $\mathbb{k}\text{-mod}$ , xii, 467  
 $\mathbb{k}\text{-mod}^{\text{fg}}$ , xii, 468  
 $\mathbb{k}[\pi]\text{-mod}$ , 44  
 $\mathbb{k}[\pi]\text{-mod}^{\text{fg}}$ , xii, 44  
 $\text{KP}, \text{KP}(\mathbf{v})$ , 437  
  
 $\text{Loc}(X, \mathbb{k})$ , 41  
 $\text{Loc}^{\text{ft}}(X, \mathbb{k})$ , 41  
 $\ell(w)$ , 325, 388  
  
 $\text{mdsupp}$ , 82  
 $\text{MHM}(X, \mathbb{k})$ , 252  
 $\text{MHS}(\mathbb{k})$ , 250  
 $\text{mon}_1, \text{mon}_*$ , 50  
 $\text{mon}_{\Psi}(T), \text{mon}_{\Phi}(T)$ , 183  
 $\text{Mon}_{x_0}$ , 44, 227  
 $\underline{M}_X$ , 3  
  
 $\mathcal{N}, \mathcal{N}_G$ , 361  
 $\mathcal{N}$ , 363  
 $N_{\pi}\pi'$ , 47, 228  
  
 $\mathcal{O}_{\mathbf{c}}$ , 437  
 $\mathcal{O}_{\text{reg}}$ , 361  
 $\mathcal{O}_{\text{sreg}}$ , 385  
 $\mathcal{O}_X$ , 243  
 $\omega_X$ , 35  
 $\sigma_f$ , 34  
  
 $\text{Parity}_B(\mathcal{B}, \mathbb{k})$ , 343  
 $\text{Perv}(X, \mathbb{k})$ , 129  
 $\text{Perv}_G(X, \mathbb{k})$ , 270  
 $\text{Perv}_m(X_0, \overline{\mathbb{Q}}_{\ell})$ , 237  
 $\text{Perv}_{\mathcal{S}}(X, \mathbb{k})$ , 130  
 $\Phi_f, \Phi'_f, \Phi_f^{\text{un}}$ , 183, 195, 199  
 $\mathfrak{H}^k$ , 129  
 $\pi_1(f)$ , 45  
 $\mathbb{P}^n, \mathbb{P}(V)$ , 67  
 $\text{Presh}(X, \mathbb{k})$ , 1  
 $\text{Presh}_{\text{ét}}(X, \mathbb{k})$ , 218  
 $\Psi_f, \Psi_f^{\text{un}}$ , 183, 199  
 $\text{pt}$ , xii  
 $p_{\tau \leq n}, p_{\tau \geq n}$ , 129  
  
 $\text{rank}$ , 41  
 $\text{rat}$ , 252  
 $\text{Rep}(G)$ , 403, 428  
 $\text{Rep}(Q, \mathbb{F})$ , 434  
 $\text{Res}$ , 45  
 $\text{res}_{L \subset P}^G, \backslash \text{res}_{L \subset P}^G$ , 373  
 $\text{Res}_{\varphi}$ , 296  
 $\text{res}_{V,U}$ , 1, 218  
  
 $\rho(\gamma)$ , 43  
  
 $\text{SBim}$ , 349  
 $\text{Semis}(X, \mathbb{Q})$ , 172  
 $\text{Sh}(X, \mathbb{k})$ , 2  
 $\text{Sh}_{\mathbf{c}}(X, \mathbb{k})$ , 81, 223  
 $\text{Sh}_{\text{ét}}(X, \mathbb{k})$ , 218  
 $\text{Sh}_G(X, \mathbb{k})$ , 269  
 $S_{\nu}^+, S_{\nu}^-$ , 405  
 $\text{supp}$ , 2  
  
 $\tau^{\leq n}, \tau^{\geq n}$ , 489  
 $\mathbf{t}^{\lambda}$ , 390  
  
 $\mathbf{U}(\mathfrak{g})$ , 338  
 $\mathbf{U}^+(\Phi)$ , 443  
 $\mathcal{U}_v^+(\Phi)$ , 443  
  
 $\text{var}$ , 184, 192, 196  
  
 $\Xi_f$ , 192  
 $\mathbf{X}(T)$ , 308  
  
 $\mathbf{Y}(T)$ , 308  
  
 $Z(G), Z^{\circ}(G)$ , 362

# Index

- abelian category, 3, 7, 42, 132, 147, 252, 434, 475
  - acyclic chain complex, 487
  - acyclic map, 112, 168, 266
  - acyclic object, 58, 493
  - adapted class, 10, 24, 491
  - adapted order, 437
  - additive category, 172, 343, 349, 474
  - adjoint functor theorems, 9, 17, 24, 30
  - adjoint quotient, 364
  - affine morphism, 188, 212, 238, 321
    - push-forward along, 154
  - affine paving, 81, 257
  - affine variety, 68, 96, 123, 151, 154
  - alpha-partition, 81
  - Artin's vanishing theorem, 96, 123, 151, 154
  - Artin-Schreier, 228, 317
  - artinian, 146, 479
  - aspherical space, 61
  - associativity constraint, 330, 396, 446, 472
  - attracting, 111, 114, 256, 260, 327, 377, 405, 458
  - averaging functor, 297, 420
  
  - bar involution, 327, 398, 400, 443
  - base change, 13
    - for a locally trivial fibration, 60, 89
    - for a product, 57
    - for a topological submersion, 59
  - open, 15
  - proper, 13, 14
  - smooth, 75
- Beilinson's theorem, 209, 252, 302
  - Borel-Moore homology, 117, 417
  - Bott-Samelson variety, 327
  - Bruhat decomposition, 325, 389
  - Bruhat order, 326, 388
  
  - canonical basis, 328, 398, 400, 454
  - central character, 362
  - chain complex, 486
    - cohomology, 487
  - chain homotopy, 486
  - chain map, 486
  
  - characteristic function, 234, 341, 464
  - characteristic variety, 246
  - clean, 179, 383
  - closure partial order, 80
  - cohomological dimension, 30, 36, 94, 137, 153, 303, 493, 524
  - cohomological functor, 482
  - commutativity constraint, 409, 410, 473
  - complete intersection, 155
  - composition series, *see also* finite length cone, 482
    - for chain maps, 487
  - constructible, 63, 81, 97, 189, 221
    - weakly, 81, 82, 86, 87
  - continuous module, 227
  - convolution, 329, 340, 394, 445, 463
  - costalk, 17, 144, 348
  - cosupport, 134
  - $c$ -soft, 10, 24
    - relatively, 14, 24
  - $c$ -soft dimension, 30, 69, 181
  - cup product, 9
  - cuspidal, 380, 381
  
  - $\mathcal{D}$ -module, 51, 244
    - coherent, 244
    - holonomic, 247
    - regular holonomic, 247, 248, 252
  - de Rham functor, 248
  - deck transformation, 47, 181, 226, 274, 379, 529
  - decomposition theorem, 172, 259, 330, 370, 449
    - failure of, 180, 359
  - Deligne's construction, 178
  - derived category, 4, 61, 207, 220, 244, 252, 283, 488
  - derived functor, 5, 8, 17, 23, 491
  - descent datum, 161, 232, 273
  - differential operator, 243
  - dimension of a variety, 68
  - distinguished triangle, 480
    - for open and closed embeddings, 19
  - split, 482

- truncation, 489, 498
- divisor with simple normal crossings, *see*
  - normal crossings divisor
- dualizing complex, 35, 78, 109
- effaceable, 62, 202, 302, 490, 500
- Ehresmann's fibration theorem, 72
- eigenspace decomposition, 199, 506
- Elias–Williamson calculus, 357
- equivariant cohomology, 304
  - of a point, 307
- equivariant derived category, 285
  - for finite groups, 302
  - for unipotent groups, 303
- equivariant descent, 293
- equivariant sheaf, 269
  - perverse, 269
  - twisted, 278
- étale morphism, 70
- étale neighborhood, 218
- étale open set, 217
- Euler characteristic, 123
- Euler class, 122, 124–126, 172, 452
- Euler–Poincaré pairing, 434
- evaluation map, 102
- \*-even, !-even, 343, 398, 401
- Ext group, 490
- extension, 476, 482
  - stable under, 482
- extension by zero, 17
- extension of ground field, 230
- extension of scalars, 26, 109, 189
- external tensor product, 28, 105, 291
  - relative, 188
- fête champêtre, 315
- fiber functor, 424, 427
- filtration by smooth varieties, 81
- finite length, 146, 247, 252, 434, 479
- finite morphism, 69, 134
- flabby, 10, 24
- flag, 328
  - isotropic, 359
- flag variety, 325, 448, 453
  - affine, 389
  - quiver, 448
- flat, 24, 496
- forgetful functor, 270, 286, 291
- Fourier–Laumon transform, 315, 367, 454
- free action, 263
- Freyd–Mitchell embedding theorem, 477
- Frobenius element, 227
- Frobenius morphism, 231
- functor of (co)invariants, 298
- fundamental class, 119
  - dual, 121
  - see also* Euler class
- fundamental group, 43, 73
  - equivariant, 274, 362
  - étale, 226
- $G$ -resolution, 266
- $G$ -variety, 262
- Galois group, 47, 226
- geometric Hom functor, 220, 253, 289, 310, 384
- geometric point, 217
- geometric quotient, 262, 311
- germ, 2, 57
- global dimension, 494
- global sections, 5, 9
  - see also* hypercohomology
- Godement resolution, 15, 28, 59
- good filtration, 246
- grade, 41, 82, 510
- Grassmannian, 126, 264, 393, 466
  - affine, 389
  - Beilinson–Drinfeld, 407
  - quiver, 446
- Grothendieck group, 508
  - split, 508
- Grothendieck–Springer simultaneous resolution, 364
- Hall algebra, 439
  - generic, 441
- hard Lefschetz theorem, 172
- Hecke algebra, 327
  - affine, 398
  - extended affine, 398
  - spherical, 400
- Hodge cohomology, 251
- Hodge filtration, 249, 250, 252
- homology, 117
- homotopy, 52, 54, 55, 112
  - for constructible sheaves, 112
- homotopy category, 486
- Hopf fibration, 51
- hyperbolic localization, 114, 260, 377, 410
- hypercohomology, 5
  - equivariant, 304
  - induced maps in, 11, 18, 22, 52, 55, 305
  - with compact support, 5
- indecomposable, 505
- induction equivalence, 273, 280, 294
- induction space, 265
- inflation functor, 270, 292
- injective object, 4, 7, 24, 478
- integrable connection, 51, 244
  - regular, 246
- intermediate extension, 138, 238
  - see also* minimal extension
- intersection cohomology complex, 141
- inverse system, 471
- Iwahori subgroup, 389
- Iwasawa decomposition, 405

- Karoubian category, 349, 504
- Kazhdan–Lusztig conjecture, 338
- Kazhdan–Lusztig polynomial, 328, 338, 342
- Kostant partition, 437
- Krull–Schmidt category, 345, 350, 505
- Künneth formula, 29, 107, 191
- large enough, 492
- lattice model, 392, 397, 431
- Lefschetz hyperplane theorem, 155
- length function, 325, 388
- limit, 471
- lisse sheaf, 225
- local homeomorphism, 34, 70
- local system, 41
  - dual, 46, 142, 148
  - finite type, 41, 225
  - locally free, 41
  - shifted, 130, 142
- locally compact, 7
- locally trivial fibration
  - differentiable, 72
  - étale, 264, 265
  - holomorphic, 264
  - locally isotrivial, 264
  - stratumwise, 101
  - transverse, 72
  - Zariski, 264
- Lusztig conjecture, 347
- maximal extension functor, 193
- Mayer–Vietoris sequence, 22, 56, 324, 352
- Milnor fibration, 211
- minimal extension, 246
- minuscule, 392
- Mirković–Vilonen cycle, 418
- mixed Hodge module, 252, 384, 457
- mixed Hodge structure, 250
- mixed perverse sheaf, 237
- mixed  $\mathbb{Q}_\ell$ -sheaf, 236, 341, 464
- modified dimension of support, 82
  - for field coefficients, 82, 130
- monodromy, 43, 44, 227
  - for nearby and vanishing cycles, 183
  - internal, 50
  - logarithm of, 202
  - nilpotent, 202
- monoidal category, 330, 335, 346, 406, 472
  - symmetric, 409, 424, 473
- monoidal functor, 355, 426, 472
- Nagata’s compactification theorem, 69
- nearby cycles, 183
  - unipotent, 199
- neutral Tannakian category, 428
- nilpotent cone, 361
- nilpotent orbit
  - distinguished, 384
  - regular, 361
  - subregular, 385
- Noether normalization lemma, 69
- noetherian, 145, 478
- noetherian induction, 68
- normal crossings divisor, 71, 86, 87, 92, 189
  - coordinate chart, 87, 103
  - stratification, 86, 524
  - transverse to, 72, 88, 101
- normal crossings stratification, 88
- octahedral axiom, 481
- \*-odd, !-odd, 343, 398, 401
- orientation, 76, 122
  - see also* relative orientation sheaf
- $p$ -canonical basis, 347, 359
- $p$ -smooth, 178
- parabolic induction, 373
  - series, 381
- parabolic restriction, 373
- parity sheaf, 343
- PBW basis, 443
- perverse sheaf, 129, 225
  - on  $\mathbb{A}^1$ , 178, 212, 324
  - on  $\mathcal{B}$ , 359
  - on  $\mathcal{E}_v$ , 179, 466
  - on  $\mathcal{G}r$ , 431
  - on  $\mathcal{X}$ , 179, 385, 386
  - on  $\mathbb{P}^1$ , 213, 358
- perversity function, 134
- Poincaré duality, 78, 118
- pointwise pure, 236, 255, 342, 384, 457, 464
- polydisc, 86, 189, 532
- presheaf, 1
  - étale, 218
- principal bundle, 263
- principal series, 382
- projection formula, 25
- projective object, 22, 478
- proper map, 8, 69
- proper push-forward, 8
- pullback, 8
- pure, 236, 241, 249, 252, 255
- push-forward, 8
- quasi-finite morphism, 69
- quasi-isomorphism, 487
- quasicoherent, 244
- quiver, 433
- quotient equivalence, 273, 280, 293
- rank
  - of a local system, 41
  - of a vector bundle, 122, 315
- rational homology manifold, 178
- rational smooth, 178
- realization functor, 209, 302, 500
- recollement, 21, 134, 503
- reduced expression, 325

- refinement, 81
- relative dimension, 70
- relative orientation sheaf, 34, 75
- repelling, *see* attracting
- representable functor, 470
- representable morphism, 311
- resolution of singularities, 71
- restriction of scalars, 26
- restriction with supports, 17
- rigid, 473
  
- Satake isomorphism
  - classical, 403
  - geometric, 429
- Schubert cell, 326
- Schubert variety, 326
- self-injective, 221
- semi-infinite orbit, 405
- semiperfect ring, 505
- semisimple, 479
- semisimple complex, 172
- semismall morphism, 168, 363, 365
  - stratified, 171, 376, 405
- Serre subcategory, 133, 144, 179, 233, 478
- sheaf, 2
  - constant, 3, 219, 285
  - étale, 218
  - locally constant, 6, 219
    - see also* local system
  - restriction map, 1, 218
  - restriction to a subset, 5
  - section, 1
  - skyscraper, 3
- sheafification, 3, 218
- shift functor, 480, 487
- simple object, 146, 479
- singular (co)homology, 5, 117
- small morphism, *see* semismall morphism
- smooth equivalence relation, 311
- smooth morphism, 70
  - descent along, 163, 311
  - pullback along, 78, 155, 159
- smooth pair, 79, 121, 173
- Soergel bimodule, 349
- solutions functor, 248
- special fiber, 181
- Springer correspondence, 368
  - generalized, 383
- Springer resolution, 363
- Springer splitting field, 362
- square-root sheaf, 6, 219, 225
- stack, 311
- stalk, 2, 219
- Steinberg variety, 363
- stratification, 80
  - good, 84, 295
  - trivial, 80
- Whitney, 72, 85
  - see also* normal crossings divisor
- structure sheaf, 243
- support, 2, 4
  
- t*-exact, 499
- t*-structure, 132, 497
  - heart, 498
  - natural, 222, 497
  - perverse, 129, 225, 237
  - t*-cohomology, 498
- table of stalks, 63
- Tate twist, 64, 75, 220, 224, 250
  - ignoring, 76, 348, 368, 444
  - square root of, 258, 343, 444
- Tate type, 257, 342
- tilting, 212, 358
- topological submersion, 12, 33, 59, 74, 528
- Tor group, 496
- Tor-finite, 222
- torsion in stalks, 147, 348
- transverse slice, 256, 384, 458
- triangulated category, 288, 480
  - generators for, 484
- triangulated functor, 483
- truncation, 489, 498
  
- universal coefficient theorems, 27, 118
  
- vanishing cycles, 183
  - and gluing, 197
  - Beilinson's version, 195
- vanishing theorems, 96, 99, 100, 118
- variety, 67
- Verdier duality, 35, 102, 104, 189
- Verdier localization, 486
  
- weakly  $\mathbb{G}_m$ -equivariant, 111
- weight filtration, 236, 250, 252
- weight functor, 410
- Weil perverse sheaf, 232
- Weil structure, 232
- Weyl algebra, 243

## Selected Published Titles in This Series

- 258 **Pramod N. Achar**, *Perverse Sheaves and Applications to Representation Theory*, 2021
- 257 **Juha Kinnunen, Juha Lehrbäck, and Antti Vähäkangas**, *Maximal Function Methods for Sobolev Spaces*, 2021
- 256 **Michio Jimbo, Tetsuji Miwa, and Fedor Smirnov**, *Local Operators in Integrable Models I*, 2021
- 255 **Alexandre Boritchev and Sergei Kuksin**, *One-Dimensional Turbulence and the Stochastic Burgers Equation*, 2021
- 254 **Karim Belabas and Henri Cohen**, *Numerical Algorithms for Number Theory*, 2021
- 252 **Julie Déserti**, *The Cremona Group and Its Subgroups*, 2021
- 251 **David Hoff**, *Linear and Quasilinear Parabolic Systems*, 2020
- 250 **Bachir Bekka and Pierre de la Harpe**, *Unitary Representations of Groups, Duals, and Characters*, 2020
- 249 **Nikolai M. Adrianov, Fedor Pakovich, and Alexander K. Zvonkin**, *Davenport–Zannier Polynomials and Dessins d’Enfants*, 2020
- 248 **Paul B. Larson and Jindrich Zapletal**, *Geometric Set Theory*, 2020
- 247 **István Heckenberger and Hans-Jürgen Schneider**, *Hopf Algebras and Root Systems*, 2020
- 246 **Matheus C. Bortolan, Alexandre N. Carvalho, and José A. Langa**, *Attractors Under Autonomous and Non-autonomous Perturbations*, 2020
- 245 **Aiping Wang and Anton Zettl**, *Ordinary Differential Operators*, 2019
- 244 **Nabile Boussaïd and Andrew Comech**, *Nonlinear Dirac Equation*, 2019
- 243 **José M. Isidro**, *Jordan Triple Systems in Complex and Functional Analysis*, 2019
- 242 **Bhargav Bhatt, Ana Caraiani, Kiran S. Kedlaya, Peter Scholze, and Jared Weinstein**, *Perfectoid Spaces*, 2019
- 241 **Dana P. Williams**, *A Tool Kit for Groupoid  $C^*$ -Algebras*, 2019
- 240 **Antonio Fernández López**, *Jordan Structures in Lie Algebras*, 2019
- 239 **Nicola Arcozzi, Richard Rochberg, Eric T. Sawyer, and Brett D. Wick**, *The Dirichlet Space and Related Function Spaces*, 2019
- 238 **Michael Tsfasman, Serge Vlăduț, and Dmitry Nogin**, *Algebraic Geometry Codes: Advanced Chapters*, 2019
- 237 **Dusa McDuff, Mohammad Tehrani, Kenji Fukaya, and Dominic Joyce**, *Virtual Fundamental Cycles in Symplectic Topology*, 2019
- 236 **Bernard Host and Bryna Kra**, *Nilpotent Structures in Ergodic Theory*, 2018
- 235 **Habib Ammari, Brian Fitzpatrick, Hyeonbae Kang, Matias Ruiz, Sanghyeon Yu, and Hai Zhang**, *Mathematical and Computational Methods in Photonics and Phononics*, 2018
- 234 **Vladimir I. Bogachev**, *Weak Convergence of Measures*, 2018
- 233 **N. V. Krylov**, *Sobolev and Viscosity Solutions for Fully Nonlinear Elliptic and Parabolic Equations*, 2018
- 232 **Dmitry Khavinson and Erik Lundberg**, *Linear Holomorphic Partial Differential Equations and Classical Potential Theory*, 2018
- 231 **Eberhard Kaniuth and Anthony To-Ming Lau**, *Fourier and Fourier-Stieltjes Algebras on Locally Compact Groups*, 2018
- 230 **Stephen D. Smith**, *Applying the Classification of Finite Simple Groups*, 2018
- 229 **Alexander Molev**, *Sugawara Operators for Classical Lie Algebras*, 2018
- 228 **Zhenbo Qin**, *Hilbert Schemes of Points and Infinite Dimensional Lie Algebras*, 2018
- 227 **Roberto Frigerio**, *Bounded Cohomology of Discrete Groups*, 2017

For a complete list of titles in this series, visit the  
AMS Bookstore at [www.ams.org/bookstore/survseries/](http://www.ams.org/bookstore/survseries/).