

Index

- \mathbf{P}_r , reduced product class operator, 344
 - \mathbf{P}_u ultraproduct class operator, 344
 - $\mathbf{A}(\alpha)$ α as an algebra, 96
 - $\chi_x^{(c_a)}$, 428
 - \diamond -condition, 27
 - \equiv varietal equivalence, 9
 - \equiv elementary equivalence, 320
 - $\mathcal{V}^{(n)}$ descending varietal chain, 170
 - $\mathcal{V}_{\text{idem}}$ idempotent reduct of \mathcal{V} , 112
 - \models (satisfaction or modeling), 319
 - ω -universal set of terms, 227
 - $\partial(\varphi)$ determining sequence of φ , 413
 - \star product, 79, 83, 84
 - m -fold, 91
 - is associative, 88
 - \top, \perp true, false, 426
 - $\sqrt[\ell]{}$ ultraroot class operator, 344
 - \mathcal{V}_{fsi}
 - finitely s. i. algebras in \mathcal{V} , 353
 - \leq_{int} interpretability order, 9
 - $\{a, b\} \rightsquigarrow_{\ell}^n \{p, q\}$
 - collapsing $\{a, b\}$ collapses $\{p, q\}$ with parameters n and ℓ , 25
 - $s \bowtie t$ (for terms s and t), 158
 - $s \triangleleft t$ (for terms s and t), 158
- Abelian
- algebra, 45, 134
 - variety, 135
 - strongly, 136, 139
- absorbing element, 178
- absorption, 90
- semi-absorbs, 93
- Adaricheva, K., 403
- algebra(s), 145
- 0-regular, 435
 - Abelian, 45, 134
 - admitting an order, 121
 - affine, 134
 - automatic, 279, 282
 - Boolean, 391
 - centerless, 391
 - coherent, 57
 - critical, 353
 - finitely presented, 255
 - finitely subdirectly irreducible, 203
 - flat, 283
 - flat graph, 210
 - flat graph algebra, 202
 - Hamiltonian, 135
 - Heyting, 19
 - idempotent reduct of, 112
 - implication, 19
 - locally finite, 169
 - primal, 385
 - quasiprimal, 18, 134
 - realizing a set of equations, 1
 - set-retract
 - basic, 63
 - full, 64
 - shift-automorphism, 179
 - trite, 83
 - with zero, 391
 - centerless, 391
- algebraic lattice, 226, 335
- algorithm
- Pixley-Wille, 109–111
- Aliev, I. Š, 141
- alter ego, 379
- Archimedean ordered fields, 321
- Arens, R., 386
- arity (rank), 145
- atom in a Boolean algebra, 339
- atomic Boolean algebra, 339
- atomic diagram, 336
- atomic formula, 317
- automaton
- finite, 173
 - nondeterministic, 173
- axiom system
- equational, 10
- axiomatizable
- finitely, 348
- Baker, K. A., 28, 130, 132, 134, 191, 196, 203, 205, 209, 353, 368, 370, 373
- Finite Basis Theorem, xi, 357, 362, 373
 - Baker-Pixley Theorem, 121, 129–132

- Baldwin, J., 141
- Banach, S., 229
- base of an equational theory, 151
- Base Undecidability Theorem, 269
 - for groups, 275
- basic
 - constant, 62
 - terms, 62
 - translation, 23, 363
- basic consequence, 159
- basic deduction, 159
- basic equation, 159
- basic terms, 159
- basically deducible, 159
- basis of an equational theory, 151
 - irredundant, 163
- Bergman, C., xiv, 45
- Berman, J., 66, 71
- Beth's Theorem, 426
- Beth, E.
 - Beth's Theorem, 426
- Birjukov, A., 233
- Birkhoff construction
 - of free algebras, 65
- Birkhoff, G., 154, 157, 164, 171, 172, 233, 255
 - Birkhoff-Ore Theorem, 40
 - free algebras, 66
 - HSP-Theorem, 356
- Bolbot, A., 233
- Bonnet, R., 417
- Boolean algebra(s)
 - atomic, 339
 - enhanced elementary theory of infinite
 - atomic Boolean algebras, 339
- Boolean power, 386
- Bosbach, B., 19
- bounded critical depth, 203
- bounded critical diameter, 209
- bracket expression, 27
- Bravtsev, A. F., 132
- Bryant, R., 196
- Bulman-Fleming, S., 97, 122
- Burris, S., xiv, 19, 205, 386

- Cacioppo, R., 178
- cardinal(s)
 - iterated exponential \beth_n , 53
 - measurable, 355
 - regular, 230
- categorical equivalence, 389
- category theory, 379, 422
- Cayley, A., 169
- central subuniverse, 391
- Chang, C. C., 57, 313, 331, 344, 411
- Chinese remainder property, 5
- Church, A., 253
- Church-Turing Thesis, 253
- Clark, D., 125, 209, 379, 384
- clone(s)
 - morphisms of, 10
- compact element of a complete lattice, 226
- Compactness
 - Theorem in logic, 88, 334
- compatible order, 71
- complete lattice, 226
- complete theory, 336
- Completeness Theorem for Basic Equations, 160
- Completeness Theorem for Equational Logic, 155
- computable function, 253
- congruence(s)
 - k -permutability, 13, 120
 - 3-permutability, 82, 120
 - as algebras, 96
 - coherence of, 57, 120
 - congruence generation, 22
 - congruence identity, 5, 95
 - congruence variety, 95
 - distributive, 120, 142
 - for structures, 316
 - inclusion of, 4
 - modular, 120
 - modulo a filter, 328
 - permutability, 1, 13
 - regular, 4, 50, 66, 120
 - strictly meet irreducible, 283
 - uniform, 4, 53, 120
 - weakly, 53, 120
- conjunctive-disjunctive form, 326
- connectives, 314
- constant
 - basic, 62
- Constraint Satisfaction Problem, 71
- Craig's Interpolation Theorem, 426
- Craig, W.
 - Craig's Interpolation Theorem, 426
- critical algebra, 353
- critical pair, 173
- Csákány, B., 132, 136, 142
- cube term, 71, 134
- cyclohexane, 407
- Czédli, G., 28, 95, 101, 111

- Davey, B., 209, 379, 384
- Davis, M., 251
- Day, A., 15, 49, 80, 95–97, 99, 101, 104, 111, 122
 - MC for congruence modularity, 40
 - pentagon of, 42
- Dedekind, R., 13, 151, 256, 341
- deduction
 - equational, 155
- Deduction Theorem, 326
- Deduction Theorem for Logical Consequence, 326
- definable principal congruences, 210, 374
- definable principal subcongruences, 374

- defines explicitly, 426
- defines implicitly, 426
- definite-atoms property, 204
- definitional reduct, 273
- Dehn, M.
 - presentations of groups, 256
- Delic, D., 210
- Dent, T., 69
- depth
 - of a term, 86
- derivative, 69
 - order, 69
- Desargues, G.
 - law in projective geometry, 101
- Descartes, R., 4
- descending varietal chain, 170
- determining sequence of a formula, 413
- diagram, 336
 - atomic, 336
 - elementary, 336
- \diamond -condition, 27
 - collapsed, 363
- difference term
 - Gumm (modular), 46
- directly representable variety, 376
- discriminator
 - ternary, 18, 60
 - variety, 60
- duality
 - full, 380
 - natural, 380
- Dyck, W. von
 - Theorem on group presentations, 255
- Dziobiak, W., 278
- Eilenberg, S., 178
- elementary
 - class and relativized reducts, 396
 - class, defined, 319
 - embedding, 321
- Elementary Amalgamation Theorem, 423
- elementary class, 319
- elementary diagram, 336
- elementary equivalence
 - of structures, 320
- elementary extension, 322
- Elementary Joint Embedding Theorem, 424
- elementary language, 314
- elementary substructure, 322
- elementary theory, 319
- embedding
 - elementary, 321
- Enderton, H., 251
- equation(s), 147
 - basic, 62, 159
 - inconsistent, 69
 - linear, 62, 84
 - quasi-equations, 402
 - Taylor, 81
 - the Arguesian eq., 101
 - yoking, 11
- equational theory
 - base-undecidable, 266
 - defined, 148
 - equationally complete, 231
- equivalence
 - logically equivalent, 325
 - term equivalence, 9
- equivalence functor, 389
- Erdős, P., 343
 - Erdős-Hajnal-Rado Thm., 55, 61
 - Erdős-Rado Theorem, 55
- Euclid of Alexandria, 163
- Evans, T., 233
 - (un)solvable word problems, 259
- explicitly defines, 426
- expression(s)
 - in an elementary language, 317
- extension
 - elementary, 322
- factor congruence, 391
- Feferman, S.
 - Feferman-Vaught Theorem, 414
- Fennemore, C., 233
- Fichtner, K., 58
- field(s)
 - algebraically closed, 335, 336
- filter, 327
 - prime, 332
 - principal, 328
 - proper, 328
 - ultrafilter, 330
 - κ -complete, 355
- finite intersection property, 332
- finitely axiomatizable, 348
- finitely subdirectly irreducible, 203
- flat automatic algebra $\mathbf{Q}_{\mathbb{Z}}$, 281
- formula(s)
 - atomic, 317
 - conjunctive-disjunctive form, 326
 - Horn, 410
 - in an elementary language, 317
 - logically equivalent, 325
 - negation normal form, 426
 - positive, 435
 - existential, 373
 - prenex, 326
 - preserved under substructure, 398
 - principal congruence, 373
- Foster, A. L., 386, 389
- Frayne, T., 331, 344, 411
- Fréchet, M., 328
- Freese, R., 12, 15, 17, 38, 66, 74, 95–96, 99, 101, 109, 209, 219, 279, 368, 370, 372
 - undecidability of modular lattice theory, 256

- Univ. Alg. Calculator, 66
- Fujiwara, T., 406, 427
- full duality, 380
- fully invariant congruence relation, 154
- function(s)
 - majority, 143
 - term functions, 147
- Gödel, K., 164
- Galois connection
 - between algebras and equations, 151
 - for quasivarieties, 403
 - of the satisfaction relation, 319
- Galvin, F. W., 412, 414, 417
- Garcia, O., 141
- Gauss, K., 164
- Gedeonová, E., 96
- Geiger, D., 60
 - on coherent varieties, 57
- Gerhard, J., 233
- Givant, S., 141, 417
- Gorbunov, V., 403
- Graczyńska, E., 167
- Graham, R. L., 55
- Grätzer, G., xiv, 58, 211, 218, 406
- Grätzer-Schmidt Theorem, 211
- group(s)
 - Abelian, 391
- Gumm, H.-P., 4, 48, 80
 - congruence modularity, 40
 - Shifting Lemma, 49
- Gusev, S., 234
- Hagemann, J., 16, 20, 58, 72, 73, 123
- Haiman, M., 109
- Hajnal, A.
 - Erdős-Hajnal-Rado Thm., 55, 61
- Hall, M., 266
- Halmos, P., 417
- halting problem, 254
- Hamilton, W. R., 135
- Hamiltonian
 - algebra, 135
- Hanf, W., 391
- Hashimoto, J., 58
- Hausdorff, F., 22, 59
- Helly, E., 5
- Henkin, L., 335, 427, 434
- Herrmann, C., 16, 45, 257
 - undecidability of modular lattice theory, 256
- Hewitt, E., 331
- Hobby, D., 33
- Hobby-McKenzie
 - term, 79, 111–115, 120
- Hodges, W., 313
- Hölder, O., 40
- homomorphism(s)
 - of relational structures, 315
- Hopcroft, J., 251
- Horn formulas, 410
- Horn, A., 410
- Horváth, E., 95, 111
- Hu, T.-K., 386, 389
- Huhn, A. P., 130, 257
- Hutchinson, G., 256, 257
- Hyndman, J., 403
- identity(ies)
 - congruence, 5, 95
- Idziak, P., 71
- Ihringer, T., xiv, 45
- implicitly define, 426
- independent
 - weakly, 69
- interpretation
 - of an individual algebra, 8
 - interpretation of varieties, 226
- Isaev, I., 196
- Isbell, J., 229
- Jackson, M., 209
- Jackson, N., 177
- Jacobs, E., 250
- Jacobson, N., 152
- Ježek, J., xiv, 99, 233, 249–251
 - Interval Embedding Thm., 234
- Jipsen, P., 358
- Johnson, D., 256
- Jónsson, B., 2, 95, 101, 104, 109, 110, 191, 204, 205, 353, 358, 372, 391, 392, 395
 - Jónsson's Lemma, xi, xiii, 127, 355, 362
- Jordan, C., 40
- Joyce, D.
 - quandles, 166
- \mathcal{K} -radical, 409
- Kaarli, K., 132
- Kalfa, C., 276
- Kalicki, J., 233
- Kaplansky, I., 386
- Karrass, A., 256
- Kashiwagi, T., 406
- Kearnes, K., 17, 28, 33, 64, 67, 69, 164, 196, 279
- Keisler, H. J., 57, 313, 412
 - Keisler-Shelah Iso. Thm., 344, 347
- Kelly, D., 76, 164, 403
- Ketonen, J., 391, 394
- Kiss, E., 33, 136, 164
 - difference term, 46
 - Univ. Alg. Calculator, 66
- Klukovits, L., 135
- Kollár, J., 136, 138
- Koppelberg, S., 417
- Kozik, M., 76, 78, 80
- Krauss, P. H., 125
- Krokhin, A., 76, 78, 80
- Kruse, R., 196
- Kuratowski, K., 139

- Kuratowski-Zorn Lemma, 139
- Kuznetsov, A.
solvable word problem, 258
- Lachlan, A., 141
- Lakser, H., 21, 123, 406
- Lampe's Zipper Theorem, 246
- Lampe, W., 219, 225, 249
Zipper condition, 246
- lattice(s)
algebraic, 226
Arguesian, 101
complete, 226
ordered sum, 373
semidistributive, 26
 join-, 120
 meet-, 120
- Lee, E., 173, 193, 234
- length of a lattice, 368
- Lipparini, P., 12, 28, 109
- Lipshitz, L., 256
- literally similar terms, 159
- local
 results about varieties, 5
- locally finite, 169
 class of structures, 400
 uniformly, 172, 400
- logical consequence, 151, 320
- logical equivalence, 320
- logically equivalent, 325
- Łoś, J., 229, 331, 397, 399
 Fund. Thm. Ultraprod., 330
- Łoś-Tarski Theorem, 397
 Ultraproduct Form, 399, 405
- Löwenheim, L.
 Downward L-S-T Theorem, 324
 Upward L-S-T Theorem, 340
- L'vov, I., 196
- Lyndon's Preservation Theorem for
 Homomorphisms, 437
- Lyndon's Preservation Theorem for Subdirect
 Products, 441
- Lyndon, R., 172, 177, 178, 193, 256
 Interpolation Theorem, 427
 Nonfinite Basis theorem, 173
- Macintyre, A.
 unsolvable word problem, 256
- Magari, R., 138
- Magnus, W., 256
- Mal'tsev
 class, 9
 filter, 9
- Mal'tsev condition(s), xi, 9
 for congruence distributivity, 2
 the alvin variant, 4, 12
 linear, 62
 strong, 1, 76, 79, 94
 Taylor condition(s), 82
 weakest, 89
 weak, 95, 109
- Mal'tsev, A. I., 1, 24, 82, 157, 164, 233, 334, 335,
 399, 406, 409, 414
 Compactness Theorem, 334
 congruence generation, 24
 solvable word problem, 257
- Marker, D., 313
- Markov, A.
 unsolvable word problem, 256
- Marković, P., 71
- maximal equational theory, 231
- McKenzie, R., xii, xiv, 33, 71, 74, 95–96, 99, 191,
 193, 196, 197, 210, 222, 229, 246, 249–251,
 276, 279, 282, 311, 312, 353, 362, 376, 406
 Finite Basis Theorem, xii
 residual bound, 277
 equal to \aleph_0 , 279
- McNulty, G., 28, 177, 191, 209, 273, 274, 368, 403
 Base-undecidability Thm., 269
- Mederly, P., 96
- meet semidistributivity, 26
- Menger, K., 149
- Mitschke, A., 19, 20, 72, 73, 123, 129
- model complete, 337
- Monk, J. D., 417
- Morel, A. C., 331, 411
- Motohashi, N., 427
- multiplicity sequence of a signature, 249
- Murskii, V., 191–193, 276
 Base-undecidability Thm., 269
- Mycielski, J., 229
- Nation, J. B., xiv, 38, 71, 96, 99, 342, 362, 368, 403
 Counterexample to the Finite Height
 Conjecture, 358
- natural duality, 380
- near unanimity
 term, 76, 82, 120
- negation normal form, 426
- Nelson, G. C., 386
- nesting depth, 27
- Neumann, H., 196
- Nishida, J., 403
- Noether, E., 255
- nonoverlapping terms, 228
- Novikov, P.
 unsolvable word problem, 256
- Nurakunov, A., 247, 350, 353
- Oates, S., 196, 408
- Oberschelp, A., 427
- Olšák, M., xiv, 88, 89
 equations of, 89
 Theorem of, 88, 90
- Ol'shan'skii, A. Ju., 408
- operation(s)
 term, 7
 term-like, 227

- operationally related, 179
- order
 - compatible, 71
 - well-ordered sets, 336
- order derivative, 69
- Ore, Ø., 13
 - Birkhoff-Ore Theorem, 40
- Owens, K., 191
- Pálffy, P., 109, 219
- Palyutin, E. A., 141
- Papert, D., 32–33
- Peano, G., 341
- Perkins, P., 276
 - \top is base-undecidable, 273
- perspectivity
 - axial, 101
 - central, 101
- Pickering, D., 104
- Pigozzi, D., xiv, 229, 276
 - Embedding Theorem, 240, 246
- pinch point of an algebraic lattice, 224
- pinched lattice, 224
- Pitkethly, J., 379
- Pixley, A. F., 95, 109, 110, 119, 130, 132, 279, 341
 - Pixley-Wille algorithm, 109–111
- Plonka, J., 167
- Polin, S. V., 50, 196
 - algebra of, 50, 98
 - variety of, 15, 99, 124
 - is residually large, 22
- Post, E., 378
 - halting problem, 254
 - Post term, 265–266
 - unsolvable word problem, 256
- Powell, M. B., 196, 408
- prenex form, 326
- presentation(s)
 - finite, 255
 - generators of, 255
 - of an algebra, 255
 - relations of, 255
 - relators of, 255
- preservation theorems, 398
- principal congruence formula, 373
- principal congruence sequence, 25
- Principle of Induction on Deductions, 157
- product
 - ★ product, 79, 83, 84, 88
 - direct product of congruences, 391
 - fiber, 96
 - of relational structures, 316
 - reduced, 313, 329
 - ultraproduct, 330
- projective geometry, 105
- proper, 178
 - element, 178
 - tuple, 178
- Pudlák, P., 218, 219
- pullback, 96
- Quackenbush, R., 142, 278, 353
 - Conjecture of, 279
- quandle, 166
- quantifiers, 314
- quasi-equation, 402
- quasiprimal algebra, 18, 134
- quasivariety(ies), 402
 - based on Σ , 403
- radius of an algebra, 364
- Rado, R.
 - Erdős-Hajnal-Rado Thm., 55, 61
 - Erdős-Rado Theorem, 55
- Ramsey, F. P.
 - Theorem in combinatorics, 55, 60, 343
- rank (arity), 145
- realization
 - of a set of equations, 9
 - of a term on \mathbf{A} , 7
 - of equations in a variety, 68
- realizes
 - a set of equations, 1
- recursive presentation, 259
- recursively enumerable, 253
- reduced power, 331
- reduct
 - idempotent, 8
 - term, 8
- refinement property
 - strict, 392
- regular equation, 167
- relation
 - fundamental or basic, 315
- relation(s)
 - congruence
 - fully invariant, 150
 - definable in \mathbf{A} , 319
 - fundamental of \mathbf{A} , 315
 - relational structure(s)
 - defined, 315
 - homomorphisms of, 315
 - isomorphisms of, 316
 - product of, 316
 - quotient, 316
 - similar, 315
- relativized reducts, 396
- residual
 - bound, 277
 - character, 277
 - residually finite, 277
 - residually large, 55, 277
 - residually small, 16, 277
 - residually very finite, 277
- Robinson A.
 - Joint Consistency Theorem, 425
 - Robinson's Joint Consistency Theorem, 425

- Robinson's Two Signature Chain Construction
 - Theorem, 424
- Robinson, A., 337, 424
- Rogers, H., 251
- Rose, H., 358
- Rosenberg, I. G., xi
- Rothschild, B. L., 55

- Sankappanavar, H., xiv, 19
- Sapir, M., 178
- satisfaction, 319
- Schmidt, E. T., 17, 124, 125, 134, 211, 218
- Schupp, P., 256
- Schützenberger, M., 178
- Schwabauer, R., 250
- Scott, D., 251, 331, 411
- Selman, A., 403
- semidistributivity (meet or join), 26, 120
- semigroup(s)
 - commutative, 390
- semilattice(s)
 - congruence lattice of, 34–38
- sentence, 318
 - universal, 399
- Sequeira, L., 67
- set of subterms, 153
- set(s)
 - decidable, 253
 - recursive (computable), 253
 - recursively enumerable (r.e.), 253
- set-retract
 - basic, 63
 - full, 64
- Shelah, S., 412
 - Keisler-Shelah Iso. Thm., 344, 347
 - residual bounds, 277
- Shevrin, L., 234
- shift automorphism algebra, 179
- Shift Automorphism Theorem, 180, 280
- shift automorphism variety, 179
- Shifting Lemma, 49
- Sierpiński, W., 229
- signature(s), 2, 5, 145
 - large, 168
- similarity type, 2, 5
- Sipser, M., 251
- Skolem, T., 331
 - Downward L-S-T Theorem, 324
 - Upward L-S-T Theorem, 340
- slender term, 23
- Smith, D., 276
- Snow, J., 64
- Solitar, D., 256
- Spencer, J. H., 55
- star operation, 79, 84
 - is associative, 88
- Stone, M. H.
 - BA Duality Thm., 379–382
 - Stone space, 379
 - Ultrafilter Theorem, 333
- strictly meet irreducible congruence, 283
- substitution
 - operator, 153
 - substitution instance
 - of a term, 154
 - of an equation, 154
- substructure, 315
 - elementary, 322
- subterm(s), 153
- support of a term, 227
- symbol(s)
 - constant, 145
 - logical, 314
 - operation, 145
- system
 - of definitions, 8
- system of structures
 - up-directed, 421
- Szabó, C., 109
- Szekely, Z., 172, 191
- Szendrei, Á., 67, 69, 164, 196

- Taïtslin, M. A., 427
- Tardós, G., 246
- Tarski's Elementary Chain Theorem, 421
- Tarski's Finite Basis Problem, 311
- Tarski, A., 157, 163, 322, 331, 397
 - Cube Problem, 394
 - Downward L-S-T Theorem, 324
 - Elementary Chain Theorem, 421
 - Tarski-Vaught test, 322
 - Ultrafilter Theorem, 333
 - Uniformly Locally finite Universal Classes, 401
 - Upward L-S-T Theorem, 340
- tautologies, 225
- Taylor, W., 56, 59, 61–63, 67, 80, 97, 122, 139, 141, 219, 227, 230, 343
 - residual bounds, 277
 - topological algebra, 22, 59
- term algebra, 147
- term equivalence, 9
- term functions, 147
- term(s), 6, 146
 - ω universal set of, 227
 - basic, 62, 159
 - cube, 71, 134
 - depth of, 86
 - difference
 - Gumm (modular), 46
 - Kiss 4-ary, 46
 - modular, 46
 - Gumm terms, 48
 - Hobby-McKenzie, 111–115, 120
 - linear, 62
 - literally similar, 159

- majority, 12
- near unanimity, 76, 82, 129
 - weak, 89
- nonoverlapping, 228
- Pixley, 12
- protected, 235
- slender, 23
- Taylor, 81, 120
- term digraph, 6
- term operations of \mathbf{A} , 7
- term tree, 6
- uniformity terms for \mathcal{V} , 55
- term-finite principal congruences, 209
- term-like operations, 227
- ternary discriminator, 18
- theorem
 - Baker-Pixley Theorem, 130
 - Beth's Theorem, 426
 - Compactness, 334
 - Craig's Interpolation Theorem, 426
 - Deduction Theorem, 326
 - Deduction Theorem for Logical Consequence, 326
 - Elementary Amalgamation Theorem, 423
 - Elementary Joint Embedding Theorem, 424
 - Feferman-Vaught Theorem for reduced products, 414
 - Fund. Thm. Ultraprod., 330
 - Łoś-Tarski Theorem, 397
 - Robinson's Two Signature Chain Construction Theorem, 424
 - Tarski's Elementary Chain Theorem, 421
 - Two Signature Interpolation Theorem, 425
- Theorem on Fully Invariant Congruences of Term Algebras, 154
- theory(ies)
 - complete, 336
 - consistent, 69
 - elementary, 319
 - finitely axiomatizable, 320
 - inconsistent, 69
 - model complete, 337
- Thompson, R.
 - unsolvable word problem, 256
- translation
 - T -enhanced, 24
 - basic, 23, 363
 - complexity of, 23
 - of terms, 9
 - is a clone morphism, 10
- truth
 - of a formula in a structure, 319
- Tùma, J., 219
- Turing, A.
 - Church-Turing Thesis, 253
 - halting problem, 254
 - Turing computable function, 253
 - Turing machine, 252
- Two Signature Interpolation Theorem, 425
- type 3 joins, 225
- Ullman, J., 251
- ultrafilter
 - κ -complete, 355
- ultrapower, 331
- ultraproduct congruence, 342
- ultraroot, 331
- uniformly locally finite, 172
- Universal Algebra Calculator, 66
- universal sentence, 399
- up-directed system of structures, 400
- Valeriote, M., 12, 17, 71, 76, 78, 80, 136
 - Univ. Alg. Calculator, 66
- variable(s), 146
 - free in a formula, 318
- variety(ies)
 - \mathcal{P} , of S. V. Polin, 15
 - κ -categorical, 139
 - Abelian, 135–138
 - strongly, 136
 - active, 83
 - arithmetical, 5
 - categorically equivalent, 389
 - coherent, 57, 119
 - congruence neutral, 28
 - congruence varieties, 95
 - congruence-distributive, 2, 119
 - \vee -semidistributive, 26
 - \wedge -semidistributive, 26
 - congruence-modular, 119
 - congruence-neutral, 28
 - congruence-regular, 66, 119
 - congruence-semidistributive
 - \vee -semidistributive, 119
 - \wedge -semidistributive, 119
 - congruence-uniform, 53, 119
 - weakly, 53
 - CT: has a cube term, 120
 - directly representable, 376
 - discriminator, 60
 - equivalent (\equiv), 9
 - Hamiltonian, 135–136
 - idempotent, 69
 - idempotent reduct of, 112
 - interpretation of, 226
 - locally finite, 169
 - NL: no linear order, 120
 - NU: has near unanimity term, 120
 - of Abelian groups
 - of exponent 2, 8
 - of Heyting algebras, 19, 62, 124
 - of implication algebras, 19
 - of lattices, 368, 370
 - of Lukasiewicz algebras, 58
 - of quandles, 166
 - of quasigroups, 74

- of right-complemented semigroups, 19
- of semilattices, 33–39, 64
- passive, 83
- semidegenerate, 136–138, 143
- shift-automorphism, 179
- term equivalent, 9
- TT: has a Taylor term, 120
- Varlet, J., 58
- Vaught, R., 57, 409
 - Feferman-Vaught Theorem, 414
 - Tarski-Vaught test, 322
- Vernikov, B., 234
- Volkov, M., 234

- Wang, J., 28, 209, 353
- weakly independent, 69
- Weinstein, J. M., 414
- Werner, H., 191
- Whitman, P., 99, 218
- width of a lattice, 370
- Willard, R., 28, 71, 76, 78, 80, 191, 196, 203, 209,
279, 353
- Wille, R., 4, 20, 95, 109, 110, 119
 - Pixley-Wille algorithm, 109–111
- word problem, 255

- Zorn, M., 139

SELECTED PUBLISHED TITLES IN THIS SERIES

- 270 **Leslie Hogben, Jephian C.-H. Lin, and Bryan L. Shader**, *Inverse Problems and Zero Forcing for Graphs*, 2022
- 269 **Ralph S. Freese, Ralph N. McKenzie, George F. McNulty, and Walter F. Taylor**, *Algebras, Lattices, Varieties: Volume III*, 2022
- 268 **Ralph S. Freese, Ralph N. McKenzie, George F. McNulty, and Walter F. Taylor**, *Algebras, Lattices, Varieties: Volume II*, 2022
- 267 **Dragana S. Cvetković Ilić**, *Completion Problems on Operator Matrices*, 2022
- 266 **Kate Juschenko**, *Amenability of Discrete Groups by Examples*, 2022
- 265 **Nabil H. Mustafa**, *Sampling in Combinatorial and Geometric Set Systems*, 2022
- 264 **J. Scott Carter and Seiichi Kamada**, *Diagrammatic Algebra*, 2021
- 263 **Vugar E. Ismailov**, *Ridge Functions and Applications in Neural Networks*, 2021
- 262 **Ragnar-Olaf Buchweitz**, *Maximal Cohen–Macaulay Modules and Tate Cohomology*, 2021
- 261 **Shiri Artstein-Avidan, Apostolos Giannopoulos, and Vitali D. Milman**, *Asymptotic Geometric Analysis, Part II*, 2021
- 260 **Lindsay N. Childs, Cornelius Greither, Kevin P. Keating, Alan Koch, Timothy Kohl, Paul J. Truman, and Robert G. Underwood**, *Hopf Algebras and Galois Module Theory*, 2021
- 259 **William Heinzer, Christel Rotthaus, and Sylvia Wiegand**, *Integral Domains Inside Noetherian Power Series Rings*, 2021
- 258 **Pramod N. Achar**, *Perverse Sheaves and Applications to Representation Theory*, 2021
- 257 **Juha Kinnunen, Juha Lehrbäck, and Antti Vähäkangas**, *Maximal Function Methods for Sobolev Spaces*, 2021
- 256 **Michio Jimbo, Tetsuji Miwa, and Fedor Smirnov**, *Local Operators in Integrable Models I*, 2021
- 255 **Alexandre Boritchev and Sergei Kuksin**, *One-Dimensional Turbulence and the Stochastic Burgers Equation*, 2021
- 254 **Karim Belabas and Henri Cohen**, *Numerical Algorithms for Number Theory*, 2021
- 253 **Robert R. Bruner and John Rognes**, *The Adams Spectral Sequence for Topological Modular Forms*, 2021
- 252 **Julie Déserti**, *The Cremona Group and Its Subgroups*, 2021
- 251 **David Hoff**, *Linear and Quasilinear Parabolic Systems*, 2020
- 250 **Bachir Bekka and Pierre de la Harpe**, *Unitary Representations of Groups, Duals, and Characters*, 2020
- 249 **Nikolai M. Adrianov, Fedor Pakovich, and Alexander K. Zvonkin**, *Davenport–Zannier Polynomials and Dessins d’Enfants*, 2020
- 248 **Paul B. Larson and Jindřich Zapletal**, *Geometric Set Theory*, 2020
- 247 **István Heckenberger and Hans-Jürgen Schneider**, *Hopf Algebras and Root Systems*, 2020
- 246 **Matheus C. Bortolan, Alexandre N. Carvalho, and José A. Langa**, *Attractors Under Autonomous and Non-autonomous Perturbations*, 2020
- 245 **Aiping Wang and Anton Zettl**, *Ordinary Differential Operators*, 2019
- 244 **Nabile Boussaïd and Andrew Comech**, *Nonlinear Dirac Equation*, 2019
- 243 **José M. Isidro**, *Jordan Triple Systems in Complex and Functional Analysis*, 2019
- 242 **Bhargav Bhatt, Ana Caraiani, Kiran S. Kedlaya, Peter Scholze, and Jared Weinstein**, *Perfectoid Spaces*, 2019
- 241 **Dana P. Williams**, *A Tool Kit for Groupoid C^* -Algebras*, 2019

For a complete list of titles in this series, visit the
AMS Bookstore at www.ams.org/bookstore/survseries/.