

# Index

- 0 matrix, I.302
- 0-cell, I.209
- $0^X$ -
  - free edge, I.73
  - free path, I.73
  - prime edge, I.67
    - inverse, I.73
  - reduced, I.67, I.158
- $0^X$ -reduction, I.67
  - exists, I.68
  - of a path, I.74
  - of a path exists, I.93
  - uniqueness of codomain, I.69
  - uniqueness of value, I.72
- $(0^X, \delta)$ -
  - free edge, I.97
  - free path, I.97
  - reduction, I.108
  - reduction exists, I.117
- 1-category, I.4
- 1-cell, I.209, II.199
  - basic, in box product, I.240
  - basic, in Gray tensor product, I.241
- (1,2)-syllepsis axiom, I.237
- (1,3)-crossing axiom, I.233
- $1^X$ -
  - free path, I.120, II.147
  - prime edge, I.118, II.146
  - reduced, I.118, I.158, II.146
- $1^X$ -reduction, I.118
  - exists, I.119
  - of a path, I.121
  - of a path exists, I.122
  - uniqueness of codomain, I.119
  - uniqueness of value, I.120
- 2-by-2
  - multilinear functor constraint, III.238
- 2-by-2 factorization axiom, II.234, III.423
- 2-category, I.212, I.223, I.434, II.200, II.318, III.512
  - as a **Cat**-category, I.213
  - associated to a category, I.213
  - box product, I.239
  - braided **Cat**-monoidal, III.53
  - Cartesian product, I.251
  - Cat**-monoidal, III.53
  - explicit data and axioms, I.212
  - Gray monoid, I.244
  - Gray tensor product, I.241, I.243
  - monoidal, III.53
  - of flat small symmetric bimonoidal categories, I.261
  - of  $\mathcal{M}\mathbf{1}$ -modules, III.354, III.361
  - of small **Cat**-monoidal 2-categories, III.71
  - of small 2-categories, I.221
  - of small braided bimonoidal categories, II.184
  - of small braided monoidal categories, III.71
  - of small braided monoidal enriched categories, III.50
  - of small categories, I.213, III.54
  - of small enriched categories, III.17, III.19, III.33
  - of small enriched multicategories, III.227
  - of small monoidal categories, I.213, III.65
  - of small monoidal enriched categories, III.50
  - of small multicategories, III.183
  - of small symmetric **Cat**-monoidal 2-categories, III.71
  - of small symmetric bimonoidal categories, I.261
  - of small symmetric monoidal categories, I.214, III.71
  - of small symmetric monoidal enriched categories, III.50
  - permutative, I.251
  - sub-, I.212, II.185, II.200
    - full, I.212
  - symmetric **Cat**-monoidal, III.53
  - terminal, I.225
  - underlying 1-category, I.213
- 2-cell, I.210, II.199
  - basic, in box product, I.240
  - basic, in Gray tensor product, I.241
  - double arrow notation, I.210
  - proto, in Gray tensor product, I.241
  - transition, in Gray tensor product, I.241
- 2-colimit, I.257

2-equivalence, I.434, II.318, III.512  
 2-functor, I.215, I.291, I.292, II.194, II.195  
   quasi-strict symmetric monoidal, I.253  
 2-natural isomorphism, I.221  
 2-natural transformation, I.219, I.220,  
   III.147  
   horizontal composition, I.221  
   vertical composition, I.221  
 2-unitor  
   left, I.226, II.206  
   matrix bicategory, I.396  
   middle, I.226, II.206  
   matrix bicategory, I.393  
   right, I.226, II.206  
   matrix bicategory, I.397  
 2-vector space, I.325  
   coordinatized, I.325  
   matrix bicategory, I.423  
 (2,1)-syllepsis axiom, I.237  
 (2,2)-crossing axiom, I.234  
 2-out-of-3 property, III.277  
 3-cell, I.427, II.311, III.505  
 (3,1)-crossing axiom, I.232  
 $\Omega$ -spectrum  
   weak, III.315  
 $\alpha$ -sequence, III.282  
 $\kappa$ -small relative to  $\mathcal{I}$ , III.282

## A

**Ab**-category, II.46  
 abelian category, II.53  
   alternative axioms, II.62  
   compatible braided monoidal structure,  
     II.54, II.152, II.163, II.185  
   bimonoidal symmetric center, II.126  
   compatible monoidal structure, II.61  
     bimonoidal Drinfeld center, II.124  
   compatible symmetric monoidal  
     structure, II.61  
   Embedding Theorem, II.63  
   Fibonacci anyons, II.82  
   Ising anyons, II.91  
   vector spaces, II.81  
 absolute coequalizer, III.192  
 action by permuting factors, III.265  
 action groupoid, III.447  
 action operad, III.447, III.474  
 acyclic cofibration, III.278  
 acyclic fibration, III.278  
 additive  
   associativity isomorphism, I.25, II.41  
   left - zero, I.25, II.41  
   right - zero, I.25, II.41  
   symmetry isomorphism, I.25, II.41  
   zero, I.24, I.55, II.40  
 additive category, II.51  
 additive distortion category, I.161

Grothendieck construction, I.166, I.438,  
   II.322, III.516  
 $K$ -theory, III.431  
 tight bimonoidal category, I.162  
 tight ring category, II.236  
 additive functor, II.47, II.83, II.93, II.163,  
   II.185  
 additive length, I.181, II.165  
 additive structure  
   braided bimonoidal category, II.41  
   symmetric bimonoidal category, I.21,  
     II.37  
 additive symmetry, II.232  
 additive zero, II.145, II.232  
   Fibonacci anyons, II.82  
   Ising anyons, II.91  
 adjoin disjoint basepoint, III.158  
 adjoint  
   equivalence, I.6, III.184  
     braided monoidal, III.73  
     enriched, III.17  
     enriched monoidal, III.50  
     in a bicategory, I.224  
     monoidal, III.67  
   in a monoidal category, I.434, II.318,  
     III.512  
   pair, I.6, I.224  
 adjoint morphism, III.96  
 adjunction, I.6  
   braided monoidal, III.73  
   enriched, III.17, III.100  
   enriched monoidal, III.50  
   in a bicategory, I.224  
   monad, III.190  
   monadic, III.191  
   monoidal, III.67  
   Quillen, III.282  
   smash-hom, III.165, III.175  
   strictly monadic, III.191  
 Agda, I.46  
 algebra, II.67  
   bi-, II.68  
     braided, II.70  
     cocommutative, II.71  
     group, II.71  
     quasi-cocommutative, II.70  
     Sweedler's, II.72  
     symmetric, II.70  
     universal enveloping, II.72  
   co-, II.67  
   enriched operad, III.226, III.379  
   free, I.54, II.144  
   Lie, II.72  
   modules  
     additive structure, II.79  
     multiplication, II.67  
   of a monad, III.190  
     limits, III.191

- of an operad, I.438, II.322, III.413, III.516
- of the associative operad, III.419
- of the Barratt-Eccles operad, III.438
- of the braid operad, III.468
- of the  $n$ -fold monoidal category operad, III.495
- strict, I.59
- tensor, II.72
- unit, II.67
- algebraic  $K$ -theory, xix, III.253
- alphabet, I.181, II.165
- antisymmetry, II.269
- anyon
  - Fibonacci, xvii, I.429, II.82, II.313, III.507
  - bimonoidal symmetric center, II.126
  - Ising, xvii, I.429, II.91, II.313, III.507
  - bimonoidal symmetric center, II.126
  - non-abelian
    - Fibonacci, II.82
    - Ising, II.91
- anyon quantum group, II.74, II.126
- associative operad, III.415, III.433, III.447, III.484
  - algebra, III.419
  - coherence, III.417
  - detects ring categories, III.423
  - morphism to Barratt-Eccles operad, III.433
  - morphism to braid operad, III.456
  - morphism to  $\mathbf{Mon}^n$ , III.500
- associativity
  - enriched category, III.13
  - enriched monoidal functor, III.44
- isomorphism, I.10, II.13, III.4
  - Day convolution, III.135
  - Fibonacci anyons, II.85
  - Ising anyons, II.95
  - Ising anyons, sign conventions, II.106
- lax functor, I.215
- module, III.266
- monad, III.190
- monad algebra, III.190
- monoidal functor, I.13, II.15, III.5
- multicategory, III.178
- multilinear functor constraint, III.238
- symmetric spectrum, III.267
- associativity isomorphism
  - additive, I.25
  - multiplicative, I.25
- associator, I.210, II.199
  - base, I.225
  - enriched tensor product, III.27
  - mate, III.41
  - monoidal, I.225
  - monoidal enriched category, III.39
- autonomous monoidal category, I.434, II.318, III.512
- axiom components
  - monoidal enriched category, III.41
- B**
- Baez's Conjecture, I.255, I.291
  - Braided -, II.194
    - version 2, II.195
  - Laplaza  $E_n$ -monoidal category, I.433, II.317, III.511
  - nonsymmetric, I.292
  - version 2, I.292
- bar construction, III.262
- Barratt-Eccles operad, II.307, III.433, III.447, III.471
  - algebra, III.438
  - Berger's filtration, III.502
  - coherence, III.434
  - decomposition of morphisms, III.433
  - detects bipermutative categories, III.440
  - $E_\infty$ -operad, III.442
  - morphism from associative operad, III.433
  - morphism from braid operad, III.456
  - morphism from  $\mathbf{Mon}^n$ , III.500
  - simplicial, III.442
  - Smith's filtration, III.502
- Barratt-Priddy-Quillen Theorem, I.438, II.322, III.516
- base
  - associator, I.225
    - matrix, I.310
  - bicategory, I.225
  - left unitor, I.225
    - matrix, I.306
  - right unitor, I.225
    - matrix, I.308
- base enriched category
  - monoidal enriched category, III.38
- basepoint, III.158
  - canonical, III.187
  - disjoint, III.158
  - pointed finite set, III.291
  - simplicial object, III.259
- basic 1-cell
  - box product, I.240
  - Gray tensor product, I.241
- basic 2-cell
  - box product, I.240
  - Gray tensor product, I.241
- BD category, II.43, II.127
- Beck's Precise Tripleability Theorem, III.192
- bialgebra, II.68
  - braided, xvi, II.70
  - cocommutative, II.71
  - group, II.71

- modules, II.80
  - monoidal category of, II.76
  - multiplicative structure, II.76
- quasi-cocommutative, II.70
- quasitriangular, xvii, II.106
- Sweedler's, II.72
- symmetric, II.70
- triangular, II.106
- universal enveloping, II.72
- Bicategorical Pasting Theorem, I.217
- bicategorification
  - Laplaza  $E_n$ -monoidal category, I.433, II.317, III.511
  - monoidal, II.223
  - symmetric monoidal, I.295
- bicategory, I.209, II.199
  - 2-category, I.212
  - adjoint equivalence, I.224
  - adjunction, I.224
  - base, I.225, II.205
  - bimonoidal, I.427, II.311, III.505
    - strictification, I.428, II.312, III.506
  - braided bimonoidal, I.427, II.311, III.505
  - braided monoidal, I.230, III.53
  - category of -, I.217
  - horizontal - of a double category, I.429, II.313, III.507
  - $k$ -fold monoidal, I.431, II.315, III.509
    - strictification, I.432, II.316, III.510
  - left triangle identity, I.224
  - locally small, I.211
  - matrix, I.324, I.427, II.202, II.311, III.505
    - $K$ -theory, I.437, II.321, III.515
  - monoidal, I.224, I.431, II.205, II.315, III.53, III.509
  - of bimodules, I.214
  - of lax functors, I.223, II.200
  - one-object, I.214
  - pasting diagram, I.217
  - product, I.225
  - right triangle identity, I.224
  - small, I.211
  - sub-, I.211, II.200
    - full, I.211
  - syllaptic bimonoidal, I.427, II.311, III.505
  - syllaptic monoidal, I.237
  - symmetric bimonoidal, I.427, II.311, III.505
    - strictification, I.428, II.312, III.506
  - symmetric monoidal, I.238, III.53
    - triple braid axiom, I.238
  - terminal, I.225
  - triangle identities, I.224, III.67, III.103
  - tricategory of -, I.427, II.311, III.505
- bimodules, I.214, I.429, II.313, III.507
- bimonoidal bicategory, I.427, II.311, III.505
  - strictification, I.428, II.312, III.506
- bimonoidal category, xv, I.24, II.40
  - axioms, I.32
  - braided, II.41
  - category of -, I.198
  - Coherence Theorem, I.130
  - Coherence Theorem II, I.163
  - computer science, I.49
  - flat, I.128, I.164
  - groupoid, I.24
  - left rigid, I.199, I.203
  - right rigid, I.199, I.202
  - small, I.24, II.40
  - Strictification Theorems
    - multi-object version, I.204
  - symmetric, I.21, II.37
  - tight, xv, I.24, I.164, II.40
    - additive distortion category, I.162
    - bimonoidal Drinfeld center, II.112, II.124
    - from an abelian category with a monoidal structure, II.61
    - modules over a bialgebra, II.80
    - sheet diagram, I.49, I.429, II.313, III.507
    - Strictification Theorems, I.202, I.203
- bimonoidal Drinfeld center, xvii, II.112
  - abelian category with a monoidal structure, II.124
  - additive structure, II.119
  - left distributivity morphism, II.123
  - left multiplicative zero, II.122
  - multiplicative structure, II.122
  - right distributivity morphism, II.123
  - right multiplicative zero, II.122
  - tight braided bimonoidal category, II.124
  - tight braided ring category, xvii, II.256
    - $K$ -theory, III.472
  - tight ring category, xvii, II.256
- bimonoidal functor, I.197
  - braided, II.160
  - composite, I.197
  - equivalence, I.197, I.202, I.203
  - robust, I.197
  - strict, I.197
  - strong, I.197
  - unitary, I.197
- bimonoidal monad, I.49
- bimonoidal natural transformation, I.260, II.184, II.185
- bimonoidal signature, I.429, II.313, III.507
- bimonoidal symmetric center, xvii, II.125, II.126
  - Fibonacci anyons, II.126
  - Ising anyons, II.126
  - $K$ -theory, III.446
- $B_\infty$ -operad, III.461
- bipermutative category, III.414, III.449, III.476
  - as  $EAs$ -algebra, III.440

- braided ring category, II.253
- coherence, I.430, II.314, III.508
- $E_n$ -monoidal category, II.302
- $E_\infty$ -symmetric spectra, III.445
- Elmendorf-Mandell, xviii, I.49, II.244, III.439
  - multiplicative symmetry factorization axiom, II.245, III.439
  - strictification, I.204
  - zero symmetry axiom, II.245, III.439
- external factorization axiom, II.250
- internal factorization axiom, II.249
- $K$ -theory, III.445
- left, I.44, I.128, I.160, I.195, I.423
  - $K$ -theory, III.446
  - left perm braided category, II.132
  - tight bipermutative category, II.246
- May, xvi, I.49
  - strictification, I.204
- multiplicative symmetry factorization axiom, II.247
- redundant ring category axioms, II.251, II.258
- right, I.41, I.128, I.160, I.195, I.423
  - associated, I.180, I.192
  - $K$ -theory, III.446
  - right perm braided category, II.133
  - tight bipermutative category, II.246
- structure, III.439
- symmetric center, II.256
- symmetry factorization axiom, II.248
- tight, II.258
  - left bimonoidal category, II.246
  - right bimonoidal category, II.246
  - strictification, II.246
  - tight symmetric bimonoidal category, II.245
- unit factorization axiom, II.248
- zero factorization axiom, II.247
- zero symmetry axiom, II.247
- bipermutative Gray monoid, I.428, II.312, III.506
- biproduct, II.47, II.62
- bisimplicial set, III.255
  - from simplicial category, III.262
- Blass-Gurevich
  - BD category, II.43
  - Conjecture, xvi, II.127, II.157
- block
  - braid, II.7, III.452
    - elementary, II.9
    - hexagon axiom, II.12
  - permutation, II.6, III.180, III.224, III.416, III.452
  - sum, I.34, II.5, III.180, III.224, III.416, III.452
- Boardman-Vogt tensor product, III.204, III.219, III.220
  - Hom adjunction, III.217
  - 2-functorial, III.235
  - symmetric monoidal closed, III.217
- Boardman-Vogt  $W$ -construction, III.447
  - commutative operad, I.435, II.319, III.513
- bottom equivariance
  - enriched multicategory, III.224
  - multicategory, III.180
- boundary
  - standard  $n$ -simplex, III.255
- box product, I.239
  - basic 1-cell, I.240
  - basic 2-cell, I.240
- braid, II.17, III.7
  - block -, II.7, III.452
    - hexagon axiom, II.12
  - component, II.135
  - elementary block -, II.9
  - generating -, II.4
  - geometric -, II.4
  - group, II.4, II.17, III.7, III.451
    - action, III.461
    - operad, III.460
    - pure, III.461
  - identity -, II.4
  - on  $n$  strings, II.4
  - relations, II.4, III.451
  - sum -, II.5, II.6, III.452
  - underlying, III.85
  - underlying -, II.33, III.11
  - underlying permutation, II.5, III.451
- braid axiom
  - braided monoidal enriched functor, III.45
- braid category, II.154
  - braided structure, II.156
- braid operad, III.451, III.453
  - 2-fold monoidal category operad, III.488
  - algebra, III.468
  - as a symmetrization, III.461
  - coherence, III.464
  - decomposition of morphisms, III.463
  - detects braided ring categories, III.470
  - $E_2$ -operad, III.460
  - morphism to Barratt-Eccles operad, III.456
  - simplicial, III.457
- braided
  - Cat-monoidal, III.53
  - bimonoidal category, II.41
  - commutative, II.147
  - distributive category, II.43
  - monoidal category, II.16, III.6
    - enriched, III.42
    - strict, II.16, III.6
    - strict, as Br-algebra, III.468
  - operad, III.460, III.473
  - symmetrization, III.461

- sheet diagram, I.429, II.313, III.507
- Braided Baez Conjecture, II.194
  - version 2, II.195
- braided bialgebra, xvi, II.70
  - modules, II.80, II.152
    - braided monoidal category, II.77
    - braiding, II.77
- braided bimonoidal bicategory, I.427, II.311, III.505
- braided bimonoidal category, II.41
  - 2-category of -, II.184
  - axioms, II.45
  - bimonoidal symmetric center, II.125
    - $K$ -theory, III.446
  - category of -, II.162
  - Coherence Theorem, II.151
  - flat, II.152, II.183, II.185, II.190, II.194, II.195
  - Richter's, II.43, II.134, II.258
  - sheet diagram, I.429, II.313, III.507
  - small, II.42, II.162, II.184
  - tight, xv, II.42, II.152, II.163
    - bimonoidal Drinfeld center, II.124
    - braided distortion category, II.144
    - Fibonacci anyons, II.90
    - from an abelian category with a braiding, II.61
    - Ising anyons, II.106
    - $K$ -theory, III.472
    - left permbranded category, II.132
    - matrix bicategory, II.202
    - matrix monoidal bicategory, II.223
    - modules over a braided bialgebra, II.80
    - right permbranded category, II.134
    - Strictification Theorems, II.179
- Braided Bimonoidal Coherence Theorem, II.151
- braided bimonoidal functor, II.160, II.163, II.184
  - composite, II.162
  - equivalence, II.161
  - robust, II.161, II.183, II.185, II.191
  - strict, II.161
  - strong, II.161
  - unitary, II.161
- braided canonical  $V$ -map, III.85
- braided canonical map, II.33, III.11
- Braided Coherence Theorem, II.33, II.267, III.12, III.466
- braided distortion, II.148, II.151, II.189, II.210
- braided distortion category, II.135, II.189, II.210
  - additive structure, II.136
  - distributivity morphisms, II.141
  - Grothendieck construction, I.438, II.155, II.322, III.516
  - $K$ -theory, III.472
  - Laplaza's axioms, II.144
  - left permbranded category, II.143
  - multiplicative structure, II.138
  - multiplicative zeros, II.141
  - tight braided bimonoidal category, II.144
  - tight braided ring category, II.254
- braided monoidal
  - adjoint equivalence, III.73
  - adjunction, III.73
  - bicategory, I.230, III.53
    - (1,3)-crossing axiom, I.233
    - (2,2)-crossing axiom, I.234
    - (3,1)-crossing axiom, I.232
    - matrix, I.419
    - Yang-Baxter axiom, I.235
  - functor, II.17, III.7
    - strict, II.17, III.7
    - strictly unital, II.17, III.7
    - strong, II.17, III.7
    - unital, II.17, III.7
- braided monoidal category, II.260
  - 2-fold monoidal category, II.266
  - bimonoidal Drinfeld center, II.122
  - braided distortion category, II.140
  - coherence, II.33, III.12
  - Drinfeld center, II.31
  - enriched
    - 2-category, III.50
    - center, I.434, II.318, III.512
    - coherence, III.85
    - strictification, III.89
  - Fibonacci anyons, II.88
  - Ising anyons, II.103
  - modules over a braided bialgebra, II.77
  - operad, III.468
  - Reidemeister move, II.19
  - strictification, II.34, III.12
  - symmetric center, II.31
  - underlying braid, II.33, III.11
  - unity properties, II.17, II.18, III.7
- braided monoidal functor, II.163, II.185, II.190
  - 2-fold monoidal functor, II.275
  - adjunction, III.73
  - enriched, III.45
  - oplax, I.434, II.318, III.512
- braided ring category, II.252, III.449, III.469, III.476
  - as  $\mathbf{Br}$ -algebra, III.470
  - bipermutative category, II.253
  - braiding factorization axiom, II.252, III.469
  - $E_2$ -monoidal category, II.299
  - $E_2$ -symmetric spectra, II.261, III.472
  - $K$ -theory, III.472
  - redundant ring category axioms, II.253
  - Richter's braided bimonoidal category, II.258

- small, II.253, III.469
- structure, III.469
- symmetric center, II.256
- tight, II.253, III.469
  - bimonoidal Drinfeld center, xvii, II.256
  - bimonoidal Drinfeld center  $K$ -theory, III.472
  - permbranded category, II.255
  - strictification, II.255
  - tight braided bimonoidal category, II.254
  - zero braiding axiom, II.252, III.469
- Braided Strictification Theorem, II.34, III.12
- braided uniqueness, III.466
- braiding, I.14
  - braided bimonoidal category, II.41
  - braided monoidal bicategory, I.231
  - braided monoidal category, II.16, III.6
  - braided monoidal enriched category, III.42
  - braided ring category, II.252, III.469
  - enriched tensor product, III.30
  - Fibonacci anyons, II.87
  - Ising anyons, II.102
    - sign conventions, II.106
  - matrix bicategory, I.406
  - modules over a braided bialgebra, II.77
  - symmetric monoidal category, II.20, III.8
- braiding diagram
  - braided monoidal enriched functor, III.46
- braiding factorization axiom, II.252, III.469
- Brown-Peterson spectrum, I.435, II.319, III.513
- C**
- canonical  $V$ -map, III.84
  - normalization, III.230
- canonical basepoint
  - $\Gamma$ -object, III.293
  - $\mathcal{G}_*$ -object, III.326
  - permutative category, III.187
- canonical map, I.16, II.32, III.9, III.488
  - braided, II.33, III.11
    - $V$ -map, III.85
  - permuted, I.17, II.33, III.11, III.12
    - $V$ -map, III.85
- canonical projection, III.332
- canonical self-enrichment, III.92, III.142
  - symmetric monoidal, III.104
- canonical underlying isomorphism, III.96
- cardinal, III.282
- Cat-monoidal, III.53
  - braided, III.53
  - symmetric, III.53
- categorical probability theory, I.49
- categorification, I.427, II.311, III.505
- category, I.3
  - $Ab$ -, II.46
  - 1-, I.4
  - 2-, I.212, I.434, II.200, II.318, III.512
  - abelian, II.53
    - alternative axioms, II.62
  - additive, II.51
  - additive distortion, I.161
    - $K$ -theory, III.431
    - tight ring category, II.236
  - as a unary multicategory, III.180
  - autonomous monoidal, I.434, II.318, III.512
  - BD, II.43, II.127
  - bi-, I.209, II.199
  - bimonoidal, xv, I.24, II.40
    - left rigid, I.199
    - right rigid, I.199
  - bipermutative
    - Elmendorf-Mandell, I.49, II.244, III.439
    - May, I.49
  - braid, II.154
  - braided bimonoidal, II.41
  - braided distortion, II.135, II.210
    - $K$ -theory, III.472
    - tight braided ring category, II.254
  - braided monoidal, II.16, III.6
  - braided ring, II.252, III.469
  - Cartesian closed, I.46
  - classifying space, III.262
  - closed, I.15, III.9, III.419
  - cocomplete, I.7
  - complete, I.7
  - discrete, III.421
  - distortion, I.139, I.160
    - $K$ -theory, III.446
    - tight bipermutative category, II.246
  - distributive, I.33, I.178, I.262, I.423
  - distributive symmetric monoidal, I.32, I.127
  - double, I.429, II.313, III.507
  - duoidal, II.307
  - empty, I.8
  - $E_n$ -monoidal, II.297, III.496
    - free, II.303
    - free,  $K$ -theory, III.501
    - structure, III.497
  - enriched, III.13
    - monoidal, III.38
  - enriched monoidal
    - center, I.434, II.318, III.512
    - classification, I.434, II.318, III.512
  - enriched multi-, III.222
  - exact, II.62
  - filtered, III.194
  - finite, I.4
  - finite ordinal, xvi, I.34, I.291, I.423, II.140, II.187, II.194, III.262

- $K$ -theory, III.446
- tight bipermutative category, II.246
- full sub-, I.4
- $\Gamma$ -, III.293
- $\mathcal{G}_{*-}$ , III.328
- groupoid, I.4, I.140, I.162
- hom, I.209
- homotopy, III.279
- $k$ -tuply monoidal, I.431, II.315, III.509
- Laplaza  $E_n$ -monoidal, I.432, II.316, III.510
- left bipermutative, I.44, I.128
  - $K$ -theory, III.446
- left permbranded, II.131, II.152
- left permutative braided, II.131
- monoidal, I.10, II.13, III.4, III.37
- multi-, III.178
- $n$ -, I.431, II.315, III.509
- $n$ -monoidal, I.430, II.314, III.508
- nerve, III.260
- $n$ -fold monoidal, II.264, III.477
  - enriched, I.434, II.318, III.512
  - free, II.284
  - lax, I.430, II.306, II.314, III.508
  - operad, III.480
- of algebras over a monad, III.190
- of algebras over an operad, I.438, II.322, III.516
- of bicategories and lax functors, I.217
- of bimonoidal categories, I.198
- of braided bimonoidal categories, II.162
- of functors, II.53
- of matrices, I.301
- of permutative Gray monoids, I.253
- of sets, I.15
- of simplicial sets, III.255
- of simplicial small categories, III.255
- of small categories, I.5, I.15
- of small  $n$ -fold monoidal categories, II.278
- of symmetric bimonoidal categories, I.177
- of vector spaces, I.15
- opposite, I.8
- partially ordered set, II.270
- periodic table, I.431, II.315, III.509
- permutative, xvii, I.14, I.36, II.21, III.8
- preadditive, II.51
- right bipermutative, I.36, I.41, I.128
  - $K$ -theory, III.446
- right permbranded, II.132, II.152
- right permutative braided, II.132
- ring, xviii, II.232, II.297, III.421, III.496
- small, I.4
- sub-, I.4
- symmetric bimonoidal, I.21, II.37
- symmetric monoidal, I.14, II.20, III.8
  - closed, I.33
- symmetric monoidal closed
  - self-enrichment, III.92, III.142
  - symmetric rig, I.48
  - terminal, I.5, I.291, I.292
  - translation, III.432
  - tri-, I.427, II.311, III.505
  - underlying, III.60
  - wide sub-, II.162, II.278
- center
  - bimonoidal bicategory, I.428, II.312, III.506
  - bimonoidal Drinfeld, xvii, II.112, II.124, II.256
    - abelian category with a monoidal structure, II.124
    - $K$ -theory, III.472
  - bimonoidal symmetric, xvii, II.125, II.126
    - Fibonacci anyons, II.126
    - Ising anyons, II.126
    - $K$ -theory, III.446
  - Drinfeld, xvii, II.22, II.31, II.34
  - $E_n$ -monoidal category, I.434, II.318, III.512
  - enriched monoidal category, I.434, II.318, III.512
  - $n$ -monoidal category, I.434, II.318, III.512
  - $n$ -fold monoidal category, I.434, II.318, III.512
    - lax, I.434, II.318, III.512
  - syllaptic, I.428, II.312, III.506
  - symmetric, xvii, II.31, II.256
    - $K$ -theory, III.446
- chain complex, II.53
- change of enrichment, III.57, III.62, III.143, III.228, III.230
  - monoidal constraint, III.68
  - unit constraint, III.68
- change of tensors and cotensors, III.151
- change-of-shape, III.141
- characterization of
  - a 2-functor, I.216
  - a 2-natural transformation, I.220
  - a bimonoidal category, I.32
  - a symmetric bimonoidal category, I.32
  - an additive functor, II.49
  - an equivalence, I.6
  - size equals rank, I.65
  - the zero morphism, II.51
- circle
  - simplicial, III.256
- classifying space, I.438, II.322, III.262, III.432, III.459, III.485, III.502, III.516
- closed
  - unit cube, III.457
  - unit interval, III.457
- closed category, I.15, III.9, III.419
- closed multicategory, III.220
- coalgebra, II.67



- comultiplication, II.68
- counit, II.68
- coassociativity, I.12
- cocommutative bialgebra, II.71
- cocommutative comonoid, I.15, II.67
- cocomplete, I.7
- cocone, I.7, III.191
- codegeneracy, III.254
- codiagonal, II.48
- codomain, I.4
  - of a path, I.54, II.145
  - of an edge, I.54, I.55, II.144, II.146
- coend, I.8, I.435, II.319, III.513
  - as a colimit, I.9
  - in  $\underline{V}$ , III.115
  - $V$ -, III.113
  - $V$ - as coequalizer, III.114
- coequalizer, I.8, I.9, II.52, III.192, III.488
  - absolute, III.192
  - split, III.192
  - strictly create, III.192, III.219
- coevaluation
  - at  $X$ , III.91
- coface, III.254
- cofibrant object, III.278
- cofibrant replacement, III.278
- cofibrantly generated model category, III.283
- cofibration, III.277
- coherence
  - bimonoidal category, I.130, I.163
  - bipermutative category, I.430, II.314, III.508
  - braided bimonoidal category, II.151
  - braided monoidal category, II.33, III.12
  - braided monoidal enriched category, III.85
  - $E_n$ -monoidal category, I.430, II.314, III.508
  - Laplaza  $E_n$ -monoidal category, I.433, II.317, III.511
  - monoidal category, I.16, I.18, III.9
  - monoidal enriched category, III.85
  - monoidal functor, I.18
  - $n$ -monoidal category, I.430, II.314, III.508
  - $n$ -fold monoidal category, I.430, II.294, II.306, II.314, III.508
- operad
  - associative, III.417
  - Barratt-Eccles, III.434
  - braid, III.464
  - $n$ -fold monoidal category, III.490
- ring category, I.430, II.314, III.508
- symmetric bimonoidal category, I.124, I.160
- symmetric monoidal category, I.17, III.12
  - symmetric monoidal enriched category, III.85
  - symmetric monoidal enriched functor, III.86
  - symmetric monoidal functor, I.18, III.13
- coherence isomorphism
  - Laplaza, I.184, I.300, II.168
  - Mac Lane, I.183, I.263, I.300, II.166, II.183
- coherent map, I.18, III.12, III.86
- cokernel, II.52
- colax Elmendorf-Mandell  $\mathcal{G}_*$ -category, III.386
- colax multilinear functor, III.407
- colax multilinear transformation, III.407
- colax  $\underline{n}$ -system, III.297
- colax  $\langle \underline{n} \rangle$ -system, III.381
- colax Segal  $\Gamma$ -category, III.300
- colax symmetric monoidal functor, III.315
- colimit, I.7, III.191, III.488
  - 2-, I.257
  - filtered, III.194
  - finite, I.7, II.53
  - homotopy, III.488, III.501
  - lax, I.256
  - lax bi-, I.256, I.291, I.292, II.194, II.195
  - preservation by left adjoints, I.7
  - pseudo, I.257
  - pseudo bi-, I.257
  - small, I.7
- colored unit, III.178, III.222
- column, I.302
  - permutation, I.403
- commutative, I.58, II.147
  - braided, II.147
  - monoid, I.14, II.67
  - rig, I.25
  - ring, I.33
- commutative monoid, III.443
  - Eilenberg-Mac Lane spectrum, III.444
  - sphere spectrum, III.443
  - suspension spectrum, III.444
- commutative operad, I.435, II.319, III.184, III.513
- commutativity, I.129
- comonoid, I.12, II.67
  - cocommutative, I.15, II.67
- compactly generated, III.256
- compactly generated weak Hausdorff space, III.457, III.473
- complete, I.7
- component
  - braid -, II.135
  - $\mathbb{1}$ -, II.82, II.91
  - permutation -, II.135
  - $\psi$ -, II.91
  - $\sigma$ -, II.91
  - $\tau$ -, II.82

- composite, I.4
  - composition
    - enriched category, III.13
    - enriched functor, III.14
    - enriched multifunctor, III.225
    - enriched natural transformation
      - horizontal, III.15
      - vertical, III.15
    - lax functors, I.216
    - lax transformation
      - horizontal, I.220
    - modification
      - horizontal and vertical, I.222
    - monoidal enriched category, III.38
    - monoidal enriched functors, III.46
    - multicategory, III.178
    - multifunctor, III.182
  - computer science, I.49
  - comultiplication, I.12
    - opposite, II.70
    - Sweedler's notation, II.69
  - concatenation, III.177
  - concatenation product, III.323
  - Conjecture
    - Baez's, I.255, I.291
      - Laplaza  $E_n$ -monoidal category, I.433, II.317, III.511
      - nonsymmetric, I.292
      - version 2, I.292
    - Blass-Gurevich, xvi, II.127, II.157
    - Braided Baez, II.194
      - version 2, II.195
  - conjunction, I.46
  - connective
    - spectrum, III.315
    - symmetric spectrum, I.437, I.438, II.321, II.322, III.515, III.516
  - conservation of information, I.46
  - constant functor, III.488
  - constraint 2-by-2
    - multilinear functor, III.238
    - of a composition, III.243
  - constraint associativity
    - multilinear functor, III.238
  - constraint symmetry
    - multilinear functor, III.238
  - constraint unity
    - multilinear functor, III.237
  - contractible space, III.432, III.441
  - convolution
    - Day - associativity isomorphism, III.135
    - Day - hom, III.132
    - Day - left unit isomorphism, III.136
    - Day - product, III.132
    - Day - right unit isomorphism, III.136
    - Day - symmetric monoidal closed, III.139
    - Day - symmetry isomorphism, III.136
    - Day - unit, III.135
  - coordinatized 2-vector space, I.325
    - matrix bicategory, I.423
  - coordinatized vector space, I.42
    - $K$ -theory, III.446
  - copowered, III.156
  - coproduct, I.8, II.48, II.53, III.488
  - corepresented functor, III.97
    - enriched, III.95, III.97
    - underlying, III.61
  - cosimplicial identities, III.254
  - cotensored, III.147, III.156
    - change of tensors and cotensors, III.151
  - countit, I.12
    - internal adjunction, I.224
    - of an adjunction, I.6
    - of enriched adjunction, III.17
  - county, I.12
  - covering space, III.461, III.473
  - cowedge, I.8
    - $V$ -, III.113
  - Curry-Howard-Lambek correspondence, I.46
  - cyclic group, II.4
  - cylinder object, III.278
- D**
- $\mathcal{D}$ -shaped diagram, III.132, III.142
  - data wrangling, I.49
  - dataflow program, I.49
  - Day convolution, III.132
    - associativity isomorphism, III.135
    - $\mathcal{G}_*$ -objects, III.327
    - hom diagram, III.132
    - left unit isomorphism, III.136
    - pointed diagrams, III.173
    - right unit isomorphism, III.136
    - symmetric monoidal closed, III.139
    - symmetric sequences, III.263
    - symmetry isomorphism, III.136
    - unit diagram, III.135
  - decomposable element, III.486
  - degeneracy, III.254
    - co-, III.254
  - degenerate, III.255
  - $\delta$ -
    - free edge, I.97
    - free path, I.97
    - prime edge, I.95, I.124, I.160, I.163, II.146, II.151
    - reduced, I.95, II.146
    - reduction, I.95
    - reduction exists, I.96
  - Density Theorem, III.155
  - diagonal, I.302, II.48
  - diagram
    - braided sheet, I.429, II.313, III.507
    - enriched, III.132, III.142
    - hom, III.132

- pasting, I.217
- sheet, I.49, I.131, I.293, I.429, II.313, III.507
- string, I.49, I.429, II.313, III.507
- unit, III.135
- direct sum, II.47, II.53, II.62, II.67
- matrix, I.42
- morphism, II.47
- object, II.47
- disjoint basepoint, III.158, III.159
- disjunction, I.46
- distortion, I.152, I.160
  - additive, I.163
  - braided, II.148, II.151, II.189, II.210
- distortion category, I.139, I.160
  - additive, I.161
    - Grothendieck construction, I.166, I.438, II.322, III.516
    - $K$ -theory, III.431
    - tight ring category, II.236
  - additive structure, I.141
  - braided, II.135, II.189, II.210
    - Grothendieck construction, I.438, II.155, II.322, III.516
    - $K$ -theory, III.472
    - tight braided ring category, II.254
  - distributivity morphisms, I.148
  - Grothendieck construction, I.166, I.438, II.322, III.516
  - $K$ -theory, I.438, II.322, III.446, III.516
  - left bipermutative category, I.150
  - multiplicative structure, I.143
  - multiplicative zeros, I.148
  - tight bipermutative category, II.246
- distributive
  - category, I.33, I.160, I.178, I.262, I.423
  - symmetric monoidal category, xvi, I.32, I.127, I.160, I.177, I.261, I.423
- distributivity property, xv
- domain, I.4
  - of a path, I.54, II.145
  - of an edge, I.54, I.55, II.144, II.146
- double category, I.429, II.313, III.507
  - horizontal bicategory, I.429, II.313, III.507
  - symmetric monoidal, I.429, II.313, III.507
- Drinfeld center, xvii, II.22, II.31
  - bimonoidal, xvii, II.112, II.124, II.256
    - abelian category with a monoidal structure, II.124
    - $K$ -theory, III.472
  - bimonoidal bicategory, I.428, II.312, III.506
  - braided monoidal category, II.31
  - enriched monoidal category, I.434, II.318, III.512
- Drinfeld double, II.34
- dual object, I.434, II.318, III.512
- duoidal category, II.307
- E**
- $E_2$ 
  - operad
    - braid, III.460
    - little disc, III.473
    - little square, III.458
    - Steiner, III.473
    - symmetric spectrum
      - $K$ -theory, III.472
- edge, I.54, II.144
  - $0^X$ -free, I.73
  - $(0^X, \delta)$ -free, I.97
  - $\delta$ -free, I.97
  - elementary, I.55, II.145
  - identity, I.55, II.145
  - nonsymmetric, I.129
  - prime, I.56
- Eilenberg-Mac Lane spectrum, III.268
  - commutative monoid, III.444
  - monoid, III.430
- $E_\infty$ 
  - operad, III.441
    - Barratt-Eccles, III.442
    - Boardman-Vogt construction, I.435, II.319, III.513
    - symmetric spectrum, III.443
- elementary
  - edge, I.55, II.145
    - nonsymmetric, I.129
  - graph, I.55, II.145
- elementary block braid, II.9
- Elmendorf-Mandell
  - bipermutative category, xviii, II.244, III.439
  - $K$ -theory, II.230, II.261, III.445, III.472, III.501
  - ring category, xviii
- Elmendorf-Mandell  $\mathcal{G}_*$ -category
  - colax, III.386
  - lax, III.386
  - strong, III.386
- Elmendorf-Mandell  $J$ -theory, III.378
- Elmendorf-Mandell  $K$ -theory, xvii, III.379
  - colax, III.388
  - equivalence with Segal  $K$ -theory, III.396
  - strong, III.388
- embedding
  - enriched Yoneda, III.121
- empty category, I.8
- empty matrix, I.302
- empty profile, III.177
- empty sequence, I.139, II.135
- empty type, I.46
- $E_n$ 
  - operad, III.460, III.499

- Boardman-Vogt construction, I.435, II.319, III.513
- models of -, I.435, II.319, III.513
- $n$ -fold monoidal category, III.485
- symmetric spectrum, III.471, III.499
- $K$ -theory, III.501
- $E_n$ -monoidal category, II.261, II.297, III.476, III.496
- additive symmetry, II.297
- additive zero, II.297
- as  $\text{Mon}^n$ -algebra, III.498
- bipermutative category, II.302
- braided ring category, II.299
- coherence, I.430, II.314, III.508
- $E_1$ , II.298
- $E_2$ , II.299
- $E_4$ , I.435, II.319, III.513
- $E_n$ -symmetric spectra, III.501
- exchange, II.297, III.496
- exchange factorization axiom, II.297, III.496
- free, II.303
- $K$ -theory, III.501
- $K$ -theory, III.501
- Laplaza, I.432, II.316, III.510
- left factorization morphism, II.297, III.496
- product, II.297
- right factorization morphism, II.297, III.496
- sheet diagram, I.433, II.317, III.511
- small, II.298, III.497
- structure, III.497
- sum, II.297
- unit, II.297
- zero exchange axiom, II.297, III.496
- end, I.9
  - in  $\underline{V}$ , III.115
  - $\underline{V}$ -, III.114
  - $\underline{V}$ - as equalizer, III.115
  - $\underline{V}$ -co-, III.113
  - $\underline{V}$ -co- as coequalizer, III.114
- endomorphism
  - multicategory, III.181, III.309
  - operad, III.181
  - rig, II.237
  - ring category, II.239
  - $K$ -theory, III.431
  - tight ring category, II.243
- endomorphism multicategory
  - enriched, III.231
- endomorphism operad
  - enriched, III.224, III.234, III.277, III.419, III.438
  - simplicial, III.277, III.443, III.471, III.499
- enriched
  - adjoint equivalence, III.17
  - adjunction, III.17, III.100
  - count, III.17
  - monoidal, III.50
  - unit, III.17
- braided monoidal - category, III.42, III.55
  - 2-category, III.50
  - coherence, III.85
  - strictification, III.89
- braided monoidal - functor, III.45
- category
  - 2-category, I.213
- coend, III.113, III.156
- coherent map, III.86
- diagram, III.132, III.142
- end, III.114, III.156
- endomorphism multicategory, III.231
- endomorphism multifunctor, III.234
- Epstein's Coherence, III.86
- equivalence, III.17
- functor, III.14
  - corepresented, III.95, III.97
  - mapping object, III.116
  - represented, III.95, III.97, III.124
- identity functor, III.14
- identity natural transformation, III.15
- interchange diagram, III.41
- iterate, III.86
- mapping category, III.118, III.132, III.143
- monoidal - category, III.38
  - 2-category, III.50
  - axiom components, III.41
  - braided, III.42
  - coherence, III.85
  - strict, III.40, III.55
  - strictification, III.86
  - symmetric, III.43
- monoidal - functor, III.44
- monoidal - natural transformation, III.48
- monoidal adjoint equivalence, III.50
- multicategory, III.222
  - 2-category, III.227
  - change of enrichment, III.228, III.230
- multifunctor, III.225
- multinatural transformation, III.226
- natural isomorphism, III.16
- natural transformation, III.14, III.109
  - horizontal composition, III.15
  - vertical composition, III.15
- naturality, III.61, III.98
- operad, III.224, III.379
- operad algebra, III.226, III.379
- operad morphism, III.226, III.379
- symmetric monoidal - category, III.43
  - 2-category, III.50
  - coherence, III.85
  - endomorphism multicategory, III.231
  - strictification, III.90
- symmetric monoidal - functor, III.46

- coherence, III.86
  - coherent map, III.86
  - endomorphism multifunctor, III.234
  - iterate, III.86
  - tensor product, III.22, III.24
    - associator, III.27
    - braiding, III.30
    - left unitor, III.26
    - monoidal, III.33
    - right unitor, III.26
    - unit, III.25
    - unity properties, III.29
  - Yoneda embedding, III.121
  - Yoneda functor, III.121
  - enriched category, III.13
    - 2-category, III.17, III.19, III.33
    - braided monoidal, III.42
      - 2-category, III.50
      - coherence, III.85
    - change of enrichment, III.57, III.62, III.143
    - monoidal, III.33, III.38
      - 2-category, III.50
      - coherence, III.85
    - opposite, III.17, III.51
    - small, III.13
    - symmetric monoidal, III.43
      - 2-category, III.50
      - coherence, III.85
    - underlying category, III.60
    - unit, III.25
  - enriched monoidal category
    - center, I.434, II.318, III.512
    - classification, I.434, II.318, III.512
  - enriched operad, III.224, III.379, III.441, III.460
    - algebra, III.226, III.379
    - endomorphism, III.419, III.438
    - morphism, III.226, III.379
  - Enriched Yoneda
    - Bijection, III.110
    - Density, III.133
    - Embedding, III.130
    - Lemma, III.129, III.134
  - enrichment
    - standard, III.106
    - unitary, III.145
  - epimorphism, I.4, I.430, II.53, II.256, II.314, III.446, III.508
    - cokernel, II.52
  - Epstein's Coherence Theorem, I.18, I.284, III.13
    - Enriched -, III.86
  - equalizer, I.8, II.52
    - co-, III.192
  - equivalence, I.6, I.291, I.292, II.81, II.194, II.195, III.184
    - 2-, I.434, II.318, III.512
    - enriched, III.17
    - simplicial homotopy, III.260
  - equivariance
    - enriched multicategory, III.224
    - enriched multifunctor, III.225
    - multicategory, III.180
    - multifunctor, III.181
    - symmetric spectrum, III.267
  - equivariant
    - $K$ -theory, III.411
  - essentially surjective, I.7
  - evaluation
    - at  $\langle \rangle$ , III.328
      - left adjoint, III.328
    - at  $e$ , III.142, III.174
      - left adjoint, III.153, III.174
    - at  $n$ , III.264
      - left adjoint, III.264
    - at  $X$ , III.91
      - co-, III.91
  - exact category, II.62
  - exchange, II.264, III.477
    - $E_n$ -monoidal category, II.297, III.496
    - triple - axiom, II.265, III.478
  - external associativity axiom, II.265, III.478
  - external factorization axiom, II.234, II.250, III.422
  - external unity axiom, II.265, III.477
- F**
- face, III.254
    - co-, III.254
  - face product, I.406
  - factor, I.95
  - fermion, II.91
  - Fibonacci anyons, xvii, I.429, II.152, II.185, II.313, III.507
    - abelian category, II.82
    - additive zero, II.82
    - associativity isomorphism, II.85
    - bimonoidal symmetric center, II.126
    - braided monoidal category, II.88
    - braiding, II.87
    - Fibonacci sequence, II.84
    - fusion rule, II.82
    - hexagon axioms, II.88
    - monoidal category, II.86
    - non-abelian anyon, II.82
    - pentagon axiom, II.86
    - tight braided bimonoidal category, II.90
    - vacuum, II.82
  - Fibonacci sequence, II.83
  - fibrant object, III.278
  - fibrant replacement, III.278
  - fibration, III.277
  - filtered
    - category, III.194
    - colimit, III.194

- finite
    - category, I.4
    - colimit, I.7, II.53
    - limit, I.7, II.53
  - finite ordinal category, xvi, I.34, I.291, I.423, II.140, II.187, II.194, III.262
  - is isomorphic to its variant, I.179
  - $K$ -theory, III.446
  - tight bipermutative category, II.246
  - variant, I.39, I.292, I.423, II.195
    - $K$ -theory, III.446
  - tight bipermutative category, II.246
  - finite sets
    - pointed, III.168, III.290
      - smash product, III.318, III.325, III.395
    - unpointed, III.319
  - finite type, I.45
  - flat
    - bimonoidal category, I.128, I.164
    - braided bimonoidal category, II.152, II.183, II.185, II.190, II.194, II.195
    - symmetric bimonoidal category, I.128, I.160, I.291, I.292
  - formal inverse, I.55, II.145
    - path, I.56
    - prime edge, I.56
  - free
    - algebra, I.54, II.144
      - monomial, I.95
      - norm, I.61
      - polynomial, I.95
      - rank, I.62
      - size, I.62
    - braided strict monoidal category, II.156
    - $E_n$ -monoidal category, II.303
      - $K$ -theory, III.501
    - $n$ -fold monoidal category, II.284
      - decomposition, II.290
      - functor, II.287
      - of a set, II.288
      - on one object, II.293
    - operad, III.418
  - free action, III.432
  - Freyd-Mitchell Embedding Theorem, II.63
  - full subcategory, I.4
  - fully faithful, I.7
  - functor, I.4
    - 2-, I.215, I.291, I.292, II.194, II.195
    - additive, II.47, II.83, II.93, II.163, II.185
    - as a multifunctor, III.183
    - bimonoidal, I.197
    - braided bimonoidal, II.160, II.163, II.184
    - braided monoidal, II.17, II.163, II.185, III.7
    - braided monoidal enriched, III.45
    - category, II.53
    - colimit, I.7
    - constant, III.488
    - corepresented, III.97
    - enriched, III.14
    - enriched corepresented, III.95, III.97
    - enriched endomorphism multi-, III.234
    - enriched represented, III.95, III.97, III.124
    - enriched Yoneda, III.121
    - enriched multi-, III.225
    - faithful embedding, I.162
    - free  $n$ -fold monoidal category, II.287
    - identity, I.5
    - lax, I.214
    - left derived, III.280
    - limit, I.7
    - local, I.215
    - monadic, III.191
    - monoidal, I.12, II.15, III.5
    - monoidal enriched, III.44
    - multi-, II.261, III.181
    - multilinear, III.237, III.241
      - colax, III.407
      - composition, III.242
    - $n$ -fold monoidal, II.272
    - object set, III.421
    - opmonoidal, I.49
    - pseudo-, I.215, II.200, II.209, II.212
    - represented, III.97
    - restriction, II.293
    - right derived, III.281
    - strict, I.215
    - strictly monadic, III.191
    - symmetric bimonoidal, I.173, I.177, II.164
    - symmetric monoidal, I.15, I.177, II.21, III.8
      - strictly unital, III.187
    - symmetric monoidal enriched, III.46
    - tensor, I.18
    - tri-, I.427, II.311, III.505
    - underlying corepresented, III.61
    - underlying represented, III.61
  - functor category, II.53
  - functorially factors, III.277
  - fundamental simplex, III.255
  - fusion rule
    - Fibonacci anyons, II.82
    - Ising anyons, II.91
- G**
- $\Gamma$ -category, III.293
  - $\Gamma$ -object, III.292
    - category of -, III.292
    - symmetric monoidal closed, III.329
  - $\Gamma$ -simplicial set, III.293
  - $\mathcal{G}_*$ -category, III.328
    - mapping object, III.328
    - pointed simplicial enrichment, III.329
  - $\mathcal{G}_*$ -object, III.326

- category of -, III.326
- Day convolution, III.327
- hom diagram, III.327
- mapping object, III.327
- symmetric monoidal closed, III.328
- tensor and cotensor, III.328
- unit diagram, III.327
- $\mathcal{G}_*$ -simplicial set, III.328
  - mapping object, III.329
- generating acyclic cofibrations, III.283
- generating braid, II.4
- generating cofibrations, III.283
- geometric braid, II.4
- geometric realization, III.256, III.432, III.441, III.459
- gluing 2-by-2
  - $\langle \underline{n} \rangle$ -system, III.381
- gluing associativity
  - $\underline{n}$ -system, III.297
  - $\langle \underline{n} \rangle$ -system, III.380
- gluing compatibility
  - $\underline{n}$ -system morphism, III.297
  - $\langle \underline{n} \rangle$ -system morphism, III.381
- gluing morphism, III.296
- gluing symmetry
  - $\underline{n}$ -system, III.297
  - $\langle \underline{n} \rangle$ -system, III.380
- gluing unity
  - $\underline{n}$ -system, III.297
  - $\langle \underline{n} \rangle$ -system, III.380
- graph, I.54, II.144
  - elementary, I.55, II.145
  - morphism, I.57, II.147, II.189, II.210
    - extension, I.57, II.147
  - multi-, III.196
  - nonsymmetric - of a set, I.129, I.163
  - of a set, I.56, II.146
- Gray monoid, I.244, I.428, II.312, III.506
  - bipermutative, I.428, II.312, III.506
  - data and axioms, I.244
  - iterated, I.432, II.316, III.510
  - permutative, I.247, I.428, II.312, III.506
- Gray ring, I.428, II.312, III.506
- Gray structure 2-cell, I.241
  - properties, I.242
- Gray symmetry, I.247, I.428, II.312, III.506
  - data and axioms, I.248
- Gray tensor product, I.241
  - basic 1-cell, I.241
  - basic 2-cell, I.241
  - closed structure, I.243
  - Gray unit, I.244
  - monoid, I.244
  - proto-2-cell, I.241
  - symmetric monoidal closed, I.243
  - transition 2-cell, I.241
  - yields a 2-category, I.243
- Gray unit, I.244
- Grothendieck construction, I.164, II.154, III.316, III.345
  - additive distortion category, I.166, I.438, II.322, III.516
  - braided distortion category, I.438, II.155, II.322, III.516
  - distortion category, I.166, I.438, II.322, III.516
- group action
  - braid -, III.461
  - free, III.432
  - regular, III.432
- group bialgebra, II.71
- group completion, II.307, III.502
- groupoid, I.4, I.140, I.162, II.136
  - bimonoidal, I.24
  - symmetric bimonoidal, I.24, I.46
- H**
- Hausdorff
  - weak, III.256
- hexagon axiom
  - Barratt-Eccles operad, III.435
  - block braid, II.12
  - braid operad, III.465
  - braided monoidal category, II.16, III.6
  - braided monoidal enriched category, III.42
  - enriched tensor product, III.32
  - Fibonacci anyons, II.88
  - Ising anyons, II.103
  - permutative Gray monoid, I.247
  - symmetric monoidal category, I.14, II.20, III.8
- hexagon diagram, II.16, III.6
  - braided monoidal enriched category, III.43
- hexagonator
  - left, I.231
    - matrix bicategory, I.415
  - right, I.231
    - matrix bicategory, I.418
- hom
  - pointed, III.165
- hom category, I.209
- hom diagram, III.132
  - $\mathcal{G}_*$ -objects, III.327
  - pointed diagrams, III.173
- hom object, III.13
  - adjoint to Gray tensor product, I.243
  - symmetric, III.264
- homotopic, III.279
- homotopy
  - colimit, III.488, III.501
    - canonical map, III.488
    - homotopy invariance, III.488
  - pushout, III.488
  - simplicial, III.259

homotopy category, III.279  
 homotopy equivalence, III.279  
   simplicial, III.260  
 homotopy type theory, I.46  
 Hopf algebra, II.34  
 horizontal composition  
   2-natural transformation, I.221  
   bicategory, I.210, II.199  
   enriched multinatural transformation,  
     III.227  
   enriched natural transformation, III.15  
   lax transformation, I.220  
   modification, I.222  
   multinatural transformation, III.183  
   natural transformation, I.5  
 horn, III.255  
 hyperplane, III.486

**I**

identities  
   cosimplicial, III.254  
   enriched functor, III.14  
   simplicial, III.255  
 identity, I.55  
   1-cell, I.210, II.199  
   2-cell, I.210  
   3-cell, I.427, II.311, III.505  
   braid, II.4  
   enriched functor, III.14  
   enriched multifunctor, III.226  
   functor, I.5  
   matrix, I.303  
   modification, I.222  
   monoidal enriched functor, III.46  
   morphism, I.4  
   multifunctor, III.182  
   natural transformation, I.5  
   object, I.225, II.205  
   prime edge, I.56  
   strict functor, I.217  
   strong transformation, I.219  
 identity object  
   monoidal enriched category, III.38  
 inclusion, II.47  
 inclusion of tuples, III.331  
 inconsistency, I.46  
 infinite loop space, III.447  
 initial object, I.8  
 initial operad, III.183  
 injection, III.319  
   reindexing, III.320  
 input profile, III.178, III.222  
 interchange  
   enriched - diagram, III.41  
   middle four - isomorphisms, III.22  
   monoidal enriched category, III.40  
   relation, III.205  
 internal

  adjunction, I.224  
   equivalence, I.224  
 internal adjunction  
   adjoint pair, I.224  
   counit, I.224  
   left adjoint, I.224  
   right adjoint, I.224  
   unit, I.224  
 internal associativity axiom, II.265, III.478  
 internal factorization axiom, II.234, II.249,  
   III.422  
 internal hom, I.15, III.9, III.419  
   multicategory, III.207  
   pointed multicategory, III.217  
   simplicial set, III.258  
   symmetric sequence, III.264  
   symmetric spectra, III.273  
 internal unity axiom, II.264, III.477  
 invertible 2-cell, I.210  
 Ising anyons, xvii, I.429, II.152, II.185,  
   II.313, III.507  
   abelian category, II.91  
   additive zero, II.91  
   associativity isomorphism, II.95  
     sign conventions, II.106  
   bimonoidal symmetric center, II.126  
   braided monoidal category, II.103  
   braiding, II.102  
     sign conventions, II.106  
   fermion, II.91  
   fusion rule, II.91  
   hexagon axioms, II.103  
   monoidal category, II.96  
   non-abelian anyon, II.91  
   pentagon axiom, II.96  
   tight braided bimonoidal category, II.106  
   vacuum, II.91  
 isomorphism, I.4  
   canonical underlying, III.96  
 iterate, I.17, III.12, III.86  
 iterated loop space, II.259, II.307  
   Milgram's model, III.502

**J**

*J*-theory, III.253  
   Elmendorf-Mandell, III.378  
    $\mathcal{M}$ -partition, III.309  
   Segal, III.309  
    $\mathcal{T}$ -partition, III.373  
     monoidal constraint, III.373, III.411  
     unit constraint, III.375, III.389, III.409

**K**

*k*-space, III.286, III.473  
*K*-theory, xix, III.253  
   distortion category, I.438, II.322, III.516  
   Elmendorf-Mandell, xvii, II.230, II.261,  
     III.379, III.445, III.472, III.501  
   colax, III.388



- strong, III.388
  - Elmendorf-Mandell-Segal equivalence, III.396
  - equivariant, III.411
  - matrix symmetric monoidal bicategory, I.437, II.321, III.515
  - May, III.411
  - multicategory, I.436, II.320, III.514
  - multiplicative, III.411
  - of  $\Gamma$ -simplicial set, III.295
  - of  $\mathcal{G}_*$ -simplicial set, III.333
    - $S$ -action, III.341
    - associativity, III.343
    - equivariance, III.340
    - monoidal constraint, III.339
    - symmetry, III.344
    - unit constraint, III.339
    - unity, III.342
  - of bipermutative categories, III.445
  - of braided ring categories, III.472
  - of  $E_n$ -monoidal categories, III.501
  - of ring categories, III.431
  - permutative Gray monoid, I.437, II.321, III.515
  - Quillen, III.411
  - Segal, xvii, II.230, III.310
    - Quillen equivalence, I.437, I.438, II.321, II.322, III.315, III.515, III.516
  - Waldhausen, III.411
  - Kan extension, I.9
  - Kelley space, III.286, III.473
  - kernel, II.52
  - Khatri-Rao product, I.406
  - Kronecker delta, I.316
- L**
- Laplaza coherence isomorphism, I.184, I.300, II.168
  - Laplaza's Axioms, I.21, I.32, I.48, II.37
    - braided bimonoidal category, II.42, II.45, II.115
    - braided distortion category, II.144
  - Laplaza's Coherence Theorem
    - First, I.124
    - Second, I.160
  - lax
    - bicolimit, I.256, I.291, I.292, II.194, II.195
    - colimit, I.256
  - lax Elmendorf-Mandell  $\mathcal{G}_*$ -category, III.386
  - lax functor, I.214
    - bicategory, I.223
    - composite, I.216
    - lax functoriality constraint, I.215
    - lax unity constraint, I.215
    - strictly unitary, I.215
    - unitary, I.215
  - lax monoidal functor, I.18
    - lax  $n$ -system, III.297
    - lax naturality constraint, I.218
    - lax  $\langle n \rangle$ -system, III.381
    - lax Segal  $\Gamma$ -category, III.300
    - lax symmetric comonoidal functor, III.315
    - lax transformation, I.218
      - horizontal composition, I.220
    - least element, II.270
    - left 2-unitor, I.226, II.206
      - matrix bicategory, I.396, II.222
    - left additive zero, I.25
    - left adjoint, I.6
      - enriched, III.17
      - in a monoidal category, I.434, II.318, III.512
      - internal adjunction, I.224
      - preservation of colimits, I.7
    - left bipermutative category, I.44, I.128, I.195, I.423
      - distortion category, I.150
      - $K$ -theory, III.446
    - left permbranded category, II.132
    - tight symmetric bimonoidal category, I.45
  - left distributivity morphism
    - bimonoidal Drinfeld center, II.123
    - braided bimonoidal category, II.42
    - symmetric bimonoidal category, I.21, II.37
  - left factorization morphism
    - $E_n$ -monoidal category, II.297, III.496
    - ring category, II.233, III.421
  - left functor, III.280
    - derived, III.280
  - left hexagonator, I.231
    - matrix bicategory, I.415
  - left homotopy, III.278
  - left lifting property, III.277
  - left module, III.266
    - limits and colimits, III.270
    - monad, III.269
  - left monoidal unitor
    - monoidal enriched category, III.38
  - left multiplicative unit, I.25
  - left multiplicative zero
    - bimonoidal Drinfeld center, II.122
    - braided bimonoidal category, II.42
    - symmetric bimonoidal category, I.21, II.37
  - left normalization axiom, I.227, II.207
    - matrix bicategory, I.400
  - left normalized
    - bracketing, I.182, I.217, II.188, II.210
    - word, I.16, III.9
  - left normalized product, III.85, III.230
  - left permbranded category, II.131, II.152, II.179
    - braided distortion category, II.143

- left bipermutative category, II.132
    - tight braided bimonoidal category, II.132
  - left permutative braided category, II.131
  - left rigid bimonoidal category, I.199, I.203
  - left unit isomorphism, I.11, II.13, III.4
    - Day convolution, III.136
  - left unitor, I.210, II.199
    - base, I.225
    - enriched tensor product, III.26
    - mate, III.43
  - left unity
    - enriched monoidal functor, III.45
    - enriched multicategory, III.224
    - enriched tensor product, III.29
    - monoidal category, I.11, II.14, III.5
    - multicategory, III.179
  - Lemma
    - Enriched Yoneda, III.129, III.134
  - length, I.139, I.161, II.135
    - additive, I.181, II.165
    - multiplicative, I.181, II.165
    - of a path, I.54, II.145
  - length of a profile, III.177
  - level equivalence, III.286
  - levelwise inclusion
    - of Segal  $\Gamma$ -categories, III.302
  - levelwise weak equivalence, III.293
  - lexicographic order, III.291, III.318
  - Lie algebra, II.72
  - limit, I.7
    - co-, III.191
    - finite, I.7, II.53
    - monad algebras, III.191
    - preservation by right adjoints, I.7
    - small, I.7
  - linearity constraint, III.237
    - identity, III.241
  - little 2-disc operad, III.473
  - little cube, III.458
    - operad, II.260, III.459, III.460, III.485
      - covering space, III.461
      - decomposable element, III.486
      - separable element, III.487
  - local functor, I.215
  - localization, III.279
  - locally small, I.211
  - long spine, III.255
  - loop space, II.259
    - infinite, II.230, II.260, III.447
    - iterated, II.259
- M**
- $\mathcal{M}$ -partition
    - $J$ -theory, III.309
  - $\mathcal{M}\underline{1}$ -modules, III.354, III.361
    - closed structure, III.370
    - complete and cocomplete, III.354
  - Mac Lane coherence isomorphism, I.183, I.263, I.300, II.166, II.183
  - Mac Lane's
    - Coherence Theorem, I.16, III.9, III.436, III.466
    - Strictification Theorem, I.16, III.10
  - mapping enriched category, III.118, III.132, III.143
  - mapping object
    - $\mathcal{G}_*$ -category, III.328
    - $\mathcal{G}_*$ -objects, III.327
    - $\mathcal{G}_*$ -simplicial set, III.329
    - of enriched functors, III.116
    - pointed diagrams, III.173
    - symmetric, III.264
    - symmetric spectrum, III.276
  - Martin-Löf type theory, I.46
  - mate
    - associator, III.41
    - left unitor, III.43
    - pentagonator, I.230, III.41
    - right hexagonator, I.235
    - right unitor, III.43
  - matrix, I.36, I.40
    - 0-, I.302, II.201
      - base associator, I.310, II.202
      - base left unitor, I.306, II.202
      - base right unitor, I.308, II.202
    - category, I.301, II.200
    - column, I.302
    - column permutation, I.36, I.40
    - diagonal, I.302
    - direct sum, I.42
    - empty, I.302, II.201
    - identity, I.303, II.201
    - Kronecker product, I.295
    - mixed-product property, I.296
    - monoidal category, I.325
    - multiplying with 0 matrices, I.304, I.305, II.202
    - multiplying with permutation matrices, I.404, I.405
    - permutation, I.40, I.403
    - product, I.303, II.201
    - $R$ -, II.70
    - row, I.302
    - row permutation, I.36, I.40
    - square, I.302
    - tensor product, I.43, I.295, I.328, II.209
    - transpose, I.36, I.40
  - matrix bicategory, I.324, I.427, II.202, II.311, III.505
    - braided monoidal, I.419
    - braiding, I.406
    - coordinatized 2-vector space, I.325, I.423
    - $K$ -theory, I.437, II.321, III.515
    - left 2-unitor, I.396, II.222
    - left hexagonator, I.415

- left monoidal unitor, I.377, II.219
- left normalization axiom, I.400
- middle 2-unitor, I.393, II.222
- monoidal, I.401, II.223
- monoidal associator, I.353, II.217
- monoidal composition, I.333, II.211
- monoidal identity, I.325, II.208
- non-abelian 4-cocycle condition, I.398
- pentagon axiom, I.317, I.320
- pentagonator, I.385, II.221
- right 2-unitor, I.397, II.223
- right hexagonator, I.418
- right monoidal unitor, I.382, II.221
- right normalization axiom, I.400
- symmetric monoidal, I.421
- unity axiom, I.315
- matrix product, I.303
- matrix tensor product, I.328
- maximum, II.270
- middle 2-unitor, I.226, II.206
  - matrix bicategory, I.393, II.222
- middle four
  - interchange isomorphisms, III.22
- middle unity axiom
  - enriched tensor product, III.28
- middle unity diagram
  - enriched tensor product, III.28
  - monoidal enriched category, III.39
- Mitchell's Embedding Theorem, II.63
- model category, III.277
  - homotopy category, III.279
  - left derived functor, III.280
  - left functor, III.280
  - monoidal, III.283
  - of chain complexes, III.284
  - of simplicial sets, III.285
  - of small categories, III.284
  - of symmetric spectra, III.286
  - of topological spaces, III.285
  - Quillen adjunction, III.282
  - Quillen equivalence, III.282
  - right derived functor, III.281
  - right functor, III.281
- model structure
  - chain complexes, III.284
  - simplicial sets, III.285
  - small categories, III.284
  - stable, III.286
  - topological spaces, III.285
- modification, I.221, II.200, III.147
  - horizontal and vertical compositions, I.222
  - identity, I.222
  - invertible, I.222
  - pointed, III.293
- module
  - left, III.266
  - right, III.266
- modules, I.33, I.178, I.423, II.53
  - over a bialgebra, II.76
    - tight bimonoidal category, II.80
  - over a braided bialgebra, II.152
    - tight braided bimonoidal category, II.80
  - over a Noetherian ring, II.53
  - over a symmetric bialgebra
    - tight symmetric bimonoidal category, II.80
  - over an algebra, II.79
  - over  $\mathcal{M}_1$ , III.354, III.361
    - closed structure, III.370
  - over symmetric sphere, III.266
- monad, III.190
  - 2-, I.133, I.169
  - bimonoidal, I.49
  - for left module, III.269
  - from adjunction, III.190
  - preserves filtered colimits, III.194
- monadic
  - functor, III.191
- monadic adjunction, III.191
  - strictly monadic, III.191
- monadicity, III.192, III.219, III.270
- monoid, I.11, II.14, II.67, II.280, III.419
  - as  $\mathbf{As}$ -algebra, III.419
  - co-, I.12
  - commutative, I.14, II.67, III.443
  - Gray, I.244
  - in  $\mathbf{MCat}^n$ , II.280
  - in  $(2\mathbf{Cat}, \times)$ , I.251
  - in symmetric spectra, III.425
  - left module, III.266
  - morphism, II.282
    - $n$ -fold monoidal functor, II.282
  - permutative Gray, I.247
  - right module, III.266
  - totally ordered, II.270, II.307
    - 2-fold monoidal category, II.271
- monoidal
  - 2-category, III.53
  - adjoint equivalence, III.67
  - adjunction, III.67
  - associator, I.225, II.205
    - matrix bicategory, I.353, II.217
  - composition, I.225, II.205
    - matrix bicategory, I.333, II.211
  - identity, I.225, II.205
    - matrix bicategory, I.325, II.208
  - left - unitor, I.225, II.206
    - matrix bicategory, I.377, II.219
  - right - unitor, I.225, II.206
    - matrix bicategory, I.382, II.221
- monoidal associator
  - monoidal enriched category, III.39
- Monoidal Bicategorification Theorem, II.223

- monoidal bicategory, I.224, I.431, II.205, II.315, III.53, III.509
- braided, I.230, III.53
  - matrix, I.419
- matrix, I.401, II.223
- syllipsis, I.421
- syllaptic, I.237
- symmetric, I.238, III.53
  - matrix, I.421
- monoidal category, I.10, II.13, II.260, III.4, III.37
  - as a one-object bicategory, I.214
  - autonomous, I.434, II.318, III.512
  - braided, II.16, III.6
  - coherence, I.16, I.18, III.9
  - Drinfeld center, II.22, II.31
  - dual object, I.434, II.318, III.512
  - $E_4$ , I.435, II.319, III.513
  - $E_n$ , II.297, III.496
    - free, II.303
    - free,  $K$ -theory, III.501
    - structure, III.497
  - enriched, III.38
    - 2-category, III.50
    - center, I.434, II.318, III.512
    - classification, I.434, II.318, III.512
    - coherence, III.85
    - strictification, III.86
  - Fibonacci anyons, II.86
  - from a totally ordered set, II.270
  - Ising anyons, II.96
  - matrices, I.325
  - modules over a bialgebra, II.76
  - $n$ -, I.430, II.314, III.508
  - $n$ -fold, II.264, III.21, III.477
    - coherence, II.294, II.306
    - enriched, I.434, II.318, III.512
    - free, II.284
    - lax, I.430, II.306, II.314, III.508
    - operad, III.480
    - strictification, I.430, II.314, III.508
  - of small enriched categories, III.33
  - of small  $n$ -fold monoidal categories, II.279
  - operad, III.447
    - B-, III.474
    - G-, III.447
    - S-, III.447
  - pentagon axiom, II.14, III.4
  - periodic table, I.431, II.315, III.509
  - pushout product, III.283
  - strict, I.11, II.14, III.4
    - 1-fold monoidal category, II.265
  - strictification, I.16, III.10
  - string diagram, I.49, I.429, II.313, III.507
  - symmetric, I.14
  - tuply, I.431, II.315, III.509
  - unity axiom, II.14, III.4
  - unity properties, II.14, III.4
  - word, I.15, II.32, III.9
    - V-word, III.84
- monoidal composition
  - monoidal enriched category, III.38
- monoidal constraint, I.12
  - change of enrichment, III.68
  - enriched, III.44
  - partition  $J$ -theory, III.373
- monoidal functor, I.12, II.15, III.5
  - 2-fold, II.275
  - adjunction, III.67
  - braided, II.17, II.190, III.7
  - braided enriched, III.45
  - braided strictly unital, II.275
  - change of enrichment, III.57, III.143
  - coherence, I.18, III.13
  - composite, II.16, II.277, III.6
  - enriched, III.44
    - coherence, III.86
  - lax, I.18
  - $n$ -fold, II.272, II.277
  - op-, I.49
  - oplax, I.434, II.318, III.512
  - strict, I.13, II.15, III.5
  - strictly unital, I.13, II.15, III.5
    - 1-fold monoidal functor, II.274
  - strong, I.13, II.15, III.5
  - strong symmetric, III.419
  - symmetric, I.15
  - symmetric enriched, III.46
  - symmetric strictly unital, II.277
  - unital, I.13, II.15, III.5
- monoidal identity
  - monoidal enriched category, III.38
- monoidal model category, III.283
- monoidal natural transformation, I.13, I.261, II.16, II.185, III.6
  - enriched, III.48
- monoidal naturality
  - enriched, III.48
- monoidal product, I.10, II.13, III.4
- monoidal unit, I.10, II.13, III.4
- monomial, I.95, I.152, I.158, I.181, II.165
- monomorphism, I.4, I.124, I.160, I.163, I.430, II.53, II.151, II.276, II.314, III.508
  - kernel, II.52
- morphism, I.4
  - direct sum, II.47
  - enriched operad, III.226, III.379
  - epi-, I.4
  - graph, I.57, II.147
  - iso-, I.4
  - module structure, III.266
  - monad algebra, III.190
  - mono-, I.4
  - monoid, II.282

- $n$ -fold monoidal functor, II.282
- multigraph, III.196
- $\underline{n}$ -system, III.297
- $\langle \underline{n} \rangle$ -system, III.381
- operad, III.417
- pointed, III.158
- zero, II.46
- multicategory, III.178
  - 2-category, III.183
  - Boardman-Vogt tensor product, III.204
    - 2-functorial, III.235
  - Cartesian product, III.184
  - closed, III.220
  - closed symmetric, III.220
  - composition, III.178, III.222
  - endomorphism, III.181, III.309
    - enriched, III.231
  - enriched, III.222
    - 2-category, III.227
    - change of enrichment, III.228, III.230
    - small, III.224
  - equivalence, III.184
  - internal hom, III.207
  - $K$ -theory, I.436, II.320, III.514
  - of small multicategories, III.236
  - of small permutative categories, III.237, III.241, III.248, III.469
  - of small pointed multicategories, III.236
  - partition, III.304, III.351
    - $\mathcal{M}_1$ , III.305, III.354
    - $\mathcal{M}_1$  multiplication isomorphism, III.358
    - $\mathcal{M}_1$ -modules, III.354, III.361
    - symmetric monoidal functor, III.353
  - pointed, III.186
    - hom, III.217
    - smash product, III.207, III.236
    - smash unit, III.207
    - symmetric monoidal closed, III.218
    - wedge, III.207
  - sharp product, III.203
  - small, III.180
  - symmetric, III.219
  - symmetric monoidal closed, III.217
  - tensor product, III.204
    - 2-functorial, III.235
  - terminal, III.184
  - terminal parameter - for modules, III.314, III.408
- multiedges, III.196
- multifunctor, II.261, III.181
  - Cartesian product, III.185
  - enriched, III.225
    - change of enrichment, III.229
  - enriched endomorphism, III.234
  - pointed, III.186
- multigraph, III.196
  - internal product, III.202
  - morphism, III.196
    - small, III.196
- multilinear
  - functor, III.237, III.241
    - 0-linear, III.238, III.389, III.409
    - colax, III.407
    - composition, III.242
    - linearity constraint, III.237
    - transformation, III.240, III.241
      - colax, III.407
      - composition, III.243
  - multilinearity conditions, III.240
  - multinatural transformation, III.182
    - enriched, III.226
      - change of enrichment, III.229
      - identity, III.226
    - identity, III.183
    - pointed, III.186
  - multiplication
    - monad, III.190
  - multiplicative
    - associativity isomorphism, I.25, II.41
    - left - unit, I.25, II.41
    - right - unit, I.25, II.41
    - symmetry isomorphism, I.25, II.41
    - unit, I.24, I.55, II.40
  - multiplicative length, I.181, II.165
  - multiplicative structure
    - braided bimonoidal category, II.41
    - symmetric bimonoidal category, I.21, II.37
  - multiplicative symmetry factorization
    - axiom, II.245, II.247, III.439
  - multiplicative unit, II.145, II.232
  - multiplicative zero axiom, II.233, III.421
- N**
  - $n$ -ary operation, III.178
  - $n$ -ary operation object, III.222
  - $n$ -fold
    - monoidal category, III.21
  - $n$ -fold monoidal category, II.264, III.477
    - 1-fold, II.265
    - 2-fold, II.266
      - from totally ordered monoid, II.271
    - as  $\text{Mon}^n$ -algebra, III.495
    - as a monoid, II.280
    - bicategory, I.431, II.315, III.509
      - strictification, I.432, II.316, III.510
    - braided strict monoidal category, II.266
    - category of -, II.278
    - coherence, I.430, II.294, II.306, II.314, III.508
    - $E_n$ -monoidal category, II.297, III.496
    - enriched, I.434, II.318, III.512
    - enrichment, III.54
    - exchange, II.264, III.477

- external associativity axiom, II.265, III.478
- external unity axiom, II.265, III.477
- free, II.284
  - decomposition, II.290
  - of a set, II.288
  - on one object, II.293
- group completion of the classifying space, III.502
- internal associativity axiom, II.265, III.478
- internal unity axiom, II.264, III.477
- lax, II.306
  - coherence, I.430, II.314, III.508
  - sheet diagram, I.433, II.317, III.511
- monoidal category of  $-$ , II.279
- operad, III.480, III.501
  - algebra, III.495
  - braid operad, III.488
  - coherence, III.490
  - detects  $E_n$ -monoidal categories, III.498
  - $E_n$ , III.485
  - morphism to Barratt-Eccles operad, III.500
  - simplicial, III.485
- periodic table, I.431, II.315, III.509
- permutative category, II.269
- product, II.264, II.266, III.477
- sheet diagram, I.433, II.317, III.511
- small, II.265, III.478
- strict monoidal category, II.265
- strictification, I.430, II.314, III.508
- triple exchange axiom, II.265, III.478
- unit, II.264, III.477
- $n$ -fold monoidal coherence, III.494
- $n$ -fold monoidal functor, II.272
  - 1-fold, II.274
  - braided strictly unital monoidal functor, II.275
  - composite, II.277
  - exchange constraint axiom, II.273, III.479
  - monoidal constraint, II.273
  - monoidality, II.273, III.479
  - product, II.274
  - strict, II.273
    - category of  $-$ , II.278
  - strong, II.273
    - category of  $-$ , II.278
  - symmetric strictly unital monoidal functor, II.277
- $n$ -monoidal category, I.430, II.314, III.508
  - sheet diagram, I.433, II.317, III.511
- $n$ -operad, II.307
- $\underline{n}$ -system, III.296
  - colax, III.297
  - gluing morphism, III.296
  - lax, III.297
  - morphism, III.297
  - strong, III.297
- natural isomorphism, I.5
  - 2-, I.221
  - enriched, III.16
- natural monomorphism, I.5
- natural transformation, I.5
  - 2-, I.219, I.220, III.147
  - as a multinatural transformation, III.183
  - bimonoidal, I.260, II.184, II.185
  - enriched, III.14
  - enriched multi-, III.226
  - monoidal, I.13, I.261, II.16, II.185, III.6
  - monoidal enriched, III.48
  - multi-, III.182
- naturality
  - enriched, III.15, III.61, III.98
  - lax, I.219
- naturality condition
  - internal hom multicategory, III.208
- NB4, I.228
- nerve, III.260, III.329, III.432, III.441, III.459
  - classifying space, III.262
  - of  $\mathcal{G}_*$ -category, III.329
  - simplices, III.260
- No-Hiding Theorem, I.46
- Noetherian ring, II.53
- non-abelian 4-cocycle condition, I.226, II.206
  - matrix bicategory, I.398
- non-abelian anyon
  - Fibonacci anyons, II.82
  - Ising anyons, II.91
- nondegenerate, III.255
- nonsymmetric
  - edge, I.129
  - elementary edge, I.129
  - graph of a set, I.129
  - path, I.129
  - prime edge, I.129
  - regular, I.129, I.131
  - strict algebra, I.129
  - support, I.129
- norm, I.61
- normalization map, III.230
- normalized
  - left - product, III.85, III.230
  - right - product, III.85
  - right - smash powers, III.265
- normalized bracketing
  - left, I.182, I.217, II.188
  - right, I.182, II.165
- null object, III.168
- $\langle \underline{n} \rangle$ -system, III.380
  - colax, III.381
  - gluing morphism, III.380
  - lax, III.381

- morphism, III.381
- strong, III.381
- O**
- object, I.3
  - bicategory, I.209, II.199
  - enriched category, III.13
  - enriched multicategory, III.222
  - $\Gamma$ -, III.292
  - $\mathcal{G}_{*-}$ , III.326
  - hom, III.13
  - initial, I.8
  - multicategory, III.178
  - null, III.168
  - simplicial, III.254
  - terminal, I.8
  - zero, I.8, II.51
- object unity
  - $\underline{n}$ -system, III.296
  - $\langle \underline{n} \rangle$ -system, III.380
- one-point simplicial set, III.255
- open
  - unit cube, III.457
  - unit interval, III.457
- OpenRefine, I.49
- operad, I.438, II.322, III.180, III.219, III.516
  - action -, III.447, III.474
  - algebra, III.413
  - associative, III.415, III.447, III.484
  - algebra, III.419
  - coherence, III.417
  - detects ring categories, III.423
- B**-monoidal category, III.474
  - strict, III.474
- Barratt-Eccles, II.307, III.433, III.447
  - algebra, III.438
  - coherence, III.434
  - decomposition of morphisms, III.433
  - detects bipermutative categories, III.440
  - $E_\infty$ , III.442
  - filtration, III.502
- $B_\infty$ -, III.461
- Boardman-Vogt  $W$ -construction, I.435, II.319, III.447, III.513
- braid, III.451, III.453
  - 2-fold monoidal category operad, III.488
  - algebra, III.468
  - as a symmetrization, III.461
  - coherence, III.464
  - decomposition of morphisms, III.463
  - detects braided ring categories, III.470
  - $E_2$ , III.460
- braid group, III.460
- braided, III.460, III.473
  - symmetrization, III.461
- commutative, I.435, II.319, III.184, III.513
- composition
  - juxtaposition notation, III.434
- $E_4$ -, I.435, II.319, III.513
- $E_\infty$ -, I.435, II.319, III.441, III.513
- $E_n$ -, I.435, II.319, III.460, III.499, III.513
  - models of -, I.435, II.319, III.513
- endomorphism, III.181
  - enriched, III.224, III.234, III.277, III.419, III.438
  - simplicial, III.277, III.443, III.471, III.499
- enriched, III.224, III.379, III.441, III.460
- enriched algebra, III.226, III.379
- free, III.418
- Fulton-MacPherson, I.435, II.319, III.513
- G**-monoidal category, III.447
  - strict, III.447
- initial, III.183
- little 2-cube, III.460
  - covering space, III.461
- little 2-disc, III.473
- little  $n$ -cube, II.260, III.459, III.485
  - decomposable element, III.486
  - separable element, III.487
- monoidal category, III.447
- morphism, III.182
  - enriched, III.226, III.379
- $n$ -, I.435, II.307, II.319, III.513
- $n$ -fold monoidal category, I.435, II.319, III.480, III.501, III.513
  - algebra, III.495
  - coherence, III.490
  - detects  $E_n$ -monoidal categories, III.498
  - $E_n$ , III.485
- S**-monoidal category, III.447
  - strict, III.447
- simplicial, III.447
- Steiner, III.473
- strict monoidal category, III.447
- sub-, I.435, II.319, III.513
- weak equivalence, III.460, III.473, III.488
- operad morphism, III.417
- oplax monoidal functor, I.434, II.318, III.512
- oplax symmetric monoidal functor, III.315
- opmonoidal functor, I.49
- opposite
  - enriched category, III.17, III.51
- opposite category, I.8
- opposite comultiplication, II.70
- opposite monoidal structure
  - for enriched tensor product, III.37
- ordered
  - algebraic structure, II.307
  - partially - set, II.270
  - totally - set, II.270

- ordering
  - partial, II.269
  - total, II.270
- ordinal, III.282
- orthogonal spectra, III.286
- output, III.178, III.222
- P**
- pairwise disjoint interiors, III.458
- parameter multicategory for modules, III.314, III.408
- partial ordering, II.269
- partially ordered set, II.270
  - as a category, II.270
  - least element, II.270
- partition, III.304
- partition  $J$ -theory
  - $\mathcal{M}$ -, III.309
  - $\mathcal{T}$ -, III.373
    - monoidal constraint, III.373, III.411
    - unit constraint, III.375, III.389, III.409
- partition multicategory, III.304, III.351
  - $\mathcal{M}\underline{1}$ , III.305, III.354
  - $\mathcal{M}\underline{1}$  multiplication isomorphism, III.358
  - $\mathcal{M}\underline{1}$ -modules, III.354, III.361
  - symmetric monoidal functor, III.353
- partition product, III.351
- pasting diagram, I.217
- path, I.54, I.124, II.145
  - $0^X$ -free, I.73
  - $0^X$ -reduction, I.74
    - exists, I.93
  - $(0^X, \delta)$ -free, I.97
  - $(0^X, \delta)$ -reduction, I.108
    - exists, I.117
  - $1^X$ -free, I.120, I.158, II.147
  - $1^X$ -reduction, I.121
    - exists, I.122
  - $\delta$ -free, I.97
  - distortion, I.152, I.160
    - additive, I.163
    - braided, II.148, II.151, II.189, II.210
  - formal inverse, I.56
  - nonsymmetric, I.129
  - product, I.69
  - same support, I.60, I.129
  - sum, I.69
  - value, I.58, II.147, II.189
- path object, III.278
- pentagon axiom
  - bicategory, I.211, II.200
  - enriched tensor product, III.29
  - Fibonacci anyons, II.86
  - Ising anyons, II.96
  - matrix bicategory, I.317, I.320
  - monoidal category, I.11, II.14, III.4
  - monoidal enriched category, III.39
- pentagon diagram
  - enriched tensor product, III.29
  - monoidal enriched category, III.40
- pentagonator, I.226, II.206, III.41
  - mate, I.230, III.41
  - matrix bicategory, I.385, II.221
- periodic table, I.431, II.315, III.509
- permbraded category, II.258
  - left, II.131, II.152, II.179
    - left bipermutative category, II.132
    - tight braided bimonoidal category, II.132
  - right, II.132, II.152, II.179
    - right bipermutative category, II.133
    - tight braided bimonoidal category, II.134
  - tight braided ring category, II.255
- permutation
  - block, II.6, III.416, III.452
  - block sum, I.34, II.5, III.416, III.452
  - column, I.403
  - component, II.135
  - interval-swapping, I.35, II.9
  - matrix, I.403
  - matrix transpose, I.36, I.40
  - of matrices, I.36, I.40
  - row, I.403
  - transposition, III.433
  - underlying - of a braid, II.5
- permutative 2-category, I.251
  - data and axioms, I.252
- permutative braided category
  - left, II.131
  - right, II.132
- permutative category, xvii, I.14, I.36, I.437, I.438, II.21, II.260, II.321, II.322, III.8, III.315, III.515, III.516
  - as  $EAs$ -algebra, III.438
  - associated right bipermutative category, I.188
  - bipermutative category structure, III.439
  - braided distortion category, II.138
  - braided ring category structure, III.469
  - Elmendorf-Mandell  $\mathcal{G}_*$ -category, III.386
  - Elmendorf-Mandell  $J$ -theory, III.378
  - Elmendorf-Mandell  $K$ -theory, xvii, III.379
    - colax, III.388
    - strong, III.388
  - Elmendorf-Mandell-Segal  $K$ -theory equivalence, III.396
- endomorphism multicategory, III.181, III.309
  - $\mathcal{M}\underline{1}$ -module, III.367
- endomorphism ring category, II.239
  - $K$ -theory, III.431
- $E_n$ -monoidal category structure, III.497
- from a totally ordered set, II.270



- multicategory of  $-$ , III.237, III.241, III.248, III.469
  - $n$ -fold monoidal category, II.269
  - pointwise monoidal product, III.310
  - ring category structure, III.239, III.423
  - Segal  $\Gamma$ -category, III.300
  - Segal  $J$ -theory, III.309
  - Segal  $K$ -theory, xvii, III.310
  - tight endomorphism ring category, II.243
    - $K$ -theory, III.431
  - permutative Gray functor, I.253
  - permutative Gray monoid, I.247, I.428, II.312, III.506
    - bi-, I.428, II.312, III.506
    - category of  $-$ , I.253
    - data and axioms, I.250
    - Gray symmetry, I.247
    - hexagon axiom, I.247
    - symmetry axiom, I.247
    - unit axiom, I.247
  - permuted  $V$ -word, III.84
  - permuted canonical  $V$ -map, III.85
  - permuted canonical map, I.17, II.33, III.11, III.12
  - permuted word, I.17, II.32, III.12
    - underlying, III.85
  - permuting factors action, III.265
  - II, I.46
    - combinator, I.48
    - term, I.47
    - coherence, I.128, I.160
  - plus construction, III.411
  - pointed
    - diagram category, III.168, III.171, III.174
      - complete and cocomplete, III.175
      - enriched, III.175
      - symmetric monoidal closed, III.175
      - tensoring and cotensoring, III.175
    - diagrams, III.168
      - Day convolution, III.173
      - hom diagram, III.173
      - mapping object, III.173
      - unit diagram, III.173
    - finite set, III.290
    - finite sets, III.168
    - hom, III.165
    - modification, III.293
    - morphism, III.158
    - multicategory, III.186
      - hom, III.217
      - smash product, III.207, III.236
      - smash unit, III.207
      - symmetric monoidal closed, III.218
      - wedge, III.207
    - multifunctor, III.186
    - multinatural transformation, III.186
    - object, III.158
    - punctured, III.170, III.291
    - simplicial objects, III.259
    - simplicial sets, III.259
    - smash product, III.159
    - smash unit, III.159, III.327
      - pointed multicategory, III.207
    - unitary enrichment, III.170, III.327
    - wedge, III.158
  - pointed finite set, III.290
  - pointwise monoidal product, III.310
  - polynomial, I.95, I.153, I.158
  - powered, III.156
  - preadditive category, II.51
  - preserves filtered colimits, III.194
  - prime edge, I.56, II.146
    - $0^X$ -, I.67
    - $1^X$ -, I.118, II.146
    - $\delta$ -, I.95, I.124, I.160, I.163, II.146, II.151
    - formal inverse, I.56
    - identity, I.56, II.146
    - nonidentity, I.56, II.146
    - nonsymmetric, I.129
  - principal bundle, III.432
  - product, I.8, I.25, I.54, II.40, II.48, II.53, II.144, II.232
    - Boardman-Vogt tensor, III.204
    - box, I.239
    - concatenation, III.323
    - Gray tensor, I.241
    - partition, III.351
    - path, I.69
    - sharp, III.203
    - smash, III.159
    - wedge, III.158, III.207
  - product bicategory, I.225
  - product type, I.46
  - profile, III.177
  - projection, II.47
  - projective model structure
    - chain complexes, III.284
  - propositional logic, I.46
  - proto-2-cell, I.241
  - pseudo
    - bicolimit, I.257
    - colimit, I.257
  - pseudofunctor, I.215, II.200, II.209, II.212
  - pullback, I.8
  - punctured, III.170, III.291
  - pure braid group, III.461
  - pushout, I.8
    - homotopy, III.488
  - pushout product, III.283
- Q**
- quantum circuit, I.49
  - quantum group, xvi, II.34, II.65
    - anyonic, II.74, II.126
    - modules, II.152

- tight braided bimonoidal category, II.80
- quasi-cocommutative bialgebra, II.70
- quasitriangular bialgebra, xvii, II.106
- Quillen
  - +construction, I.438, II.322, III.516
  - equivalence, I.437, I.438, II.321, II.322, III.315, III.515, III.516
  - $K$ -theory, III.411
- Quillen adjunction, III.282
- Quillen equivalence, III.282
- Quillen model structure
  - topological spaces, III.285
- R**
- rank, I.62
- realization
  - geometric, III.256
- realization function, I.182, II.165
- reduced
  - $0^X$ -, I.67, I.158
  - $1^X$ -, I.118, I.158, II.146
  - $\delta$ -, I.95, II.146
- reduction
  - $0^X$ -, I.67
    - of a path, I.74
    - of a path exists, I.93
  - $(0^X, \delta)$ -, I.108
    - exists, I.117
  - $1^X$ -, I.118
    - exists, I.119
    - of a path, I.121
    - of a path exists, I.122
    - uniqueness of codomain, I.119
    - uniqueness of value, I.120
  - $\delta$ -, I.95
    - exists, I.96
- reflexivity, II.269
- regular, I.59, I.60, I.124
  - nonsymmetric, I.129, I.131
- regular action, III.432
- Reidemeister move, II.5, II.19
- reindexing injection, III.320
- relative  $\mathcal{I}$ -cell complex, III.282
- relative cell complex, III.282
- represented functor, III.97
  - co-, III.95, III.97
    - enriched, III.95, III.97, III.124
  - underlying, III.61
- restriction, II.293
- restriction functor, II.293
- reversible programming, I.45
- rig, xv
  - commutative, I.25
  - endomorphism, II.237
- right 2-unitor, I.226, II.206
  - matrix bicategory, I.397, II.223
- right action, III.178, III.222
- right additive zero, I.25
- right adjoint, I.6
  - enriched, III.17
  - in a monoidal category, I.434, II.318, III.512
  - internal adjunction, I.224
  - preservation of limits, I.7
- right bipermutative category, I.36, I.41, I.128, I.195, I.423
  - associated, I.180, I.192
  - $K$ -theory, III.446
- right permbraded category, II.133
- tight symmetric bimonoidal category, I.42
- right distributivity morphism
  - bimonoidal Drinfeld center, II.123
  - braided bimonoidal category, II.42
  - symmetric bimonoidal category, I.21, II.37
- right factorization morphism
  - $E_n$ -monoidal category, II.297, III.496
- ring category, II.233, III.421
- right functor, III.281
  - derived, III.281
- right hexagonator, I.231
  - mate, I.235
  - matrix bicategory, I.418
- right homotopy, III.279
- right lifting property, III.277
- right module, III.266
- right monoidal unitor
  - monoidal enriched category, III.38
- right multiplicative unit, I.25
- right multiplicative zero
  - bimonoidal Drinfeld center, II.122
  - braided bimonoidal category, II.42
  - symmetric bimonoidal category, I.21, II.37
- right normalization axiom, I.227, II.207
  - matrix bicategory, I.400
- right normalized
  - bracketing, I.182, II.165
  - word, I.16, III.9
- right normalized product, III.85
- right normalized smash powers, III.265
- right permbraded category, II.132, II.152, II.176, II.179
  - right bipermutative category, II.133
  - tight braided bimonoidal category, II.134
- right permutation, III.178, III.222
- right permutative braided category, II.132
- right rigid bimonoidal category, I.199, I.202
- right unit isomorphism, I.11, II.13, III.4
  - Day convolution, III.136
- right unitor, I.210, II.199
  - base, I.225
  - enriched tensor product, III.26
  - mate, III.43

- right unity
  - enriched monoidal functor, III.45
  - enriched multicategory, III.223
  - enriched tensor product, III.29
  - monoidal category, I.11, II.14, III.5
  - multicategory, III.179
- rigid bimonoidal category
  - left, I.199, I.203
  - right, I.199, I.202
  - tight ring category, II.236
    - $K$ -theory, III.431
- ring, xv, I.20
- ring category, xviii, II.232, III.414, III.421, III.449, III.476
  - 2-by-2 factorization axiom, II.234, III.423
  - additive symmetry, II.232
  - additive zero, II.232
  - as  $\mathbf{As}$ -algebra, III.423
  - bipermutative category, II.244, III.439
  - braided, II.252, III.469
    - as  $\mathbf{Br}$ -algebra, III.470
    - $K$ -theory, III.472
  - coherence, I.430, II.314, III.508
  - Dunn's  $E_n$ -, II.307
  - $E_1$ -symmetric spectra, II.261
  - $E_1$ -monoidal category, II.298
  - $E_n$ -monoidal category, II.297, III.496
  - endomorphism, II.239
    - $K$ -theory, III.431
  - external factorization axiom, II.234, III.422
    - in a bipermutative category, II.250
  - internal factorization axiom, II.234, III.422
    - in a bipermutative category, II.249
  - $K$ -theory, III.431
  - left factorization morphism, II.233, III.421
  - multiplicative unit, II.232
  - multiplicative zero axiom, II.233, III.421
  - product, II.232
  - redundant axioms in a bipermutative category, II.251, II.258
  - redundant axioms in a braided ring category, II.253
  - right factorization morphism, II.233, III.421
  - small, II.234, III.423
  - strict ring symmetric spectra, III.431
  - structure, III.239, III.423
  - sum, II.232
  - symmetry factorization axiom, II.233, III.422
    - in a bipermutative category, II.248
  - terminology, II.258
  - tight, II.234, III.423
    - bimonoidal Drinfeld center, xvii, II.256
    - bimonoidal Drinfeld center  $K$ -theory, III.472
    - endomorphism, II.243
    - endomorphism  $K$ -theory, III.431
    - rigid bimonoidal category, II.236
    - rigid bimonoidal category,  $K$ -theory, III.431
    - strictification, II.236
    - tight bimonoidal category, II.235
    - unit factorization axiom, II.233, III.422
      - in a bipermutative category, II.248
    - zero factorization axiom, II.233, III.421
      - in a bipermutative category, II.247
- $R$ -matrix, II.70
- rotation
  - enriched braided monoidal, III.51
- row, I.302
  - permutation, I.403
- S**
- $S$ -modules
  - another model for spectra, III.286
- scalar product, I.328, II.209
- Segal  $\Gamma$ -category
  - colax, III.300
  - lax, III.300
  - strong, III.300
- Segal  $J$ -theory, III.309, III.315
- Segal  $K$ -theory, xvii, III.310, III.315
  - equivalence with Elmendorf-Mandell  $K$ -theory, III.396
  - Quillen equivalence, I.437, I.438, II.321, II.322, III.315, III.515, III.516
- Segal map, III.293
- self-enrichment, III.92, III.142
- separable, III.487
- sequence
  - symmetric, III.262
- sequential spectra, III.287
- sequential spectrum
  - connective, III.315
- set
  - partially ordered, II.270
  - totally ordered, II.270
- sheet diagram, I.49, I.131, I.293
  - braided, I.429, II.313, III.507
  - higher dimensional, I.433, II.317, III.511
- short spine, III.255
- simplices
  - degenerate, III.255
  - nerve, III.260
  - simplicial set, III.255
- simplicial bar construction, III.262
- simplicial category
  - category of small -, III.255
- simplicial circle, III.256
- simplicial cotensor
  - symmetric sequences, III.264

- simplicial homotopy, III.259
  - equivalence, III.260
- simplicial identities, III.255
  - co-, III.254
- simplicial object, III.254
  - category of -, III.255
  - pointed, III.259
  - terminal, III.259
- simplicial operad, III.447
  - Barratt-Eccles, III.442
  - braid, III.457
  - endomorphism, III.443, III.471, III.499
  - $n$ -fold monoidal category, III.485
- simplicial replacement, III.488
- simplicial set
  - bi-, III.255
  - boundary, III.255
  - Cartesian product, III.258
  - category of -, III.255
  - fundamental simplex, III.255
  - $\Gamma$ -, III.293
  - geometric realization, III.256
  - internal hom, III.258
  - $k$ -horn, III.255
  - model structure, III.285
  - one-point, III.255
  - pointed, III.259
  - simplices, III.255
  - standard  $n$ -simplex, III.255
  - total singular complex, III.256
- simplicial sphere, III.266
  - $\mathcal{F}$ -sphere, III.294, III.332
- simplicial tensor
  - symmetric sequences, III.264
- singular complex
  - total, III.256
- size, I.62
- small
  - bimonoidal category, I.24
  - braided bimonoidal category, II.42
  - braided ring category, II.253, III.469
  - category, I.4, I.5
  - colimit, I.7
  - $E_n$ -monoidal category, II.298, III.497
  - enriched category, III.13
  - enriched multicategory, III.224
  - limit, I.7
  - locally - bicategory, I.211
  - multicategory, III.180
  - multigraph, III.196
  - $n$ -fold monoidal category, II.265, III.478
  - ring category, II.234, III.423
  - symmetric bimonoidal category, I.24
- small object argument, III.283
- small relative to  $\mathcal{I}$ , III.283
- smash
  - hom adjunction, III.165, III.175
- smash product, III.159
  - pointed finite sets, III.291, III.318, III.325, III.395
  - pointed multicategories, III.207
  - symmetric monoidal, III.159
  - symmetric monoidal closed, III.165
  - symmetric spectra, III.272
- smash unit, III.159, III.327
  - pointed multicategory, III.207
- source, III.196
- span, I.429, II.313, III.507
- special, III.293
- spectra
  - orthogonal, III.286
- sphere
  - $\mathcal{F}$ -sphere, III.294, III.332
  - simplicial, III.266
  - symmetric, III.266
- sphere spectrum, I.435, I.438, II.319, II.322, III.267, III.513, III.516
  - commutative monoid, III.443
  - monoid, III.429
- spine
  - long, III.255
  - short, III.255
- split coequalizer, III.192
- splitting conditions
  - coequalizer, III.192
- square matrix, I.302
- stable equivalence, III.286
- stable homotopy group, I.438, II.322, III.516
- stable model structure, III.286
- standard  $n$ -simplex, III.255
- standard enrichment
  - symmetric monoidal functor, III.106
- standard form, III.491
- standard model structure
  - chain complexes, III.285
  - simplicial sets, III.285
  - small categories, III.284
- Steiner operad, III.473
- strict
  - algebra, I.59
  - $\mathbf{B}$ -monoidal category operad, III.474
  - braided monoidal category, II.16, III.6
  - functor, I.215
    - identity, I.217
  - $\mathbf{G}$ -monoidal category operad, III.447
  - monoidal category, I.11, II.14, III.4
  - operad, III.447
  - monoidal enriched category, III.40, III.55
  - monoidal enriched functor, III.45
  - monoidal functor, I.13, II.15, III.5
  - $n$ -fold monoidal functor, II.273
    - category of -, II.278
    - composite, II.277
  - nonsymmetric - algebra, I.129
  - $\mathbf{S}$ -monoidal category operad, III.447

- symmetric monoidal category, I.14
- transformation, I.219
- strictification
  - bimonoidal bicategory, I.428, II.312, III.506
  - braided monoidal category, II.34, III.12
  - braided monoidal enriched category, III.89
  - $k$ -fold monoidal bicategory, I.432, II.316, III.510
  - Laplaza  $E_n$ -monoidal category, I.433, II.317, III.511
  - monoidal category, I.16, III.10
  - monoidal enriched category, III.86
  - $n$ -monoidal category, I.430, II.314, III.508
  - $n$ -fold monoidal category, I.430, II.314, III.508
  - symmetric bimonoidal bicategory, I.428, II.312, III.506
  - symmetric monoidal category, I.17, III.12
  - symmetric monoidal enriched category, III.90
  - tight bimonoidal category, I.202, I.203
  - tight bipermutative category, II.246
  - tight braided bimonoidal category, II.179
    - $K$ -theory, III.472
  - tight braided ring category, II.255
  - tight ring category, II.236
  - tight symmetric bimonoidal category, I.195
    - $K$ -theory, III.446
- strictly creates coequalizers, III.192, III.219
- strictly monadic
  - functor, III.191
- strictly unital monoidal enriched functor, III.45
- strictly unital monoidal functor, I.13, II.15, III.5, III.187
- strictly unital symmetric monoidal functor, III.187
- string
  - diagram, I.49, I.429, II.313, III.507
    - in a geometric braid, II.4
- strong deformation retract, III.488
- strong Elmendorf-Mandell  $\mathcal{G}_*$ -category, III.386
- strong monoidal enriched functor, III.45
- strong monoidal functor, I.13, II.15, III.5
- strong  $\underline{n}$ -system, III.297
- strong  $n$ -fold monoidal functor, II.273
  - category of -, II.278
  - composite, II.277
- strong  $\langle \underline{n} \rangle$ -system, III.381
- strong Segal  $\Gamma$ -category, III.300
- strong symmetric monoidal functor, III.419
- strong transformation, I.219, II.200
  - identity, I.219
- structure morphism
  - module, III.266
- structured symmetric spectrum, III.413
- sub-2-category, I.212, II.185, II.200
- subcategory, I.211, II.200
- subcategory, I.4
  - sum, I.25, I.54, II.40, II.144, II.232
    - braid, II.5, II.6, III.452
    - path, I.69
    - wedge, III.158, III.207
  - sum type, I.46
  - support, I.59, I.60
    - nonsymmetric, I.129
- suspension spectrum, III.267
  - commutative monoid, III.444
  - monoid, III.429
- Sweedler's
  - bialgebra, II.72
  - notation, II.69
- syllipsis, I.237
  - monoidal bicategory, I.421
- syllactic bimonoidal bicategory, I.427, II.311, III.505
- syllactic center, I.428, II.312, III.506
- syllactic monoidal
  - bicategory, I.237
    - (1,2)-syllactic axiom, I.237
    - (2,1)-syllactic axiom, I.237
- symmetric  $\text{Cat}$ -monoidal, III.53
- symmetric bialgebra, II.70
  - modules, II.80
    - symmetric monoidal category, II.79
- symmetric bimonoidal bicategory, I.427, II.311, III.505
  - strictification, I.428, II.312, III.506
- symmetric bimonoidal category, I.21, II.37
  - 2-category of -, I.261
    - as a braided bimonoidal category, II.46
    - axioms, I.32
  - bimonoidal symmetric center, II.125
  - category of -, I.177
  - flat, I.128, I.160, I.291, I.292
    - 2-category of -, I.261
  - groupoid, I.24, I.46
  - Laplaza's First Coherence Theorem, I.124
  - Laplaza's Second Coherence Theorem, I.160
  - sheet diagram, I.429, II.313, III.507
  - small, I.24, II.40
  - tight, xv, I.24, I.127, I.160, I.423, II.40, II.258
    - from an abelian category with a symmetry, II.61
    - $K$ -theory, III.446
  - matrix bicategory, I.324
  - matrix braided monoidal bicategory, I.419

- matrix monoidal bicategory, I.401
- matrix symmetric monoidal bicategory, I.421
- modules over a symmetric bialgebra, II.80
  - Strictification Theorems, I.195
- symmetric bimonoidal functor, I.173, I.177, II.164
  - composite, I.176
  - equivalence, I.174, I.195, I.196
  - robust, I.174, I.261
  - strict, I.174
  - strong, I.174
  - unitary, I.174
- symmetric center, xvii, II.31
  - bimonoidal, II.125
    - $K$ -theory, III.446
  - bimonoidal bicategory, I.428, II.312, III.506
  - bipermutative category, II.256
    - $K$ -theory, III.446
  - braided ring category, II.256
  - enriched monoidal category, I.434, II.318, III.512
- Symmetric Coherence Theorem, I.17, II.269, III.12
- symmetric group, I.17, I.34, II.187, III.12
  - action, III.178, III.222
  - generators and relations, II.5
- symmetric hom object, III.264
- symmetric mapping object, III.264
- symmetric monoidal
  - bicategorification, I.295
  - bicategory, I.238, I.427, II.311, III.53, III.505
    - matrix, I.421
  - tricategory of -, I.427, II.311, III.505
  - triple braid axiom, I.238
- category, I.14
  - 2-categories with Gray tensor product, I.243
  - strict, I.14
- Day convolution, III.139
- double category, I.429, II.313, III.507
- functor, I.15, I.177, II.21, III.8
  - strict, I.15, II.21, III.8
  - strictly unital, I.15, II.21, III.8, III.187
  - strong, I.15, II.21, III.8, III.419
  - unital, I.15, II.21, III.8
- quasi-strict - 2-category, I.253
- quasi-strict - 2-functor, I.253
- smash product, III.159
- symmetric monoidal category, II.20, III.8
  - as a braided monoidal category, II.21
  - bimonoidal Drinfeld center, II.119
  - closed, I.33, I.160, I.423, III.419
    - self-enrichment, III.92, III.104, III.142
    - tensored and cotensored, III.147
  - coherence, I.17, III.12
  - distributive, xvi, I.32, I.127, I.160, I.177, I.261, I.423
  - enriched, III.43
    - 2-category, III.50
    - coherence, III.85
    - endomorphism multicategory, III.231
    - strictification, III.90
  - modules over a symmetric bialgebra, II.79
  - strictification, I.17, III.12
  - symmetric center, II.31
- symmetric monoidal functor
  - change of enrichment, III.57, III.228, III.230
  - coherence, I.18, III.13
  - coherent map, I.18, III.12
  - enriched, III.46
    - coherence, III.86
    - coherent map, III.86
    - iterate, III.86
  - iterate, I.17, III.12
  - $n$ -fold monoidal functor, II.277
  - partition multicategory, III.353
  - standard enrichment, III.106
  - strong, II.189
- symmetric multicategory, III.219
- symmetric rig category, I.48
  - homomorphism, I.203
- symmetric sequence, III.262
  - mapping object, III.264
  - simplicial cotensor, III.264
  - simplicial tensor, III.264
- sphere, III.266
- symmetric monoidal closed, III.265
- tensored and cotensored, III.265
- symmetric spectrum
  - as monad algebra, III.270
  - Brown-Peterson, I.435, II.319, III.513
  - category of -, III.266
  - $E_1$ , II.261
  - $E_2$ , xviii, II.230, II.261, III.471
    - $K$ -theory, III.472
  - Eilenberg-Mac Lane, III.268, III.430, III.444
  - $E_\infty$ , xviii, II.230, II.261, III.443, III.471
    - $K$ -theory, III.445
  - $E_n$ , xviii, II.230, II.261, III.471, III.499
    - $K$ -theory, III.501
- internal hom, III.273
  - universal property, III.274
- $K$ -theory
  - of  $\Gamma$ -simplicial set, III.295
  - of  $\mathcal{G}_*$ -simplicial set, III.333
- level equivalence, III.286
- mapping object, III.276
- model structure, III.286
- smash product, III.272

- universal property, III.272
  - sphere, III.267, III.429, III.443
  - stable equivalence, III.286
  - strict ring, xviii, II.230, II.261, III.425, III.471
    - $K$ -theory, III.431
  - structure morphisms, III.267
  - structured, III.413
  - suspension, III.267, III.429, III.444
  - symmetric monoidal closed, III.276
  - tensoring and cotensoring, III.275
- symmetric sphere, III.266, III.267
- Symmetric Strictification Theorem, I.17, III.12
- symmetric tensor category, I.18
- symmetrization, III.461
  - as a left adjoint, III.461
- symmetry
  - anti-, II.269
  - axiom, I.14, II.20, II.253, III.8
    - permutative Gray monoid, I.247
  - isomorphism, I.14, II.20, III.8
  - multilinear functor constraint, III.238
  - symmetric monoidal enriched category, III.43
- symmetry axiom
  - enriched tensor product, III.32
  - symmetric monoidal enriched category, III.43
- symmetry diagram
  - enriched tensor product, III.32
  - symmetric monoidal enriched category, III.43
- symmetry factorization axiom, II.233, II.248, III.422
- symmetry isomorphism
  - additive, I.25
  - Day convolution, III.136
  - multiplicative, I.25
- system
  - $\underline{n}$ -, III.296
  - $\langle \underline{n} \rangle$ -, III.380
- T**
- $\mathcal{T}$ -partition
  - $J$ -theory, III.373
    - monoidal constraint, III.373, III.411
    - unit constraint, III.375, III.389, III.409
- target, III.196
- tensor
  - category, I.18
  - functor, I.18
- tensor algebra, II.72
- tensor product, II.67
  - enriched, III.22, III.24
    - associator, III.27
    - braiding, III.30
    - left unitor, III.26
  - monoidal, III.33
    - right unitor, III.26
    - unit, III.25
  - unity properties, III.29
- Gray, I.241
- matrix, I.43, I.328, II.209
- tensoring, III.147, III.156
  - change of tensors and cotensors, III.151
  - co-, III.147
- terminal
  - category, I.5, I.291, I.292
  - object, I.8
- terminal multicategory, III.184
- terminal object
  - simplicial, III.259
- terminal parameter multicategory for modules, III.314, III.408
- Theorem
  - Baez's Conjecture, I.291
    - version 2, I.292
  - Beck's Precise Tripleability, III.192
  - Bicategorical Pasting, I.217
  - Bimonoidal Coherence, I.130
  - Bimonoidal Coherence II, I.163
  - Braided Baez Conjecture, II.194
    - version 2, II.195
  - Braided Bimonoidal Coherence, II.151
  - Braided Strictification, II.34, III.12
  - Enriched Braided Strictification, III.89
  - Enriched Epstein's Coherence, III.86
  - Enriched Monoidal Coherence, III.85
  - Enriched Monoidal Strictification, III.86
  - Enriched Symmetric Strictification, III.90
  - Enriched Yoneda Bijection, III.110
  - Enriched Yoneda Density, III.133
  - Enriched Yoneda Embedding, III.130
  - Enriched Yoneda Lemma, III.129, III.134
  - Epstein's Coherence, I.18, I.284, III.13
  - Joyal-Street Braided Coherence, II.33, III.12, III.466
  - Laplaza's First Coherence, I.124
  - Laplaza's Second Coherence, I.160
  - Left Bipermutative Strictification, I.195
  - Left Permubraided Strictification, II.179
  - Left Rigid Strictification, I.203
  - Mac Lane's Coherence, I.16, III.9, III.436, III.466
  - Mac Lane's Strictification, I.16, III.10
  - Monoidal Bicatégorification, II.223
  - $n$ -Fold Monoidal Category Coherence, II.294
  - No-Hiding, I.46
  - Right Bipermutative Strictification, I.195
  - Right Permubraided Strictification, II.179
  - Right Rigid Strictification, I.202
  - Symmetric Coherence, I.17, III.12, III.436

- Symmetric Monoidal Bicategorification, I.421
- Symmetric Strictification, I.17, III.12
- tight
  - bimonoidal category, xv, I.24, I.164
  - additive distortion category, I.162
  - bimonoidal Drinfeld center, II.112, II.124
  - from an abelian category with a monoidal structure, II.61
  - modules over a bialgebra, II.80
  - sheet diagram, I.49, I.429, II.313, III.507
  - Strictification Theorems, I.202, I.203
  - tight ring category, II.235
- bipermutative category, II.246, II.258
  - strictification, II.246
  - tight symmetric bimonoidal category, II.245
- braided bimonoidal category, xv, II.42, II.152, II.163
  - associated right permbranded category, II.176
  - bimonoidal Drinfeld center, II.124
  - braided distortion category, II.144
  - Fibonacci anyons, II.90
  - from an abelian category with a braiding, II.61
  - Ising anyons, II.106
  - $K$ -theory, III.472
  - left permbranded category, II.132
  - matrix bicategory, II.202
  - matrix monoidal bicategory, II.223
  - modules over a braided bialgebra, II.80
  - right permbranded category, II.134
  - Strictification Theorems, II.179
  - tight braided ring category, II.254
- braided ring category, II.253, III.469
  - bimonoidal Drinfeld center, xvii, II.256
  - permbranded category, II.255
  - strictification, II.255
  - tight braided bimonoidal category, II.254
- ring category, II.234, III.423
  - bimonoidal Drinfeld center, xvii, II.256
  - rigid bimonoidal category, II.236
  - rigid bimonoidal category,  $K$ -theory, III.431
  - strictification, II.236
  - tight bimonoidal category, II.235
- symmetric bimonoidal category, xv, I.24, I.127, I.160, I.423, II.258
  - from an abelian category with a symmetry, II.61
  - $K$ -theory, III.446
  - left bipermutative, I.45
  - matrix bicategory, I.324
  - matrix braided monoidal bicategory, I.419
  - matrix monoidal bicategory, I.401
  - matrix symmetric monoidal bicategory, I.421
  - modules over a symmetric bialgebra, II.80
  - right bipermutative, I.42
  - Strictification Theorems, I.195
  - tight bipermutative categories, II.245
- top equivariance, III.180
  - enriched multicategory, III.224
- topological  $n$ -simplex, III.256
- topological interval, II.4
- topological quantum computation, xvii, I.429, II.65, II.106, II.313, III.507
- topological space
  - classifying space, III.262
  - Quillen model structure, III.285
  - total singular complex, III.256
- topological spaces, III.256
- total ordering, II.270
- total singular complex, III.256
- totally ordered
  - monoid, II.270, II.307
  - 2-fold monoidal category, II.271
  - set, II.270
  - maximum, II.270
  - permutative category, II.270
- Tracy-Singh product, I.406
- transfinite composition, III.282
- transform
  - of a morphism, III.116
- transformation
  - lax, I.218
  - multilinear, III.240, III.241
  - colax, III.407
  - composition, III.243
  - natural, I.5
  - strict, I.219
  - strong, I.219, II.200
- transformations
  - internal hom multicategory, III.207
- transition 2-cell
  - Gray tensor product, I.241
- transitivity, II.269
- translation category, III.432
  - as a right adjoint, III.433
  - contractible, III.432
- transposition, III.433
- tree, I.435, II.319, III.513
- triangle identities
  - adjunction, I.6, III.191
  - in a bicategory, I.224, III.67, III.103
  - left, I.224
  - right, I.224
- triangular bialgebra, II.106
- tricategory, I.427, II.311, III.505



- trifunctor, I.427, II.311, III.505
- triple braid axiom, I.238
- triple exchange axiom, II.265, III.478
- tripleability, III.192, III.219
- type, I.46
  - finite, I.45
  - isomorphism, I.46
- type theory, I.46
  - Martin-Löf, I.46
- U**
- unary multicategory, III.180, III.394
- underlying 1-category, I.213
- underlying braid, II.33, III.11, III.85
- underlying category, III.60
- underlying corepresented functor, III.61
- underlying isomorphism, III.96
- underlying permutation, II.5, III.451
- underlying permuted word, III.85
- underlying represented functor, III.61
- unit
  - internal adjunction, I.224
  - of an adjunction, I.6
  - of enriched adjunction, III.17
  - smash, III.159, III.327
  - symmetric sequence, III.263
- unit constraint, I.13
  - change of enrichment, III.68
  - enriched, III.44
  - partition  $J$ -theory, III.375
- unit cube, III.457
- unit diagram, III.135
  - $\mathcal{G}_*$ -objects, III.327
  - pointed, III.173
- unit enriched category, III.25
- unit factorization axiom, II.233, II.248, III.422
- unit interval, III.457
- unit naturality
  - enriched, III.48
- unit properties
  - enriched tensor product symmetry, III.32
- unit type, I.46
- unital monoidal enriched functor, III.45
- unital monoidal functor, I.13, II.15, III.5
- unitary
  - enrichment, III.145
  - lax functor, I.215
  - $\underline{n}$ -system morphism, III.297
  - $\langle \underline{n} \rangle$ -system morphism, III.381
- unitary enrichment
  - pointed, III.170, III.327
- unitor
  - monoidal enriched category, III.38
- unity
  - bicategory, I.211, II.199
  - braided monoidal category, II.17, II.18, III.7
  - enriched category, III.13
  - enriched multicategory, III.223, III.224
  - lax functor, I.215
  - lax transformation, I.218
  - matrix bicategory, I.315
  - module, III.266
  - monad, III.190
  - monad algebra, III.190
  - monoidal category, I.11, II.14, III.4
  - monoidal enriched category, III.39
  - monoidal functor, I.13, II.15, III.5
  - multicategory, III.179
  - multilinear functor, III.237
  - permutative Gray monoid, I.247
  - symmetric monoidal category, I.14, II.20, III.8
  - symmetric spectrum, III.267
- universal enveloping bialgebra, II.72
- universal property, I.7
- unpointed finite sets, III.319
- unstable periodic table, I.431, II.315, III.509
- V**
- V-coend, III.113
  - as coequalizer, III.114
- V-cowedge, III.113
- V-end, III.114
  - as equalizer, III.115
- V-map
  - braided canonical, III.85
  - canonical, III.84
  - normalization, III.230
  - permuted canonical, III.85
- V-wedge, III.113
- V-word, III.84
  - permuted, III.84
- vacuum
  - Fibonacci anyons, II.82
  - Ising anyons, II.91
- value, I.124, I.152, I.160, I.163, II.151, II.189, II.210
  - nonsymmetric path, I.129
  - path, I.58, II.147
- vector space, xvi, I.25, II.67, II.81
  - 2-, I.423
  - coordinatized, I.42
  - $K$ -theory, III.446
- vertex, I.54, II.144
- vertical composition
  - 2-natural transformation, I.221
  - bicategory, I.210, II.199
  - enriched multinatural transformation, III.226
  - enriched natural transformation, III.15
  - modification, I.222
  - multinatural transformation, III.183
  - natural transformation, I.5

vertical inverse, I.210

## W

*W*-construction, III.447  
 commutative operad, I.435, II.319,  
 III.513  
 Waldhausen  
*K*-theory, III.411  
 weak  $\Omega$ -spectrum, III.315  
 weak equivalence, III.277, III.473  
 levelwise - of  $\Gamma$ -objects, III.293  
 localization, III.279  
 operad, III.460, III.485, III.488  
 weak factorization system, III.277  
 weak Hausdorff, III.256  
 wedge  
 co-, I.8  
 $V$ -, III.113  
 $V$ -co-, III.113  
 wedge product, III.158, III.207  
 wedge sum, III.158, III.207  
 whiskering, III.16, III.294  
 Whiskering Lemma, III.16  
 wide subcategory, II.162, II.278  
 word, I.15, II.32, III.9

permuted, I.17, II.32, III.12  
 underlying, III.85  
 permuted  $V$ -, III.84  
 $V$ -, III.84

## Y

Yang-Baxter  
 axiom, I.235  
 Yoneda, I.9  
 Enriched - Bijection Theorem, III.110  
 Enriched - Density Theorem, III.133  
 enriched - embedding, III.121  
 Enriched - Embedding Theorem, III.130  
 Enriched - Lemma, III.129, III.134  
 enriched functor, III.121  
 Weak - Lemma, III.155

## Z

zero braiding axiom, II.252, III.469  
 zero factorization axiom, II.233, II.247,  
 III.421  
 zero morphism, II.46  
 zero object, I.8, II.51  
 zero symmetry axiom, II.245, II.247, III.439  
 zigzag, III.459, III.486