

Index

- Abel, Niels Henrik, xi, **160–161**, 163, 169, 174, 182, 203, 209, 244
- Abel's lemma (theorem 4.16), **161**, 209, 244
- absolute convergence, **125**, 175, 220, 248
- absolute convergence theorem (corollary 4.4), **126**
- absolute uniform convergence (corollary 5.10), **204**
- addition of series (theorem 5.4), **178**
- al-Samaw'al, 278
- algebraic numbers, 263
- alternating harmonic series, 13, 16
- alternating series, 126
- alternating series test (corollary 4.5), **126**
- Ampère, André Marie, 161, 258
- analytic function, **54**
- Apéry, Roger, 290
- Archimedean principle, 12
- Archimedean understanding, **12**, 18
- Archimedes of Syracuse, 9–11, 19, 22, 237, 277
- arctangent
 series expansion, 23
- Aryabhata, 277
- associative, 12
- asymptotic series, 299
- Babbage, Charles, 54
- Baire, René Louis, 268
- Berkeley, George, 50–52
- Bernoulli numbers, 118, 128, 271, 280–283, 287, 297
- Bernoulli polynomials, 269, 278–280
- Bernoulli's identity, 40
- Bernoulli, Daniel, 4, 52–54, 248
- Bernoulli, Jacob, 118, 271, 277–282, 284
- Bernoulli, Johann, 40, 52, 109, 277, 284
- binomial series, **25**, 129
 convergence, 122, 146, 153, 206
 d'Alembert's investigation of convergence, 41–43
- Bolzano, Bernhard, 57, 78, 81, 84, 90, 258
- Bolzano–Weierstrass theorem, 84
- Bonnet, Ossian, 72, 102, 220, 244
- Bonnet's lemma (lemma 6.9), **244**
- Bonnet's mean value theorem (lemma 6.5), **231**, 233, 244
- Borel, Émile, 268
- Cantor, Georg, 84, 268
- Cauchy, Augustin Louis, ix–xi, 11, 12, 19–20, 55, **57**, 71–76, 81, 84, 96, 102, 105, 123, 135, 137, 152, 160, 181–185, 218, 220, 237–242, 248–249, 252, 298
- Cauchy criterion
 for integrability, **240**, 249

- Cauchy criterion (theorem 4.2), **123**, 129, 208, 210
- Cauchy integral, **238**
- Cauchy sequence, **123**
- Cauchy series, **126**
- Cauchy's condensation test (theorem 4.11), **135**
- Cauchy's remainder theorem (theorem 3.11), **107**
- characteristic function, 268
- Charles X, 57
- Collins, John, 39
- commutative, 12
- comparison test (theorem 4.6), **130**
- completeness, **125**
- completeness (theorem 4.3), **125**
- condensation test, 135
- conditional convergence, **126**, 177
- conditions for Riemann integrability (theorem 6.10), **251**
- continued fractions, 83
- continuity, **81**
 - and boundedness, 95
 - and differentiability, 91, 258
 - and integrability, 241, 268
 - Lacroix's definition, 78
 - of composition, 90
 - of power series, 205
 - of product, 89
 - of reciprocal, 89
 - of sum, 88
 - on an interval, **81**
 - piecewise, 227
 - uniform, **228**
- continuity and uniform convergence implies convergence at endpoints (theorem 5.14), **208**
- continuity of infinite series (theorem 5.6), **187**
- continuity of integral (corollary 6.8), **243**
- continuous implies bounded (theorem 3.6), **95**
- continuous implies bounds achieved (theorem 3.8), **98**
- continuous implies integrable (theorem 6.6), **241**
- continuous on $[a, b]$ implies uniform continuity (lemma 6.3), **229**
- contrapositive, **122**
- convergence
 - absolute, **125**, 149, 175, 220, 248
 - alternating series, 126
 - binomial series, 146
 - Cauchy criterion, 123, 129, 208
 - comparison test, 130
 - condensation test, 135
 - conditional, **126**
 - d'Alembert's definition, 128
 - Dirichlet's test, 164
 - Gauss's test, 152
 - improper integral, 138
 - in norm, 145
 - infinite series, **117**
 - integral test, 137
 - limit ratio test, 131
 - limit root test, 132
 - of binomial series, 153
 - of exponential series, 146
 - of Fourier series, 158
 - p -test, 137
 - pointwise, 145
 - radius of, 147
 - ratio test, 130
 - root test, 132
 - uniform, 185, 188, 197, 203, 208, 254, 259
- converse, **122**
- cosine
 - series expansion, 44
- covering, 268
- C^p function, **54**
- d'Alembert, Jean Le Rond, **41–43**, 52, 53, 122, 128, 129, 248
- Darboux's theorem (theorem 3.14), **112**
- Darboux, Jean Gaston, 111
- decreasing function, **87**
- Dedekind, Julius Wilhelm Richard, 84, 175
- definite integral, 219
- de Moivre, Abraham, 40, 271, **293–296**
- derivative
 - and continuity, 91, 258
 - Lagrange's definition, 54, 55
 - of infinite series, 63–65, 195
 - of power series, 205
 - one-sided, **92**
- Diderot, Denis, 41, 52
- differentiable implies continuous (theorem 3.5), **91**
- differentiation
 - of series, 6

- Dijksterhuis, E. J., 11
- dilogarithm, 187
- Dirichlet, Peter Gustav Lejeune, x–xi, 7, 82, 88, **160–161**, 163, 174, 175, 182, 203, 217–227, 248, 267, 269, 270, 282
- Dirichlet kernel, **223**
- Dirichlet's test (corollary 4.17), **164**, 166
- Dirichlet's test for uniform convergence (theorem 5.16), **211**
- Dirichlet's theorem (theorem 6.1), **227**
- discontinuity, 84
- distributive law for series (theorem 5.5), **179**
- divergence, 18, 52–53, 149
 - comparison test, 130
 - condensation test, 135
 - d'Alembert's definition, 128
 - Gauss's test, 152
 - integral test, 137
 - limit ratio test, 131
 - limit root test, 132
 - of binomial series, 153
 - p -test, 137
 - ratio test, 130
 - root test, 132
- divergence theorem (theorem 4.1), **122**
- divergence to infinity, **29**
- dominated uniform convergence (theorem 5.9), **203**
- Eisenstein, Ferdinand Gotthold Max, 174
- envelope, 185
- ϵ - δ , 61
- Euclid, 73
- Eudoxus of Cnidus, 11
- Euler, Leonhard, ix, 4, 17–18, 31, 38, 39, 43, 52–54, 138, 150, 151, 172, 248, 271, 282, 284–289, 296
- Euler's constant, **31**
- Euler–Maclaurin formula (theorem A.1), 139, 296, **298**
- existence of radius of convergence (theorem 4.14), **149**
- exponential function
 - series expansion, 44
- Fermat, Pierre de, 99, 272, 282
- Fermat's last theorem, 160, 270, 282–283
- Fermat's theorem on extrema (theorem 3.9), **100**
- floor, **30**
- Fourier, Jean Baptiste Joseph, 1–7, 22, 43, 53, 54, 160, 161, 171, 197, 199, 217–220, 222, 248, 267
- Fourier series, 5–7, 63, 145, 166, 171, 182, 191, 197, 199, 218, 248, 269
 - convergence, 158, 217
 - Dirichlet's test, 164
 - Dirichlet's theorem, 227
 - uniform convergence, 210
 - uniqueness, 267
- frequency, **53**
- γ , *see* Euler's constant
- Gauss, Carl Friedrich, x, 57, 149, 151, 152, 174
- Gauss's test (theorem 4.15), **152**, 187
- generalized mean value theorem (theorem 3.2), **75**
- geometric series, **17**
- Germain, Sophie, 217, 282
- Gilbert, Phillipe, 259
- Grattan-Guinness, Ivor, 18
- greatest lower bound, **97**
- Gregory, James, 23, 35, 39, 40
- Gudermann, Christof, 203
- Hachette, Jean Nicholas Pierre, 160
- Hadamard, Jacques, 270
- Hankel, Hermann, 259, 267
- Hardy, Godfrey Harold, 259
- harmonic series, 121, 284
 - partial sums, 33
- harmonics, **53**
- Hawkins, Thomas, 259n
- Heine, Heinrich Eduard, 84, 267
- Hermite, Charles, 269
- Herschel, John, 54
- Hoüel, Guillaume Jules, 259
- Holmboe, Bernt Michael, 160
- hypergeometric series, **150**
 - Gauss's test for convergence, 152
- ibn Al-Haytham, 278
- improper integral, **252**
 - unbounded domain, **138**
 - value, 138
- increasing function, **87**
- infimum, **97**

- infinite limit, **109**
- infinite series, 9, 171
 - addition of two series, 178
 - alternating, 126
 - differentiation, 63–65, 195
 - divergent, 18, 52–53
 - integration, 197
 - multiplication by constant, 179
 - of continuous functions, 182, 187
 - rearranging, 13, 175, 177, 220
 - regrouping, 13, 173
- infinite summation, *see* infinite series
- integral
 - as an area, 219
 - as inverse of derivative, 219
 - Cauchy, **238**
 - with Cauchy criterion, **240**
 - definite, 219
 - improper, 138
 - Lebesgue, 268, 269
 - of infinite series, 197
 - of power series, 205
 - Riemann, **249**, 267
 - necessary and sufficient conditions for existence, 251
 - with Cauchy criterion, 249
- integral form of the mean value theorem (theorem 6.7), **243**
- integral of Dirichlet kernel (lemma 6.4), **231**
- integral test (theorem 4.13), **137**
- integration
 - of series, 5
- intermediate value property, **73**, 78, 79, 85
- intermediate value theorem (theorem 3.3), **85**
- inverse, **122**

- Jacobi, Carl Gustav Jacob, 174

- Kepler, Johann, 99
- Kummer, Ernst Eduard, 283

- Lacroix, Sylvestre François, 4, 78, 161
- Lagrange, Joseph Louis, ix, 4, 6, **43**, 53, 54, 57, 166, 217, 248
- Lagrange remainder, 43–47
- Lagrange's remainder theorem (theorem 2.1), **44**
- Lamé, Gabriel, 283
- Laplace, Pierre Simon, 4, 57, 161

- least upper bound, **97**, 210
- Lebesgue, Henri Léon, 1, 220, 263, 268
- Lebesgue integral, 268–269
- Legendre, Adrien Marie, 160, 270, 282
- Leibniz, Gottfried, 23, 24, 40, 50, 99, 172
- Levi ben Gerson, 278
- L'Hospital, Guillaume François Antoine de, 109
- L'Hospital's rule
 - 0/0 (theorem 3.12), **109**
 - ∞/∞ (theorem 3.13), **110**
- L'Huillier, Simon Antoine Jean, 52
- lim inf, 148
- lim sup, 148
- limit
 - at infinity, **109**
 - d'Alembert's definition, 52
 - from the left, 92
 - from the right, 92
 - infinite, **109**
 - interchanging, 171
 - lower, **148**
 - one-sided, **92**
 - upper, **148**
- limit ratio test (corollary 4.8), **131**
- limit root test (corollary 4.10), **132**
- Liouville, Joseph, 217
- logarithm
 - series expansion, 28
- lower limit, **148**

- Machin, John, 23
- Maclaurin, Colin, 138, 296
- Madhava, 23
- mean value theorem
 - Bonnet's, 231, 233, 244
 - Bonnet's proof, 72, 74, 102
 - Cauchy's first proof, 72–73
 - Cauchy's second proof, 75, 77
 - generalized, 75
 - integral form, **243**
- mean value theorem (theorem 3.1), **58**, 72–77
- measure, 263, **268**
- Medvedev, Fyodor A., 259n
- Meray, Charles, 84
- Mercator, Nicolaus, 28
- method of exhaustion, 11
- modified converse to intermediate value theorem (theorem 3.4), **87**

- Monge, Gaspard, 4
monotonic function, **87**
- Napoléon I, 217
Narayana Pandita, 278
Navier, Claude Louis Marie Henry, 217
nested interval principle, **32**
Newton, Isaac, 23–26, 28, 40, 50, 99, 271
Nilakantha, 23
- Olsen, Lars, 111
one-sided derivative, **92**
one-sided limit, **92**
Oresme, Nicole, 17
- p -test (corollary 4.12), **137**
Peacock, George, 54
- π
 calculations of, 22–26
 Wallis's formula for, 24
piecewise continuous, 227
piecewise monotonic, **87**, 227, 262
Poincaré, Henri, ix, 269
pointwise convergence, **145**
Poisson, Siméon Denis, 4, 161, 217, 220
power series, 39, 145, 204–205
 binomial, *see* binomial series
 continuity, 205
 differentiation, 205
 expansion of e^{-1/x^2} , 68
 hypergeometric, *see* hypergeometric series
 integration, 205
 uniform convergence, 204, 209
primes
 counting function, 270, 289
 in arithmetic progression, 270
Pythagorean triples, 282
- Q.E.D., 73
quadrature of the parabola, 9
- Raabe, Joseph Ludwig, 152, 258
radius of convergence, **147**
 existence of, 149
 for complex-valued power series, 169
Ramanujan, S., 26
ratio test (theorem 4.7), **130**, 151
rational function, **38**
rearranging convergent series (theorem 5.2), **175**
rearranging infinite series, 13, 175, 177, 220
refinement, **239**
regrouping infinite series (theorem 5.1), 13, **173**
regular prime, 283
Riemann, Georg Friedrich Bernhard, xi, 4, 58, **174–175**, 220, 228, 248–255, 258, 267, 269, 270, 289
Riemann hypothesis, 290
Riemann integral, **249**, 267
 necessary and sufficient conditions for existence, 251
Riemann rearrangement theorem (theorem 5.3), **177**
Riemann's lemma (lemma 6.2), **228**, 242
Rolle, Michel, 100
Rolle's theorem (theorem 3.10), **100**
root test (theorem 4.9), **132**
Russell, Bertrand Arthur William, 1
- Saigey, Jacques Frédéric, 160
Seidel, Phillip, 182
series, *see* infinite series
Serret, Joseph Alfred, 72, 102
sine
 series expansion, 44
Steiner, Jakob, 174
Stieltjes, Thomas Jan, 269
Stirling, James, 271, **293–296**
Stirling's formula, **45**, 118, 133, 146, 271, 293–298
Stirling's series, 118
Stokes, George, 182
Sturm, Charles François, 217
supremum, **97**
Swineshead, Richard, 17
Sylvester, James Joseph, 41n
- Taylor series, **40**
 Cauchy remainder, 107–109
 Lagrange remainder, 43–47, 71, 105–109
Taylor, Brook, 40
Taylor, Richard, 270, 283
term-by-term differentiation (theorem 5.7), 6, **195**

- term-by-term integration (theorem 5.8), 5, **197**
- trigonometric series, 145, 218, 254
- uniform continuity, **228**
- uniform convergence, **185**, 188, 197, 203, 208, 254, 259, 267
 - Cauchy criterion, 202
 - Dirichlet's test, 211
 - in general, **267**
 - of power series, 209
 - Weierstrass M -test, 203, 204
- uniform convergence of power series, I (corollary 5.13), **204**
- uniform convergence of power series, II (theorem 5.15), **209**
- uniformly bounded, **210**
- upper bound implies least upper bound (theorem 3.7), **98**
- upper limit, **148**
- Vallée Poussin, Charles de la, 270
- variation, **250**
- variation on dominated uniform convergence (corollary 5.11), **204**
- vibrating string problem, 4, 53–54
- Wallis, John, 23, 271–275
- Wallis's formula, 24, **275**, 296
- Weierstrass, Karl Theodor Wilhelm, xi, 4, 58, 91, 182, **203**, 258–263, 267
- Weierstrass M -test (corollary 5.12), 203, **204**, 259
- Whitehead, Alfred North, 1
- Wiles, Andrew, 270, 283
- ζ , *see* zeta function
- zeta function, 36, 289
- Zhu Shijie, 278