

Index

- added multiples of three sequence, 16–22, 28
- algebraically equivalent, 85, 170
- algorithm, 58
- APR, 326
- arithmetic growth
 - conceptual statement, 39
- arithmetic growth, 39
 - compared to other models, 393
 - compared to quadratic growth, 124
 - difference equation, 42
 - functional equation, 49
 - sum, 155, 158
- asymptote, 251
- axis of symmetry, 173, 175

- base of an exponential function, 248
- bee ancestor example, 227
- bee ancestor model, 227
- break-even points, 193
- Burgi, 260
- butterfly effect, 400

- center line for parabola, 173, 175
- chaos, 234, 373, 390
 - butterfly effect, 400
 - future prediction, 400
 - graph of onset, 402
 - nonlinear difference equations, 394, 395
 - patterns in, 405
 - self-similarity, 406
 - slight changes in parameters, 392
- coefficients, 169
 - quadratics, 174
- common logarithm, 258
- comparison of different kinds of models, 393
- complex numbers, 177
- computer network example, 150
- continuous
 - variable, 271
- continuous variable, 63, 75
- cost, 191
- counting numbers, 4

- data table, 15
- decay, 42
- deductive proof, 131
- demand, 107, 190

- dependent variable, 74
- descending form, 169
- difference equation, 29
 - and functional equation, 47, 393
 - arithmetic growth, 42
 - computer model, 151
 - different types compared, 393
 - family, 42
 - geometric growth, 202, 203
 - initial value, 30
 - linear and nonlinear, 393, 394
 - loan payments, 327
 - logistic growth, 363, 365, 366
 - mixed growth, 298
 - quadratic growth, 124, 127
 - standard form, 126
 - refined logistic growth, 410
 - water tank, 223
- differences, 122
 - second, 123
- direct rule, 20
- discrete variable, 63, 75
- drug dosage model, 319

- e , 262, 290
- effective rate, 232
- equation
 - difference, 29
 - functional, 28
- equations, functions, and expressions, 82
- equilibrium value, 307, 308
- equivalent, 85, 170
- even number reciprocal sequence, 15, 18, 20, 21, 28
- examples
 - added multiples of three sequence, 16–22, 28, 121, 126, 134
 - bee ancestors, 227
 - carbon dioxide, 2, 39, 43, 345
 - cell phone company, 109
 - college tuition, 64
 - compound interest, 231
 - computer network, 150, 174
 - copper demand, 339
 - even number reciprocal sequence, 15, 18, 20, 21, 28

- fish population, 360, 411
- flu epidemic, 41
- free fall, 142
- grain mixture, 96, 105
- handshakes, 153
- heat transfer, 234, 275, 340
- house construction, 155
- internet video, 342
- iPod sales, 380, 421
- Laffer curve, 45
- library fines, 41, 49
- mold growth, 374
- mouse population, 220
- oil consumption, 182
- oil reserves, 158
- polar ice cap, 147
- population growth, 233
- pumpkin growth, 377
- radial keratotomy, 336
- radioactive decay, 233, 270, 271
- repeated drug doses, 298, 319
- repeated loan payments, 325
- satellite fuel, 41, 44, 49, 102
- second fish population, 371, 413
- soft drinks, 107, 112, 190
- T-shirts, 69
- tape recorder, 143
- time of death, 59
- trout length and weight, 279
- water quality, 272
- water tank, 222, 232
- yeast population, 427
- exponent rules, 254
 - in box, 257
- exponential equation, 248
- exponential function, 247
 - asymptote, 251
 - base, 248
 - base e , 262
 - definition, 248
 - graphs, 250
 - no x -intercept, 251
 - shifted, 277, 281, 307
 - solving equations, 257
 - two-step computation method, 293
 - y -intercept, 251
- expressions, equations, and functions, 82
 - factored form, 184
 - falling body example, 142
 - Fibonacci numbers, 230
 - find- a_n question, 73
 - find- n question, 73
 - fixed point, 310, 311
 - in logistic growth, 369
 - fixed population, 369
 - formula, 370
 - function evaluation, 74
 - function inversion, 74
 - functional equation, 28
 - and difference equation, 47, 393
 - arithmetic growth, 49
 - different types compared, 393
 - geometric growth, 209, 210
 - inversion, 258
 - mixed growth, 302, 306
 - quadratic growth, 129, 134
 - refined logistic growth, 418, 420
 - derivation, 419
 - functions, equations, and expressions, 82
 - Galileo, 142
 - Gauss, Karl F., 131
 - geometric decay, 233
 - geometric growth, 201
 - applications, 231
 - compound interest, 231
 - population growth, 233
 - radioactive decay, 233
 - tank models, 232
 - compared to other models, 393
 - constant growth factor definition, 204
 - constant percentage increase or decrease, 212
 - continuous and discrete variables, 224
 - continuous model, 271
 - data based, 275
 - difference equation, 202, 203
 - empirical examples, 227
 - examples
 - bee ancestors, 227
 - heat transfer, 234
 - mouse population, 220
 - temperature probe data, 275
 - trout length and weight data, 279
 - water quality, 272
 - water tank, 222
 - functional equation, 209, 210
 - graphs, 205
 - growth factor, 202
 - recognizing instances of, 203
 - sequence definition, 201
 - strong statement, 225
 - structural examples, 220
 - geometric series, 304, 306
 - geometric sum, 335, 339, 340
 - grain mixture problem, 96, 105
 - graph, 17
 - graphical method, 46
 - for quadratic equation, 135
 - graphs
 - exponential functions, 250
 - geometric growth, 205
 - linear equations, 89
 - logistic functions, 424
 - logistic growth, 376
 - mixed growth, 307
 - quadratic functions and equations, 172
 - quadratic growth, 128

- relating two successive data values, 394
- shifted exponential function, 307
- transition to chaos, 402
- growth factor, 202
 - straight-line model, 361
 - variable, 361
- half-life, 233
- heat transfer, 234, 340
- house construction example, 155
- independent variable, 74
- inflection point, 424
- initial term, 30
- initial value, 30
- integers, 4
- intercept
 - x -intercept
 - exponential function graph, 251
 - x -intercept, 89
 - quadratic graph, 175
 - y -intercept, 89
 - exponential function graph, 251
 - quadratic graph, 174
- interest
 - compound, 231
- inverting a function, 183
- inverting a functional equation, 258
- irrational number
 - base e , 262
 - from a square root, 177
- isotope, 233
- limited population growth, 359, 364, 409, 415
- linear
 - difference equation, 393, 394
 - equation, 82
 - graphs, 89
 - many solutions, 87
 - no solution, 87
 - point-slope form, 94
 - slope-intercept form, 84, 92
 - standard form, 84
 - two-intercept form, 95
 - function, 82
 - operational definition, 83
- linearity assumption, 102
- loan payments, 325
 - difference equation, 327
- logarithm
 - base 2, 262
 - base e , 262
 - common, 258
 - natural, 263
- logarithmic functions, 258
- logistic
 - curve, 419
 - function, 419, 423
- logistic growth, 359
 - chaos, 373, 390
 - compared to other models, 393
 - difference equation, 363, 365, 366
 - examples
 - fish population, 360
 - iPod sales, 380
 - mold growth, 374
 - nonexample, 380
 - pumpkin growth, 377
 - real data, 377, 380
 - second fish population, 371, 413
 - fixed population, 369
 - fixed population formula, 370
 - graphs, 376
 - leveling off, 364, 369, 371, 373
 - no functional equation, 364, 374
 - not leveling off, 371, 372, 396
 - oscillation, 372
 - parameters, 365, 366
 - statement in box, 364
- mathematical model, 1, 57
 - computer network, 150
 - continuous, 271
 - drug dosage, 319
 - falling bodies, 142
 - families compared, 393
 - family, 121
 - fish population, 360, 411, 413
 - heat transfer, 234, 340
 - house construction, 155
 - iPod sales, 380, 421
 - loan payments, 325
 - logistic, 359
 - mixed, 297
 - quadratic growth, 121
 - refined logistic, 408
 - yeast population, 427
- mixed growth, 297
 - difference equation, 298
 - difference equation definition, 299
 - equilibrium value, 307, 308
 - examples
 - drug dosage, 319
 - functional equation, 302, 306
 - graphs, 307
 - recognizing instances of, 299
 - sequence verbal definition, 297
 - structural examples, 319
 - suggested by data, 342
- mixed model
 - compared to other models, 393
 - heat transfer, 340
 - leveling off, 320
 - loan payments, 325
- modeling methodology, 390
- mouse population example, 220
- Napier, 260

- natural log, 263
- negative growth, 42
- Newton's Law of Cooling, 234, 236, 277
- nominal rate, 232, 326
- nonlinear, 46
- nonlinear difference equation, 393, 394
- nonlinearity
 - quadratic functions, 174
- numerical method, 43, 49
 - for quadratic equation, 135
- open upward or downward, 173
- oscillation, 373
- parabola, 128, 173
- parameter, 42
 - effect on predictions, 391
 - in monthly payment formula, 334
 - logistic growth, 365, 366
 - quadratic growth, 127
 - utility in family of models, 335
- parenthesis notation, 19
- point-slope equation, 94
- polynomial approximation
 - for exponential functions, 290
- population growth, 233
 - limited, 359, 364, 409, 415
- position number, 15
- proof, 131
- proportional reasoning, 112
 - invalid for quadratic functions, 174
 - invalid for quadratic growth models, 153
- quadratic
 - equation
 - standard form, 169
- quadratic equation, 136
 - no solution, 178, 181
- quadratic formula, 181
- quadratic function
 - structural, 190
- quadratic graphs
 - axis of symmetry, 173, 175
 - center line, 173, 175
 - high and low points, 175
 - summary in box, 184
 - vertex, 175
 - x -intercepts, 175
 - y -intercept, 174
- quadratic growth, 121
 - alternate verbal description, 126
 - and proportional reasoning, 153
 - and sums of arithmetic growth models, 158
 - applications, 142
 - compared to arithmetic growth, 124
 - compared to other models, 393
 - constant 2nd difference definition, 123
 - difference equation, 124, 127
 - standard form, 126
 - falling bodies, 142
 - functional equation, 129, 134
 - graphs, 128
 - house construction example, 155
 - network problems, 150
 - parameters, 127
 - structural, 155
 - verbal definition, 122
- radioactive decay, 233
- random stranger test, 8
- recursion, 20
- recursive analysis, 153
 - quadratic growth, 150
- recursive rule, 20
- refined logistic growth, 408
 - difference equation, 410
 - examples
 - fish population, 411
 - iPod sales, 421
 - real data, 421, 427
 - second fish population, 413
 - yeast population, 427
 - functional equation, 418, 420
 - derivation, 419
- refined logistic growth assumption, 410
- relative error, 280
- revenue, 191
- robustness, 391
- root, 176
- rule
 - direct, 20
 - for a pattern, 4
 - recursive, 20
- rules of exponents, 254
 - in box, 257
- running total, 155, 156, 336
- second differences, 123
- self-similarity, 406
- sequence, 4
 - terms, 4
- shifted exponential function, 277, 281, 307
- shortcut
 - geometric series, 304
 - sums of powers, 304, 306
 - sums of whole numbers, 130, 132
- slope, 90
- slope formula, 91
- slope-intercept equation, 92
- slope-intercept form, 84
- solving equations
 - exponential, 257, 261, 264
 - for one variable in terms of another, 88
 - graphical and numerical methods, 257
 - in factored form, 185
 - linear, 86
 - quadratic, 176, 181, 184
 - square root, 177

- strong geometric growth assumption, 225
- structural linearity, 106
- structural quadratic function, 190
- structural quadratic growth, 155
- subscript, 18
- subscript notation, 19
- sum
 - for arithmetic growth model, 155
 - for geometric growth sequence, 335, 339, 340
 - shorthand notation, 131
 - three-dot notation, 131
- sums, 156, 336
- symmetry
 - in quadratic graph, 173
- tank model, 232
- temperature probe data example, 275
- terms of a sequence, 4
- tetrahedral numbers, 11, 123, 168
- theoretical method, 50
- three dot notation, 131
- trend line, 147
- triangular numbers, 11
- trout weight and length example, 279
- two-intercept equation, 95
- variable
 - continuous, 63, 75
 - dependent, 74
 - discrete, 63, 75
 - independent, 74
- vertex of a parabola, 175
- water quality example, 272
- water tank model, 222
- whole numbers, 4
- yield, 232
- zero of a function, 176