

# Index

- $\mathbb{T}^{\kappa}$ , 200
- $\square$ , xii
- $i$ , 181
- Principia Mathematica*, 4
  
- absurda, 35, 42, 45, 48, 50
- addition
  - of complex numbers, 182
  - of integers, 148
  - of naturals, 139
  - of rationals, 157
  - of reals, 166, 178
- addition-preserving, 128
- additive identity element, 124
- additive inverse element, 124
- algebraic numbers, 5
- and, 12
- antisymmetric property, 93
- arbitrary product of sets, 116
- Archimedean Principle, 130
- Archimedes of Syracuse (third century B.C.), 129
- associative property, 124
  - of addition, 124
  - of multiplication, 124
- assume, 34
- asymmetric property, 93
- automorphism, 128
- axiom, 7
- Axiom of Infinity, 38
  
- backward jump operator, 192
- bijection, 82
- binary operation, 123
- Bolzano, Bernard (1781–1848), 176
- Bolzano-Weierstrass Theorem, 176
- bound
  - greatest lower, 98
  - least upper, 97
  - lower, 98
  - upper, 97
- bounded sequence, 175
  
- Cantor's real numbers, 177
- Cantor's scheme, 113, 115
- Cantor, Georg (1845–1918), 3
- cardinality
  - same, 108
- cartesian product, 76
- Cauchy sequence, 175
- Cauchy, Augustin-Louis (1789–1857), 175
- chasing elements, 56
- closed interval, 190
- closed set, 190
- codomain, 78
- collection, 56
- commutative property, 124
  - of addition, 124
  - of multiplication, 124
- complement of a set, 65
- complex numbers, xi, 181
- complex numbers,
  - addition, 182
  - multiplication, 182
- composition, 83, 87
  - codomain, 87
  - domain, 87
  - functions, 87
  - of functions, 83
  - relations, 87
- connectedness property, 93
- continuous function, 194
- contradiction, 17
- contrapositive, 20
- convergent sequence, 173
- converse, 19

- countable set, 111
- decreasing sequence, 175
- Dedekind cut, 165
- Dedekind, Richard (1831–1916), 3
- delta derivative, 200
- dense point, 193
- denumerable set, 111
  - $\mathbb{Q}$ , 113
- derivative
  - delta, 200
- Descartes, René (1596–1650), 76
- descendancy set, 139
- disjoint sets, 59, 62
  - pairwise, 62
- distributive properties, 124
- domain, 78
- Doxiadis, Apostolos (1953–), xiii
- element, 56
  - chasing, 56
- elements
  - chasing, 56
- embedding, 129
- empty set, 56
- equal
  - sets, 57
- equivalence class, 99
- equivalence relation, 98
- Erdős, Paul (1913–1996), 33
- Euclid of Alexandria (fourth century B.C.), 6
- Euclid of Alexandria (fourth century B.C.), xii
- Eudoxus of Cnidus (fourth century B.C.), 3
- Fibonacci
  - sequence, 43
- Fibonacci, Leonardo (c. 1170–c. 1250), 4
- field, 125
  - ordered, 125
- finite set, 109
- for all, 23
- forward jump operator, 192
- function, xi, 78, 189
  - bijective, 82
  - continuous, 194
  - identity, 85
  - injective, 82
  - invertible, 85
  - surjective, 82
- Fundamental Theorem of Arithmetic, 36
- Galileo Galilei (1564–1642), 75
- greatest element, 96
- greatest lower bound, 98
- Hilger, Stefan (1959–), 189
- identity element
  - of addition, 124
  - of multiplication, 124
- identity function, 85
- if —, then —, 14
- if and only if, 16
- iff, 16
- image, 79
- imaginary numbers, 183
- immediate predecessor, 139
- immediate successor, 138
- implication, 14
- increasing sequence, 175
- infimum, 98
- infinite product of sets, 116
- infinite set, 110
- injection, 82
- integers, xi, 146
  - mod  $n$ , xi
  - negative, 147
  - nonnegative, xi
  - nonzero, xi
  - positive, 147
- integers as differences, 146
- integers,
  - multiplication, 149
  - addition, 148
  - ordering, 146
- intersection, 58, 61
  - of a collection of sets, 61
  - of two sets, 58
- interval, xi
  - closed, xi, 190

- half-closed, xi
- half-open, xi
- open, xi
- inverse (of implication), 20
- inverse element
  - of addition, 124
  - of multiplication, 124
- inverse function, 85
- inverse image, 86
- invertible function, 85
- irrational number
  - $\sqrt{2}$ , 35
- irrational numbers, 4
- is an element of, 56
- isolated point, 193
- isomorphism, 128
  
- jump operator, 192
  - backward, 192
  - forward, 192
  
- least element, 97
- least upper bound, 97
- least upper bound property, 98
- left-dense point, 193
- left-scattered point, 193
- lexicographic ordering, 183
- limit, 190
- limit of a function, 193
- logical statement, 9
- lower bound, 98
  
- Main Theorem, 130, 169
- mathematical statement, 9
- maximal element, 96
- minimal element, 97
- mod by a partition, 101
- mod by an equivalence relation, 100
- multiplication
  - of complex numbers, 182
  - of integers, 149
  - of naturals, 141
  - of rationals, 158
  - of reals, 168, 178
- multiplication-preserving, 128
- multiplicative identity element, 124
- multiplicative inverse element, 124
- multiset, 56
  
- natural numbers, xi, 138
- naturals, 138
- naturals,
  - multiplication, 141
  - addition, 139
  - ordering, 139
- necessary and sufficient, 16
- negation of quantifiers, 24
- nonreflexive property, 93
- not, 11
  
- one-to-one, 82
- onto, 82
- or, 13
- order of operations, 123
- order-preserving, 128
- ordered field, 125
- ordered pair, 76
- ordering
  - lexicographic, 183
  - of the integers, 146
  - of the naturals, 139
  - of the rationals, 156
  - of the reals, 166, 177
  
- pairwise disjoint sets, 62
- paradox
  - Russell's, 66
- partial ordering, 95
- partially ordered set, 95
- partition, 100
- Peano Axioms, 137
- Peano, Giuseppe (1858–1932), 4, 137
- point
  - dense, 193
  - isolated, 193
  - left dense, 193
  - left scattered, 193
  - right dense, 193
  - right scattered, 193
- poof, 35
- poset, 95
- power set, 65

- predecessor
  - immediate, 139
- predicate, 22
- preserving,
  - addition, 128
  - multiplication, 128
  - order, 128
- prime number, 36
- primitive term, 7
- Principle
  - Archimedean, 130
- Principle of Complete Induction, 42
- Principle of Induction, 38
- product of sets
  - arbitrary, 116
- proof, 7
- proof techniques, 30
  - direct proof, 30
  - proof by brute force, 30
  - proof by cases, 33
  - proof by complete induction, 43
  - proof by contradiction, 34
  - proof by contraposition, 33
  - proof by counterexample, 46
  - proof by example, 46
  - proof by induction, 39
- Pythagoras of Samos (sixth century B.C.), 3
- Q.E.D., xii
- quantifier
  - existential, 24
  - universal, 23
- range, 80
- rational numbers, xi, 156
  - nonnegative, xi
  - positive, xi
- rational, 156
  - negative, 157
  - positive, 157
- rational as quotients, 156
- rational,
  - multiplication, 158
  - addition, 157
  - ordering, 156
- real number, 165
- real numbers, xi, 177
  - nonnegative, xi
  - positive, xi
- reals,
  - multiplication, 168, 178
  - addition, 166, 178
  - ordering, 166, 177
- reflexive property, 93
- relation, 77
  - antisymmetric, 93
  - asymmetric, 93
  - connected, 93
  - equivalence, 98
  - nonreflexive, 93
  - on a set, 77, 93
  - reflexive, 93
  - symmetric, 93
  - transitive, 93
  - trichotomous, 93
- restriction, xi, 81
- right-dense point, 193
- right-scattered point, 193
- Russell's paradox, 66
- Russell, Bertrand (1872–1970), 4, 106
- sequence, 173, 189
  - bounded, 175
  - Cauchy, 175
  - convergent, 173
  - decreasing, 175
  - increasing, 175
- sequence in a set, 189
- set, 56
  - closed, 190
  - countable, 111
  - denumerable, 111
  - difference, 64
  - empty, 56
  - finite, 109
  - infinite, 110
  - largest, 64
  - uncountable, 114
  - universal, 64
- set equality, 57

- sets
  - disjoint, 59, 62
  - pairwise disjoint, 62
- statement, 9
  - biconditional, 16
  - conditional, 14
  - conjunction, 12
  - disjunction, 13
  - equivalence, 16
  - negation, 11
- strict partial ordering, 95
- strict total ordering, 96
- strict totally ordered set, 96
- strictly partially ordered set, 95
- subset, xi, 56
  - proper, xi, 56, 58
- successor
  - immediate, 138
- suppose, 34
- supremum, 97
- surjection, 82
- symmetric property, 93
  
- tautology, 17
- Thales of Miletus (sixth century B.C.), 6
- there exists, 24
- time scale, 189, 191
  - interval, 193
- total ordering, 96
- totally ordered set, 96
- transcendental number, 119
- transitive property, 93
- trichotomy property, 93
- true
  - vacuously, 15, 30
  
- uncountable set, 114
- undefined term, 7
- union, 59, 63
  - of a collection of sets, 63
  - of two sets, 59
- unity, 124
- universal set, 64
- upper bound, 97
  
- vacuously true, 15, 30, 212
  
- Weierstrass, Karl (1815-1897), 176
- well-ordered set, 98
- well-ordering, 98
- Whitehead, Alfred North (1861-1947), 4
  
- zero, 124, 138