

# Index

- abelian category
  - semi simple —, 39
- abelian variety
  - isogeny between abelian varieties, 31
- Albanese
  - kernel, 17, 80
  - motive, 70
  - variety, 14
- algebraic
  - classes, 35
  - cycle, 1
- Beilinson formula, 86
- Betti cohomology, 8
- Bloch
  - Conjecture, 17, 64, 80, 96
- Bloch-Beilinson
  - conjectures, 85, 86
  - filtration, 85
- blow-up diagram, 125
- category
  - derived —, 105
  - homotopy —, 105
- Chow group, 4
  - higher —, 133
- Chow motive, 26
  - birationally isomorphic varieties, 29
  - of non-isomorphic varieties may be equal, 34
  - surfaces, 78
- Chow-Künneth
  - conjecture, 68, 86
  - decomposition for surfaces, 78
  - decomposition, curves, 31, 68
  - decomposition, examples, 69
  - decomposition, relative —, 112
  - motive, 68
- cohomology
  - Betti —, 8
  - classical Weil —, 8
  - crystalline —, 9
  - de Rham —, 8
  - étale —, 9
- comparison theorems for Weil cohomology theories, 9
- cone of a complex, 110
- conjecture
  - $N(M), N'(M)$ , 63
  - $S(X)$ , 63
  - of Kimura-O'Sullivan, 62
- constructible sheaf, 109
- correspondence, 3, 23
  - degenerate —, 80
  - degree, 23
  - relative —, 107
  - topological —, 37
- correspondences
  - finite —, 131
- cosupport condition, 109
- crystalline cohomology, 9
- cycle class map, 8
- De Rham cohomology, 8
- decomposition theorem (due to Beilinson, Bernstein, Deligne, Gabber), 111
- degenerate
  - correspondence, 80
  - divisor on a product, 15
- dimension of motives, 46
  - is well-defined, 56
- distinguished triangle, 110
- divisor, 13
  - degenerate —, 15
- duality for motives, 29
- effective geometric motive, 131, 132
- equivalence
  - $\tau$ -equivalence, 13
  - algebraic —, 6
  - homological —, 7
  - linear —, 4
  - numerical —, 10
  - rational —, 4, 5
  - smash nilpotent —, 7
- equivalence relation
  - adequate (“good”) —, 3
- étale cohomology, 9

- finite
  - correspondences, 131
  - dimensional motive, 46
  - dimensionality and products, 53
  - dimensionality and nilpotent morphisms, 59
  - dimensionality and surjective morphisms, 58
- Griffiths group, 18
- Grothendieck
  - standard conjectures, 35
  - motive, 26
- Gysin
  - complex, 127
- heart of a  $t$ -structure, 111
- higher Chow groups, 133
- homotopic
  - morphisms, 127
- homotopy
  - category, 127
  - equivalence, 127
  - operator, 127
  - property for Chow groups, 6
- intersection
  - cohomology group, 109
  - complex, 109, 110
  - number, 2
- isogeny between abelian varieties, 31
- Künneth
  - component of the diagonal, 67
  - conjecture, 36
  - formula, 8
- Lefschetz
  - motive, 28, 107
  - theorems, 8
- Leray spectral sequence, 106
- Lieberman's lemma, 24
  - relative —, 114
- Manin's identity principle, 33
- Matsusaka's theorem, 13
- motive
  - for curve is finite dimensional, 47
  - Albanese —, 70
  - Chow groups, 29
  - Chow-Künneth, 68
  - cohomology groups, 30
  - constituent of a —, 26
  - curves, 68
  - dimension, 46
  - direct sums, 28
  - effective geometric —, 131
  - for complete intersection, 83
  - in the sense of Voevodky, 132
  - Lefschetz —, 107
  - naturally isomorphic motives, 69
  - of a blow-up, 34
  - of a curve, 30
  - of a projective bundle, 34
  - of a smooth projective variety, 26
  - phantom —, 61, 95
  - Picard —, 70
  - related to representations of the symmetric group, 45
  - relative —, 107
  - transcendental —, 80
- motivic
  - cohomology, 133
  - decomposition conjecture, 113
  - Euler characteristic, 126
    - for pairs, 126
    - with compact support, 125
- moving lemma, 3
- Murre conjecture
  - $I(X)$ , 86
    - for curves, surfaces, abelian varieties, 88
  - $II(X)$ , 86
  - $III(X)$ , 87
  - $IV(X)$ , 87
    - divisors, 89
    - products of 2 surfaces, 96
    - results of Jannsen, 93
    - special threefolds, 89
    - zero-cycles, 89
- Néron-Severi group, 13
- naive motivic ring, 126
- perverse
  - $t$ -structure, 111
    - cohomology functors, 111
    - sheaf, 109
- phantom motive, 61, 95
- Picard
  - group, 13
  - motive, 70
  - scheme, 13
  - variety, 14
- Poincaré-duality, 8
- primitive algebraic classes, 38
- projector, 23
- pseudo-abelian completion, 26
- quasi-isomorphism, 105
- realization functor, 112
- relative
  - Chow-Künneth decomposition, 112
  - correspondence, 107
  - Lieberman lemma, 114
  - Manin identity principle, 114
  - motive, 107
    - abelian schemes, 114
    - conic bundles over a surface, 115

- relative cell decomposition, 114
  - semi-small maps, 113
  - surfaces over a curve, 119
- resolution of singularities for field, 124
- sign conjecture  $S(X)$ , 47
- smash-nilpotent morphism, 54
- smooth correspondences, 131
- spectral sequence
  - Leray —, 106
- standard conjecture
  - Lefschetz type conjectures
    - $B(X)$ ,  $A(X, L)$ , 37
    - $C(X)$ =Künneth conjecture, 36, 68
    - $D(X)$ , 10
  - of Hodge type ( $\text{Hdg}(X)$ ), 38
- support condition, 109
- $t$ -structure, 111
  - heart of a —, 111
- Tate
  - group  $T_\ell$ , 73
  - motive, 28
- tensor-nilpotent morphism, 54
- topological correspondence, 37
- trace isomorphism, 8
- transcendental
  - 2-cohomology for surface  $X$ , 17
- triangulated category, 110
  - of motives, 123
- truncation functors, 110
- vanishing lemma for symmetric and
  - alternating products of motives, 53
- Voevodsky
  - Conjecture, 63, 64
  - motive, 132
- Voevodsky-Voisin result on smash
  - nilpotence, 7, 19
- weak factorization
  - holds for  $k$ , 124
- weight
  - complex, 127, 128
  - spectral sequence, 130
- Weil
  - classical — cohomology, 8
  - cohomology, 7
  - Theorem on jacobians, 15
- Young
  - symmetrizer of a tableau, 52
  - tableau, 51
- zero cycles, 17