

# Index

- $\Sigma$ , 113
- $\sigma$ , 113
- $\sigma$ -algebra, 194
- $\omega$ -limit set of a map, 3
- $\omega$ -limit set of a point, 3
- $\omega(f)$ , 3
- $\omega(x, f)$ , 3
  
- accessible endpoint, 22
- adding machine, 148
- adjacency matrix, 9
- almost periodic point, 141
- approximately periodic point, 110
- arrow in a directed graph, 9
  
- $B(x, r), \overline{B}(x, r)$ , 1, 192
- Baire category theorem, 197
- basis of open sets, 193
- basis of the topology, 193
- $\text{Bd}(Y)$ , 1, 193
- bijection, bijective map, 199
- $B_n(x, \varepsilon)$ , 58
- Bolzano-Weierstrass theorem, 196
- Borel set, 194
- boundary of a set, 1, 193
- bounded set, 194
- Bowen ball, 58
- Bowen's formula, 59
- branching point of a topological graph, 6
  
- $\mathbb{C}$ , 1
- Cantor set, 197
- cardinal of a set, 1
- Cartesian product of sets, 191
- Cauchy sequence, 196
- chain of intervals, 7, 9
- chaos
  - chaos in the sense of Auslander-Yorke, 181
  - chaos in the sense of Devaney, 175
  - chaos in the sense of Li-Yorke, 109
  - chaos in the sense of Ruelle and Takens, 181
  - chaos in the sense of Wiggins, 181
  - dense  $\delta$ -chaos, 155
  - dense chaos, 155
  - generic  $\delta$ -chaos, 155
  - generic chaos, 155
  - strong chaos, 177
  - weak chaos, 117
- chaotic, *see* chaos
- circle in a topological graph, 6
- circumferential  $\omega$ -limit set, 132
- closed ball, 1, 192
- closed set, 192
- closure of a set, 1, 193
- cofinite set, 92
- compact set, 196
- complement of a set, 191
- complete space, 196
- concatenation of paths in a graph, 10
- concatenation of words, 188
- conjugacy, 4
- connect-the-dots map, 79
- connected component, 195
- connected set, 195
- continuous map, 199
- countable basis of open sets, 196
- countable set, 1
- cover, 57
- covering, 7, 9
- critical point, 5
- cycle in a directed graph, 10
- cycle of graphs, 6
- cycle of intervals, 5
  
- $d(A, B)$ , 193
- $d(x, y)$ , 1, 191
- decreasing, 5
- degenerate interval, 4
- degree of a circle map, 51
- dense  $\delta$ -chaos, 155
- dense chaos, 155
- dense set, 194
- $\text{diam}(Y)$ , 1, 194
- diameter of a set, 1, 194
- directed graph, 9
- disconnected set, 195

- discrete topology, 192
- distance, 191
- distance between two sets, 193
- distributional chaos, 168
- division, 92
- dynamical system, 2
  
- endpoint of a topological graph, 6
- endpoints of an interval, 4
- entropy, 57
- equivalent distances, 192
- eventually periodic homoclinic point, 67
- eventually periodic point, 3
- expanding, 14
- extremely scrambled set, 111
  
- Feigenbaum map, 50, 148
- finer cover, 57
- finite word, 188
- fixed point, 3
- full shift, 113
- fundamental cycle (in the graph of a periodic orbit), 42
  
- $G(f|P)$ , 76
- $G_\delta$ -set, 194
- generic  $\delta$ -chaos, 155
- generic chaos, 155
- graph (directed), 9
- graph (topological), 6
- graph associated to a family of intervals, 76
- graph map, 6
- graph of a periodic orbit, 42
  
- $h_A(f)$ , 133
- homeomorphism, 200
- homoclinic point, 67
- horseshoe, 52
- horseshoe for graph maps, 66
- $h_{top}(f)$ , 58
- $h_{top}(\mathcal{U}, f)$ , 58
  
- image of a set under a map, 199
- increasing, 5
- induced topology, 194
- infinite word, 188
- injective map, 199
- $\text{Int}(Y)$ , 1, 193
- interior of a set, 1, 193
- Intermediate value theorem, 6
- interval, 195
- interval ( $P$ -), 76
- interval in a topological graph, 6
- interval map, 4
- interval of integers, 1
- invariant set, 2
- inverse image of a set under a map, 199
- irrational rotation, 20
- irreducible matrix, 77
  
- isolated point, 197
  
- Lebesgue number, 197
- length of a word, 188
- length of an interval, 4
- leo, 21
- Li-Yorke pair, 109, 155
- lifting of a circle map, 51
- limit in a metric space, 192
- limit point of a sequence, 196
- limit point of a set, 193
- linear ( $P$ -), 79
- linear map, 5
- locally eventually onto, 21
- logistic family, 50
- lower bound, 202
- $LY(f, \delta)$ ,  $LY(f)$ , 155
  
- $M(f|P)$ , 76
- Markov map, 80
- Markov shift, 177
- maximal eigenvalue, 78
- maximal element, 202
- mean value inequality, 167
- metric space, 191
- minimal element, 202
- Misiurewicz's Theorem, 60
- mixing, 12
- mod  $n$ , 1
- monotone, 5
- monotone ( $P$ -), 79
- monotone (for graph maps), 6
- monotone graph map ( $P$ -), 83
- Mycielski's Theorem, 111
  
- $\mathbb{N}$ , 1
- $N(\mathcal{U})$ , 57
- neighborhood, 193
- $N_n(\mathcal{U}, f)$ , 57
- no division, 92
- nondecreasing, 5
- nondegenerate graph/tree, 6
- nondegenerate interval, 4
- nonnegative matrix, 77
- nonseparable ( $f$ -), 118
- norm of a matrix, 10
  
- odometer, 148
- $\mathcal{O}_f(x)$ ,  $\mathcal{O}_f(E)$ , 2
- one-to-one map, 199
- onto map, 199
- open ball, 1, 192
- open cover, 57, 196
- open set, 192
- orbit, 2
  
- $P$ -interval, 76
- $P$ -linear map, 79
- $P$ -monotone graph map, 83

- $P$ -monotone map, 79
- partial order/partially ordered set, 202
- partition, 57
- path in a directed graph, 10
- perfect set, 111
- period of a cycle of graphs, 6
- period of a cycle of intervals, 5
- period of a periodic point/orbit, 2
- periodic interval, 5
- periodic orbit, 3
- periodic point, 2
- Perron-Frobenius Theorem, 78
- piecewise linear map, 5
- piecewise monotone map, 5
- $P_n(f)$ , 3
- positive matrix, 77
- preimage of a set under a map, 199
- primitive cycle in a directed graph, 10
- primitive matrix, 77
- product of sets, 191
- product topology, 194
  
- $\mathbb{Q}$ , 1
  
- $\mathbb{R}$ , 1
- real interval, 195
- rescaling (of an interval map), 5
- restriction of a map, 1, 2
- $r_n(f, \varepsilon)$ , 58
- $r_n(A, f, \varepsilon)$ , 133
- rotation, 20
  
- scrambled set, 109
- scrambled set (extremally), 111
- semi-conjugacy, 4
- sensitive (to initial conditions), 26
- sensitivity, 26
- separable ( $f$ -), 118
- separated set  $((A, n, \varepsilon)$ -), 133
- separated set  $((n, \varepsilon)$ -), 58
- sequence entropy, 133
- Sharkovsky's order, 41
- Sharkovsky's Theorem, 41
- shift, 113
- simple directed graph, 10
- slope (of a linear map), 5
- $\text{slope}(f)$ , 5
- $s_n(f, \varepsilon)$ , 58
- $s_n(A, f, \varepsilon)$ , 133
- solenoidal  $\omega$ -limit set, 120, 132
- spanning set  $((A, n, \varepsilon)$ -), 133
- spanning set  $((n, \varepsilon)$ -), 58
- specification, 33
- spectral radius, 77
- square root of a map, 48, 88
- stable point, 26
- star, 51
- Štefan cycle, 43
- strictly monotone, 5
- strong transitivity, 22
- strongly invariant set, 2
- sub-additive sequence, 57
- subgraph (of a topological graph), 6
- subinterval, 195
- subsequence, 196
- subshift associated to a graph, 177
- subshift of finite type, 177
- subsystem, 2
- surjective map, 199
  
- tent map, 16
- topological conjugacy, 4
- topological dynamical system, 2
- topological entropy, 57
- topological graph, 6
- topological Markov shift, 177
- topological sequence entropy, 133
- topologically exact, 21
- topologically mixing, 12
- topologically weakly mixing, 12
- topology, 192
- total order/totally ordered set, 202
- totally independent set, 112
- totally transitive, 11
- $T_2$  (tent map),  $T_p$ , 15
- trajectory, 2
- transitive map, 11
- transitive set, 11
- tree, 6
- tree map, 6
- triadic Cantor set, 198
- triangular inequality, 191
- turbulent, 52
- turning points, 5
- type (for Sharkovsky's order), 46
  
- $U_\varepsilon(f)$ , 26
- $U^n$ , 57
- uniform convergence of a sequence of maps, 201
- uniform distance, 201
- uniformly continuous map, 200
- uniformly positive entropy, 105
- unimodal map, 50
- unstable manifold of a periodic point, 67
- unstable point, 26
- upe, 105
- upper bound, 202
  
- $\mathcal{V}(z)$ , 67
- vertex, vertices (in a directed graph), 9
  
- weak mixing, 12
- weakly unimodal, 154
- word, 188
- $W^u(z, f^p)$ , 67
- Zorn's Lemma, 202