

system is reduced to $y_{n+1} = Ay_n$, $\varphi_{n+1} - \varphi_n = \omega$.

What can one say after looking at the book? The Kiev School has known its time of flourishing with deep results and interesting applications. The book under review corresponds to the period when the only new stuff is merely the consideration of old ideas in some new area.

Let us end by mentioning the many places where the translation is unsatisfactory, which unfortunately is not the first such occurrence for translations from Russian made by nonspecialists. I want only to mention that many names of authors that were written with a transcription in Cyrillic were reconverted in Latin incorrectly. Here we note: Pew for Pugh, Peysoto for Peixoto, Yu. Mozer for J. Moser, Ya. Kurzweil for J. Kurzweil, Bol for Bohl, and Veksler for Wexler. Fortunately, the number of references to non-Russian-speaking authors is not very large.

ARISTIDE HALANAY
BUCHAREST UNIVERSITY

BULLETIN (New Series) OF THE
AMERICAN MATHEMATICAL SOCIETY
Volume 30, Number 1, January 1994
©1994 American Mathematical Society
0273-0979/94 \$1.00 + \$.25 per page

Multiplication of distributions and applications to partial differential equations,
by M. Oberguggenberger, Pitman Research Notes in Mathematics Series, vol.
259, Longman Scientific & Technical, Harlow, 1992, xvii+312 pp., \$39.00.
ISBN 0-582-08733-3

Multiplication of distributions and, in fact, various *nonlinear* operations on distributions or generalized functions happen to have quite a history. Some of the early sources of interest were in physics, where the Dirac delta-function δ has brought with it both convenient calculation methods and puzzlement about their rigorous justification. For instance, in quantum mechanics one would like to play with formulas such as

$$\begin{aligned}\delta \cdot (1/x) &= -\delta'/2, \\ \delta^2 - (1/x)^2/\pi^2 &= -(1/x^2)\pi^2, \\ (\delta_+)^2 &= -\delta'/4\pi i - (1/x^2)/4\pi^2, \\ (\delta_-)^2 &= \delta'/4\pi i - (1/x^2)/4\pi^2,\end{aligned}$$

where $\delta_+ = (\delta + (1/x)/\pi i)/2$ and $\delta_- = (\delta - (1/x)/\pi i)/2$; see [G-DS, M] or pages 18–20 of the book under review. However, such formulas could hardly be justified, except for certain rather ad hoc and questionable computational manipulations.

Another source of interest came from *nonlinear shock waves*. Indeed, even in the case of the basic equation

$$U_t(t, x) + U(t, x)U_x(t, x) = 0, \quad t \geq 0, \quad x \in \mathbb{R},$$

some of the simplest physically relevant solutions are given by the Riemann solvers

$$U(t, x) = u_l + (u_r - u_l)H(x - x_0 - st), \quad t \geq 0, \quad x \in \mathbb{R},$$

where $x_0, u_l, u_r \in \mathbb{R}$, $u_l > u_r$, $s = (u_l + u_r)/2$, while H is the Heaviside function. Yet such a solution is *no longer classical*, which in this case would of course mean that $U \in \mathcal{C}^1(\Omega)$, with $\Omega = [0, \infty) \times \mathbb{R}$. Now, if we tried—as physicists or engineers may often be tempted—to replace U given by the Riemann solver in the above equation, then the *nonlinear convective term* $U \cdot U_x$, so typical for many equations of physics, would immediately lead a mathematician to the problem of having to make sense of the *product* $H \cdot \delta$, a product in which H is *discontinuous*, while δ is *not* a usual function.

Here, however, we face two different kinds of difficulty. First, as we shall see in a moment, it is *not* at all *trivial* to build a good enough multiplication theory for generalized functions. Second, the multiplication of given generalized functions may present what can appear as a disturbingly *large variety* of possible outcomes. This latter point is quite well illustrated by the simple fact that the *weak* or generalized solutions of the type of the Riemann solvers are *different* for the shock wave equation and

$$(U^m)_t + U \cdot (U^m)_x = 0, \quad t \geq 0, \quad x \in \mathbb{R},$$

where $m \geq 2$. And this may appear rather surprising in view of the fact that, when it comes to their *classical*—that is, \mathcal{C}^1 -smooth—solutions, the two mentioned equations will have the same solutions.

The first difficulty above became obvious early, although for quite a while it suffered from various misinterpretations. Indeed, back in 1954 in [Sc] it was shown that one could not define a distribution multiplication without losing some of the usual properties of the product when restricted to insufficiently smooth—for instance, only \mathcal{C}^0 -smooth—functions; for details see pages 27–36 of the book under review or [R4, pp. 1–9]. Unfortunately, however, that fact has often been misinterpreted as, for instance, in the following citation: “It has been proved by Schwartz... that an associative multiplication of two arbitrary distributions cannot be defined,” [H, p. 9].

That first difficulty was not helped by the 1957 negative result in [L], which showed that the *linear* first-order PDE

$$U_{x_1} + iU_{x_2} - 2i(x_1 + ix_2)U_{x_3} = f(x), \quad x = (x_1, x_2, x_3) \in \mathbb{R}^3,$$

did not have distribution solutions in any neighbourhood of any point $x \in \mathbb{R}^3$, for f ranging over a large subset of $\mathcal{C}^\infty(\mathbb{R}^3)$.

In spite of such a state of affairs, starting with the late sixties, a massive theoretical effort got under way in order to find distributions or generalized solutions for large classes of nonlinear PDEs; see [Li] for one of the first such contributions. However, this effort has been undertaken without the existence of a *comprehensive* nonlinear theory of generalized functions. Instead, various functional analytic methods have been used, with the risk—long unnoticed—that the respective solution concepts may have been insufficiently clarified; for details see [R4, pp. 30–43].

A first comprehensive nonlinear theory of generalized functions was presented in [R1–R4], based on an *algebraic* rather than functional analytic

approach. Not much later in [C1–C3] a particular case of that theory was introduced and quite significantly developed in an independent way. Another stage was reached in [B], where *numerical* applications to nonlinear PDEs have been reported, showing once again the relevance, both theoretical and applicative, of the recent nonlinear theories of generalized functions. In this way since the late seventies there has been an ongoing development in such comprehensive nonlinear theories, the results being published in several dozen papers in addition to the books mentioned. One of the main achievements so far has been the solution of large classes of linear and nonlinear PDEs that earlier were unsolved or proved to be unsolvable within distributions or hyperfunctions.

The book under review comes as the latest important published contribution to the development of an *algebra* based nonlinear theory of generalized functions. The author's strong background in analysis, functional analysis, and nonlinear PDEs is quite clearly manifest in the book under review. In addition, he shows a deep understanding of a large variety of approaches to generalized functions, including the algebraic approach.

In this vein the book starts in the preface with an account of the essence of the problems faced by any nonlinear theory of generalized functions—namely, to deal with “... mathematical models that involve

- (a) nonlinear operations,
- (b) differentiation, and
- (c) the presence of singular objects, like measures or nondifferentiable functions... ”.

The author further points out that “classical nonlinear analysis can certainly deal with (a) and (b), while the theory of distributions has proved to be successful in handling (b) and (c) simultaneously... ”.

It remains, therefore, for any *nonlinear* theory of generalized functions to deal with (a), (b), and (c) *at the same time*.

Let us now review the main contributions of the book, which gives a well-selected, well-written, and rather concise overview of the subject and presents a wealth of connections with classical, more particular approaches. The various topics are presented with an original and particularly valuable insight, which in the words of the author tries—and in our view, clearly succeeds—“to emphasize ideas rather than generality”. Among them let us mention the following. In §§6–8 a good review of “intrinsic products” is presented. The sheaf structure of Colombeau's algebra $\mathcal{S}(\Omega)$ of generalized functions is detailed in §9, while §12 gives a number of variants of $\mathcal{S}(\Omega)$ which are useful in solving different classes of linear and nonlinear PDEs.

Coming to nonlinear PDEs, semilinear and quasilinear hyperbolic systems are presented in §§13–20 in the context of generalized solutions. This presentation, among others, can serve as a good introduction to the respective subjects. In particular in §§19 and 20 rather general, possibly *nonconservative* nonlinear PDEs and their weak solutions are studied.

A concise account of the general algebraic theory is presented in §§21 and 22, followed by *nonstandard* approaches to generalized functions, to which §23 gives a good introduction. Indeed, the discourse in §23 is kept focused on the basic structures and facts without technical complications, such as those related to ultrapowers. Instead, the natural sequential approach, pioneered by Schmieden

and Laugwitz [SL], is given its proper emphasis.

The book also contains a number of original contributions of the author. Among those already published elsewhere we mention Proposition 7.6 on page 63, which deals with the Fourier and strict product defined for certain distributions. Examples (d) and (e) on pages 70–72 highlight certain properties of such or related products. Theorems 15.1 and 15.2 on pages 137–145 give rather powerful results on delta-waves for general hyperbolic systems in two independent variables. A whole set of existence and uniqueness results in Colombeau's sense can be found in §§16–20. Finally, §24 on delta wave solutions of hyperbolic systems is another of the author's previously published original contributions.

Concerning the author's original results not published elsewhere, we mention the duality method in §5 and Proposition 7.8 on page 65. The same holds for the alternative proof of Theorem 15.2 on pages 143–145. Finally, the regularity theory of §25 also belongs to the author's list of new and unpublished original contributions.

In conclusion, this book is highly recommended both for first-time readers in generalized functions and for those who enjoy a certain familiarity with the subject. For both categories of readers a main attraction of the book is its focus on ideas rather than on generality. Also, it presents an impressive array of concepts, results, and applications, which include many of the most basic nonlinear PDEs. For the reader more familiar with the subject, the depth of insight and analysis at various places in the book can only be an additional incentive and reward.

REFERENCES

- [B] H. A. Biagioni, *A nonlinear theory of generalized functions*, Lecture Notes in Math., vol. 1421, Springer-Verlag, New York, 1990.
- [C1] J. F. Colombeau, *New generalized functions and multiplication of distributions*, North-Holland Math. Stud., vol. 84, North-Holland, Amsterdam and New York, 1984.
- [C2] ———, *Elementary introduction to new generalized functions*, North-Holland Math. Stud., vol. 113, North-Holland, Amsterdam and New York, 1985.
- [C3] ———, *Multiplication of distributions*, Lecture Notes in Math., vol. 1532, Springer-Verlag, Heidelberg, 1992.
- [G-DS] A. Gonzales Dominguez and R. Scarfiello, *Nota sobre la formula v.p. $\frac{1}{x} \cdot \delta = -\frac{1}{2}\delta'$* , Rev. Un. Mat. Argentina **1** (1956), 53–67.
- [H] L. Hörmander, *Linear partial differential operators* (fourth printing), Springer-Verlag, New York, 1976.
- [L] H. Lewy, *An example of a smooth linear partial differential equation without solution*, Ann. of Math. (2) **66** (1957), 155–158.
- [Li] J. L. Lions, *Quelque methodes de resolution des problemes aux limites nonlineaires*, Dunod, Paris, 1969.
- [M] J. Mikusinski, *On the square of the Dirac delta distribution*, Bull. Acad. Polon. Sci. **14** (1966), 511–513.
- [R1] E. E. Rosinger, *Distributions and nonlinear partial differential equations*, Lecture Notes in Math., vol. 684, Springer-Verlag, New York, 1978.
- [R2] ———, *Nonlinear partial differential equations, sequential and weak solutions*, North-Holland Math. Stud., vol. 44, North-Holland, Amsterdam and New York, 1980.
- [R3] ———, *Generalized solutions of nonlinear partial differential equations*, North-Holland Math. Stud., vol. 146, North-Holland, Amsterdam and New York, 1987.

- [R4] ———, *Nonlinear partial differential equations, an algebraic view of generalized solutions*, North-Holland Math. Stud., vol. 164, North-Holland, Amsterdam and New York, 1990.
- [SL] C. Schmeiden and D. Laugwitz, *Eine erweiterung der infinitesimalrechnung*, Math. Z. **69** (1958), 1–39.
- [Sc] L. Schwartz, *Sur l'impossibilité de la multiplication des distributions*, C. R. Acad. Sci. Paris Sér. I Math. **239** (1954), 847–848.

ELEMÉR E. ROSINGER
UNIVERSITY OF PRETORIA

BULLETIN (New Series) OF THE
AMERICAN MATHEMATICAL SOCIETY
Volume 30, Number 1, January 1994
©1994 American Mathematical Society
0273-0979/94 \$1.00 + \$.25 per page

Handbook of integration, by Daniel Zwillinger. Jones & Bartlett Publishers, Boston, MA, 1992, xvi+367 pp., \$49.95. ISBN 0-86720-293-9

There are now many sources for possible solutions to the diverse collection of integration problems that arise in mathematics. We have the traditional tables of integrals, books on the theory of integration, and books on numerical methods. We also have access to numerical software libraries and symbolic mathematics computing systems. In addition, we also have a large variety of methods that are scattered through books and papers on pure and applied mathematics. This book is an attempt to provide a comprehensive survey of these integration methods. It is a compilation of methods that the author began collecting when he was a graduate student.

The book is organized as a collection of eighty-three short sections. These are somewhat loosely arranged under the six chapter headings: Applications, Concepts and definitions, Exact analytical methods, Approximate analytical methods, Numerical methods concepts, and Numerical methods techniques. Each section usually begins with short entries under the categories: applicable to, yields, and idea. These entries are followed by more extensive discussion under the categories: procedure, examples, notes, and references. The references are extensive and up to date. For example, §50, entitled “Stationary Phase”, begins:

Applicable to

Integrals of the form $I(\lambda) = \int_a^b g(x)e^{i\lambda f(x)} dx$, where $f(x)$ is a real-valued function.

Yields

An asymptotic approximation when $\lambda \gg 1$.

Idea

For $\lambda \rightarrow \infty$ the value of $I(\lambda)$ is dominated by the contributions at those points where $f(x)$ is a local minimum.

The section continues with a half-page description of the procedure and a half-page example. This is followed by one and one-half pages of notes and ten references. The references range from a 1918 paper by G. N. Watson to a 1991 paper by J. P. McClure and R. Wong and include three books. The section is typical. The mathematics is clear and concise. There is enough information for the reader who wants a short discussion of the topic of interest, and there are good references for someone who wants more detail.