

TABLE ERRATA

379.—MILTON ABRAMOWITZ & IRENE A. STEGUN, Editors, *Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables*, National Bureau of Standards, Applied Mathematics Series, No. 55, U. S. Government Printing Office, Washington, D. C., 1964, and all known reprints.

On p. 888, in Section 25.4.33 change x_j to x_i in the formula for the weights w_i .

D. S.

On p. 1026, in Eq. 29.3.74, for $\sum_{n=0}^{\infty} u(t - n\pi) \sin t$, read $\sum_{n=0}^{\infty} (-1)^n u(t - n\pi) \sin t$. The associated graph of $F(t)$ is correctly shown.

MICHAEL GREENEBAUM

Department of Physics
Massachusetts Institute of Technology
Cambridge, Massachusetts

380.—RICHARD BARAKAT, AGNES HOUSTON, AND ELGIE LEVIN, "Power series expansions of Mathieu functions with tables of numerical results," *J. Mathematical Phys.*, v. 42, 1963, pp. 200–247.

Dr. Gertrude Blanch has called attention to the fact, that the coefficient of h^8 in the expression for Do_9^1 in eq(2.18) is ten times too large. Consequently, we have rechecked our calculations, and thereby discovered the following corrections to be necessary:

p. 203, eq(2.18); the coefficient of h^8 in Do_9^1 should read $\frac{h^8}{188743680}$.

p. 208, eq(3.11); the term involving h^8 should read $\frac{91h^8}{47185920}$.

p. 209, eq(3.22); the term involving h^8 should read $\frac{59h^8}{47185920}$.

p. 212, eq(3.42a); the term involving h^8 should read $\frac{229h^8}{11796480}$, and the term $h^4/1536$ was inadvertently omitted from the series within the second set of parentheses.

p. 212, eq(3.42b); the term involving h^8 should also read $229h^8/11796480$.

In the table near the bottom of p. 206, the entries in the column headed Do_9^1 should be:

NBS Tables	—.(5)16
power series	—.(5)14
difference	.(5)02

The footnote to this table should be omitted.

RICHARD BARAKAT

Itek Laboratories
Lexington, Massachusetts

381.—M. CLARK, JR. & K. F. HANSEN, *Numerical Methods of Reactor Analysis*, Academic Press, New York, 1964.

On p. 62, in equation 2.3.23, the coefficient of

$$\left(h \frac{d}{dx}\right)^{2n+4}$$

appearing in the third term of the right member should read $n(5n-1)/1440$ instead of $n/360$.

JOHN P. CHURCH

E. I. du Pont de Nemours & Company
Savannah River Laboratory
Aiken, South Carolina

382.—G. N. LANCE, *Numerical Methods for High Speed Computers*, Iliffe & Sons, London, 1960.

On p. 150, in Table 6.7.2, the heading of the second column should read $1/u_i^{(n)}$ instead of $1/p_i^{(n)}$, and the imaginary part of $A_i^{(8)}$ for $i = 7$ and 8 should read ∓ 13549.0 instead of ± 13549.0 .

FILIPPO ALUFFI

Sispre-Via Salaria, 913
Rome, Italy

383.—N. W. McLACHLAN, P. HUMBERT & L. POLI, *Supplement au Formulaire pour le Calcul Symbolique*, Mémorial des Sciences Mathématiques, fasc. 113, 1950.

In addition to errata previously announced [1], the following corrections should be made:

p. 9, last formula; for $\psi^{(n)}(1+x)$, read $\psi^{(n)}(x)$.

p. 26, third formula from bottom; for $\zeta(2, \nu)$, read $\zeta(2, \nu + 1)$.

p. 26, penultimate formula; the right side should read

$$p^{-\nu} \Gamma(\nu + 1) \{[\psi(\nu + 1) - \log p]^3 + 3[\psi(\nu + 1) - \log p]\zeta(2, \nu + 1) - 2\zeta(3, \nu + 1)\}, R(\nu) > -1.$$

VAN E. WOOD

Battelle Memorial Institute
Columbus, Ohio

1. *MTAC*, v. 6, 1952, p. 101, MTE 206; v. 7, 1953, p. 105, MTE 222.

384.—MARY G. NATRELLA, *Experimental Statistics*, NBS Handbook 91, U. S. Government Printing Office, Washington, D. C., 1963.

Comparison of Table A-7 (Factors for One-Sided Tolerance Limits for Normal Distributions) with the more recent tables [1] of the writer has revealed a number of terminal-digit errors in that part of the Handbook. In some entries these errors vitiate the second decimal place. The largest observed error corresponds to $\gamma = 0.99$, $P = 0.999$, and $n = 6$, where 9.540 should be replaced by 9.550.

The following corrections should be made in Table A-35 (Critical Values of Smaller Rank Sum for the Wilcoxon-Mann-Whitney Test):

n_1	n_2	α for one-sided test	for	read
4	13	.005	14	13
13	19	.005	147	148
14	19	.025	182	183
2	14	.05	5	6
3	9	.05	9	10
2	14	.10	7	8

D. B. OWEN

Sandia Corporation
Sandia Base
Albuquerque, New Mexico

1. D. B. OWEN, *Factors for One-Sided Tolerance Limits and for Variables Sampling Plans*, Sandia Corporation Monograph SCR-607. (Reviewed in *Math. Comp.*, v. 18, 1964, pp. 155-156, RMT 10.)

385.—R. H. RITCHIE & A. Y. SAKAKURA, "Asymptotic expansions of solutions of the heat conduction equation in internally bounded cylindrical geometry," *J. Appl. Phys.*, v. 27, 1956, pp. 1453-1459.

A new calculation to 12D of the entries in Table II (Derivatives of the gamma function), appearing on p. 1458, has revealed the following errors in the terminal digits of eight entries in this 8D table.

n	ν	for	read
1	3	8	7
2	2	7	6
2	3	3002	2999
3	1	2	6
3	2	4	2
3	3	10	01
4	1	2	8
4	3	68	58

The accuracy of the corresponding entries in the table of Jeffery [1] was confirmed to at least 9S.

VAN E. WOOD

Battelle Memorial Institute
Columbus, Ohio

1. H. M. JEFFERY, "On the derivatives of the Γ -function," *Quart J. Math.*, v. 6, 1864, pp. 82-108.

386. —HJ. TALLQVIST, *Tafeln der 24 ersten Kugelfunktionen $P_n(\cos \theta)$* , Societas Scientiarum Fennica, Commentationes Physico-Mathematicae, VI, No. 3, 1932.

The tabular entries $P_n(\cos \theta)$ for $\theta = 0^\circ(1^\circ)90^\circ$ and $n = 1(1)24$ were checked. The following tabular entries should be changed as indicated.

θ	n	for	read
15°	16	— .39950	— .35950
60°	23	.00452	.04524

The following tabular entries should be *increased* by 1 in the last (fifth) place:

θ	n	θ	n	θ	n	θ	n
1°	22	17°	13	39°	22	67°	14
4°	9	20°	18	46°	19	67°	17
4°	16	25°	20	51°	10	69°	17
4°	19	26°	19	51°	13	79°	13
13°	10	35°	13	64°	15	85°	18
				65°	20	85°	21

The following tabular entries should be *decreased* by 1 in the last (fifth) place:

θ	n	θ	n	θ	n	θ	n
6°	20	10°	18	34°	13	64°	17
7°	10	15°	18	41°	21	65°	11
7°	15	24°	19	41°	23	75°	24
8°	14	34°	11	57°	20	85°	10

H. H. DENMAN
E. J. KACZOR

Wayne State University
Detroit, Michigan

HJ. TALLQVIST, *Tafeln der Kugelfunktionen $P_{25}(\cos \theta)$ bis $P_{32}(\cos \theta)$* , Societas Scientiarum Fennica, Commentationes Physico-Mathematicae, VI, No. 10, 1932.

The tabular entries $P_n(\cos \theta)$ for $\theta = 0^\circ(1^\circ)90^\circ$ and $n = 25(1)32$ were checked. The following tabular entries should be changed as indicated:

θ	n	for	read
46°	30	— .02304	+ .02304
61°	30	.14898	.14894
61°	31	.03584	.03581

The following tabular entries should be *increased* by 1 in the last (fifth) place:

θ	n	θ	n	θ	n	θ	n
2°	30	16°	31	22°	30	26°	31
2°	31	18°	31	23°	26	27°	27
3°	27	19°	30	26°	28	34°	31
13°	31	19°	31	26°	29	38°	29
14°	31	20°	25	26°	30	72°	25

The following tabular entries should be *decreased* by 1 in the last (fifth) place:

θ	n	θ	n	θ	n	θ	n
2°	26	13°	26	38°	26	69°	29
2°	27	21°	31	39°	25	69°	31
5°	30	24°	31	39°	29	71°	27
5°	31	25°	30	41°	31	71°	30
7°	31	25°	31	58°	29	71°	32
8°	29	33°	32	59°	29	77°	28
11°	27						

H. H. DENMAN
E. J. KACZOR

HJ. TALLQVIST, *Sechsstellige Tafeln der 32 ersten Kugelfunktionen $P_n(\cos \theta)$* , Acta Societatis Scientiarum Fennicae, Nova Series A, Tom. II, No. 11, 1938.

The tabular entries $P_n(\cos \theta)$ for $\theta = 0^\circ(1^\circ)90^\circ$ and $n = 1(1)32$ were checked. The following tabular entries should be changed as indicated.

θ	n	for	read
8°	23	-.340689	-.340690
87°	9	.123677	.123676
90°	12	.225486	.225586

H. H. DENMAN
E. J. KACZOR

387.—A. WALTHER, "Anschauliches zur Riemannschen Zetafunktion," *Acta Math.*, v. 48, 1926, pp. 393-400.

On p. 400, in the table of $\zeta'(s)/\zeta(s)$, the following terminal-digit corrections should be made.

s	for	read
1.7	...822	...823
4.1	...343	...342
6.3	...689	...688

ROBERT SPIRA

University of Tennessee
Knoxville, Tennessee

EDITORIAL NOTE: Similar corrections are required in H. B. Dwight, *Mathematical Tables*, first edition, McGraw-Hill, New York, 1941 (p. 227); second edition, Dover, New York, 1958 (p. 215), where this table has been reproduced.