

Computation of Tangent, Euler, and Bernoulli Numbers*

By Donald E. Knuth and Thomas J. Buckholtz

Abstract. Some elementary methods are described which may be used to calculate tangent numbers, Euler numbers, and Bernoulli numbers much more easily and rapidly on electronic computers than the traditional recurrence relations which have been used for over a century. These methods have been used to prepare an accompanying table which extends the existing tables of these numbers. Some theorems about the periodicity of the tangent numbers, which were suggested by the tables, are also proved.

1. Introduction. The tangent numbers T_n , Euler numbers E_n , and Bernoulli numbers B_n , are defined to be the coefficients in the following power series:

$$(1) \quad \tan z = T_0/0! + T_1z/1! + T_2z^2/2! + \cdots = \sum_{n \geq 0} T_n z^n / n!,$$

$$(2) \quad \sec z = E_0/0! + E_1z/1! + E_2z^2/2! + \cdots = \sum_{n \geq 0} E_n z^n / n!,$$

$$(3) \quad z/(e^z - 1) = B_0/0! + B_1z/1! + B_2z^2/2! + \cdots = \sum_{n \geq 0} B_n z^n / n!.$$

Much of the older mathematical literature uses a slightly different notation for these numbers, to take account of the zero coefficients. Thus we find many papers where $\tan z$ is written $T_1z + T_2z^3/3! + T_3z^5/5! + \cdots$, $\sec z$ is written $E_0 + E_1z^2/2! + E_2z^4/4! + \cdots$, and $z/(e^z - 1)$ is written $1 - z/2 + B_1z^2/2! - B_2z^4/4! + B_3z^6/6! \cdots$. Some other authors have used essentially the notation defined above but with different signs; in particular our E_{2n} is often accompanied by the sign $(-1)^n$.

In Section 2 we present simple methods for computing T_n , E_n , and B_n which are readily adapted to electronic computers, and in Section 3 more details of the computer program are explained. A table of T_n and E_n for $n \leq 120$, and B_n for $n \leq 250$, is appended to this paper, thereby extending the hitherto published values of T_n for $n \leq 60$ [6], E_n for $n \leq 100$ [2, 3], and B_n for $n \leq 220$ [7, 4].

Using the methods of this paper it is not difficult to extend the tables much further, and the authors have submitted a copy of the values of T_n ($n \leq 835$), E_n ($n \leq 808$), B_n ($n \leq 836$) to the Unpublished Mathematical Tables repository of this journal.

Section 4 shows how the formulas of Section 2 lead to some simple proofs of arithmetical properties of these numbers.

2. Formulas for Computation. The traditional method of calculating T_n and E_n is to use recurrence relations, such as the following: Let $\cos z = \sum_{n \geq 0} C_n z^n / n!$;

Received February 6, 1967.

* Supported in part by NSF Grant GP 3909.

then the coefficient of $z^n/n!$ in $(\tan z)(\cos z)$ is

$$\sum_k \binom{n}{k} T_k C_{n-k}$$

and in $(\sec z)(\cos z)$ it is

$$\sum_k \binom{n}{k} E_k C_{n-k}.$$

Hence, making use of the fact that $T_{2n} = E_{2n+1} = 0$, we have the recurrence relations

$$(4) \quad \binom{2n+1}{1} T_1 - \binom{2n+1}{3} T_3 + \cdots + (-1)^n \binom{2n+1}{2n+1} T_{2n+1} = 1, \quad n \geq 0;$$

$$(5) \quad \binom{2n}{0} E_0 - \binom{2n}{2} E_2 + \cdots + (-1)^n \binom{2n}{2n} E_{2n} = 0, \quad n > 0.$$

The disadvantage of these formulas is that the binomial coefficients as well as the numbers T_n, E_n become very large when n is large, so a time-consuming multiplication of multiple-precision numbers is implied. As Lehmer [4] has observed, we may simplify the calculations if we remember the values of

$$\binom{2n+1}{k} T_k, \quad \binom{2n}{k} E_k$$

so that when n increases by 1 we need only multiply

$$\binom{2n+1}{k} T_k$$

by

$$\frac{(2n+2)(2n+3)}{(2n+2-k)(2n+3-k)}$$

to get the next value; but the method to be described here is even simpler and has other advantages.

The tangent numbers may be evaluated by noting that $D(\tan^n z)$ is $n \tan^{n-1} z (1 + \tan^2 z)$; hence the n th derivative of $\tan z$ is a polynomial in $\tan z$. We have $D^n(\tan z) = P_n(\tan z)$, where the polynomials $P_n(x)$ are defined by

$$(6) \quad P_1(x) = x, \quad P_{n+1}(x) = (1+x^2)P_n'(x).$$

Thus if we write

$$D^n(\tan z) = T_{n0} + T_{n1} \tan z + T_{n2} \tan^2 z + \cdots$$

the coefficients T_{nk} satisfy the recurrence equation

$$(7) \quad T_{0k} = \delta_{1k}; \quad T_{n+1,k} = (k-1)T_{n,k-1} + (k+1)T_{n,k+1}.$$

Since $T_n = D^n(\tan z)|_{z=0} = T_{n0}$, and since T_{nk} is zero except for at most $(n+3)/2$ values of k , formula (7) shows that the calculation of all $T_{n+1,k}$ from the values of $T_{n,k}$ essentially requires only $(n+2)/2$ multiplications of a small number k by a

large number $T_{n,k}$ and $n/2$ additions of large numbers. Since we are interested only in T_{n_0} for odd values of n , we might try to use the relation

$$T_{n+2,k} = (k - 2)(k - 1)T_{n,k-2} + 2k^2T_{n,k} + (k + 1)(k + 2)T_{n,k+2}$$

but a count of the operations involved shows this provides little if any improvement over (7), and so the simpler form (7) is preferable.

Similarly, we have $D(\sec z \tan^n z) = \sec z (n \tan^{n-1} z + (n + 1)\tan^{n+1} z)$, hence if we write

$$(8) \quad D^n(\sec z) = (\sec z)(E_{n0} + E_{n1} \tan z + E_{n2} \tan^2 z + \dots)$$

we have the recurrence

$$(9) \quad E_{0k} = \delta_{0k} ; \quad E_{n+1,k} = kE_{n,k-1} + (k + 1)E_{n,k+1} .$$

Since $E_n = E_{n0}$, this relation yields an efficient method for calculating the Euler numbers. A somewhat similar recurrence relation was used by Joffe [3] to calculate Euler numbers; his method requires essentially the same amount of computation, but as explained in the next section there is a way to modify (9) to obtain a considerable advantage.

The identities $\tan (\pi/4 + z/2) = \tan z + \sec z$ and $D^n(\tan (\pi/4 + z/2)) = 2^{-n}P_n(\tan (\pi/4 + z/2))$ imply that the sums of the numbers T_{nk} have a very simple form:

$$(10) \quad 2^{-n}P_n(1) = 2^{-n} \sum_{k \geq 0} T_{nk} = \begin{cases} E_n, & n \text{ even} , \\ T_n, & n \text{ odd} . \end{cases}$$

This relation can be used to advantage when both E_n and T_n are being calculated.

The definition of $\tan z$ implies

$$\begin{aligned} \tan z &= \frac{\sin z}{\cos z} = \frac{(e^{iz} - e^{-iz})}{i(e^{iz} + e^{-iz})} = \frac{1}{z} \left(\frac{2iz}{e^{2iz} + 1} - iz \right) = \frac{1}{z} \left(\frac{2iz}{e^{2iz} - 1} - \frac{4iz}{e^{4iz} - 1} - iz \right) \\ &= \frac{1}{z} \left(-iz + \sum_{n \geq 0} ((2iz)^n - (4iz)^n)B_n/n! \right) ; \end{aligned}$$

and by equating coefficients we obtain the well-known identity

$$(11) \quad B_n = -i^{-n}nT_{n-1}/2^n(2^n - 1) , \quad n > 1 .$$

Hence, the Bernoulli numbers may be obtained from the tangent numbers by a calculation which (on a binary computer) is especially simple.

The celebrated von Staudt-Clausen theorem [8, 1] states that

$$(12) \quad B_{2n} = C_{2n} - \sum_{p \text{ prime}; (p-1) \mid 2n} \frac{1}{p}$$

where C_{2n} is an integer. The table appended to this paper expresses B_n in this form, and, as shown below, the calculation of (11) may be carried out without any multiple-precision division.

3. Details of the Computation. By the recurrence (7) we may discard the value of $T_{n,k}$ once $T_{n+1,k+1}$ has been calculated, so only about n of the values $T_{n,k}$ need

to be retained in the computer memory at any one time. A further technique can be employed when the memory size has been exceeded; for example, suppose we start with the computation of T_{nk} for $n \leq 4$:

	$k = 0$	$k = 1$	$k = 2$	$k = 3$	$k = 4$	$k = 5$
$n = 0$	0	1				
$n = 1$	1	0	1			
$n = 2$	0	2	0	2		
$n = 3$	2	0	8	0	6	
$n = 4$	0	16	0	40	0	24

and suppose that very little memory space is available, so that we cannot completely evaluate all of the entries for $n = 5$; we might obtain

$n = 5$	16	0	136	0	240	0	*
---------	----	---	-----	---	-----	---	---


where “*” denotes an unknown value. The calculation may still proceed, keeping track of unknown values:

$n = 6$	0	272	0	1232	0	*
$n = 7$	272	0	3968	0	*	
$n = 8$	0	7936	0	*		
$n = 9$	7936	0	*			etc.

In this way we may compute the values of about twice as many tangent numbers as were produced before overflow occurred, avoiding much of the calculation of the $T_{n,k}$.

Since the numbers T_n become very large (T_{835} has 1866 digits, and T_n is asymptotically $2^{n+2}n!/\pi^{n+1}$ when n is odd), care needs to be taken for storage allocation of the numbers $T_{n,k}$ if we are to make efficient use of memory space. The program we prepared makes use of two rather small areas of memory (say A and B) each of which is capable of holding any one of the numbers $T_{n,k}$, plus a large number of consecutive locations used for all the remaining values. By sweeping cyclically through this large memory area, it is possible to store and retrieve the values in a simple manner.

For the sake of illustration let us suppose the word size of our computer is very small, so that only one decimal digit may be stored per word; and suppose there are just 14 words of memory used for the table of $T_{n,k}$. After the calculation of the values for $n = 4$, the memory might have the following configuration:



Here P and Q represent variables in the program that point to the current places of interest in the memory; P points to the number that will be accessed next, and Q points to the place where the next value is to be written. Only locations from P to Q contain information that will be used subsequently by the program. The symbols “.” and “,” represent special negative codes in the table which delimit the numbers in an obvious fashion. As we begin the calculation for $n = 5$, we set area A to zero and a variable k to 1. The basic cycle is then:

(a) Set area B to k times the next value indicated by P , and move P to the right.

(b) Store the value of $A + B$ into the locations indicated by Q , and move Q to the right.

(c) Transfer the contents of B to area A .

(d) Increase k by 2.

In the case of (13) we would change the memory configuration to

$$(14) \quad \begin{array}{cccccccccccccccc} \boxed{6} & | & \boxed{\cdot} & | & \boxed{1} & | & \boxed{6} & | & \boxed{,} & | & \boxed{4} & | & \boxed{0} & | & \boxed{,} & | & \boxed{2} & | & \boxed{4} & | & \boxed{\cdot} & | & \boxed{1} & | & \boxed{6} & | & \boxed{,} & | \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} \uparrow & & & & & & & & & & \uparrow & & & & & & & & & & & & & & & & & & & \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} Q & & & & & & & & & & P & & & & & & & & & & & & & & & & & & & \end{array}$$

$$k = 3 \quad A = 16 \quad B = 16$$

Notice that the value 16 has been stored, the pointer Q has moved to the right and (treating the memory as a circular store) then to the far left. The next two iterations of steps (a)–(d) give

$$(15) \quad \begin{array}{cccccccccccccccc} \boxed{1} & | & \boxed{3} & | & \boxed{6} & | & \boxed{,} & | & \boxed{2} & | & \boxed{4} & | & \boxed{0} & | & \boxed{,} & | & \boxed{2} & | & \boxed{4} & | & \boxed{\cdot} & | & \boxed{1} & | & \boxed{6} & | & \boxed{,} & | \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & \uparrow & & & & & & \uparrow & & & & & & & & & & & & \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & Q & & & & & & P & & & & & & & & & & & & & \end{array}$$

$$k = 7 \quad A = 120 \quad B = 120$$

Now since the terminating “.” was sensed, the program attempts to store the value from area A ; but since this would make pointer Q pass P , the “memory overflow” condition is sensed, and the memory configuration becomes

$$(16) \quad \begin{array}{cccccccccccccccc} \boxed{1} & | & \boxed{3} & | & \boxed{6} & | & \boxed{,} & | & \boxed{2} & | & \boxed{4} & | & \boxed{0} & | & \boxed{,} & | & \boxed{*} & | & \boxed{2} & | & \boxed{0} & | & \boxed{1} & | & \boxed{6} & | & \boxed{,} & | \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & \uparrow & & & & & & \uparrow & & & & & & & & & & & & \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & Q & & & & & & P & & & & & & & & & & & & \end{array}$$

where “*” is another internal code symbol. The computation for $n = 6$ is similar but it uses a different initialization since n is even; after $n = 6$ has been processed we would have

$$(17) \quad \begin{array}{cccccccccccccccc} \boxed{2} & | & \boxed{3} & | & \boxed{2} & | & \boxed{,} & | & \boxed{*} & | & \boxed{4} & | & \boxed{0} & | & \boxed{,} & | & \boxed{*} & | & \boxed{2} & | & \boxed{7} & | & \boxed{2} & | & \boxed{,} & | & \boxed{1} & | \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & \uparrow & & & & & & \uparrow & & & & & & & & & & & & \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & Q & & & & & & P & & & & & & & & & & & & \end{array}$$

and so on.

The above discussion has been slightly simplified for purposes of exposition. In the actual program, it is preferable to keep the numbers stored with least significant digit first, so that for example (16) would really be

$$(18) \quad \begin{array}{cccccccccccccccc} \boxed{6} & | & \boxed{3} & | & \boxed{1} & | & \boxed{,} & | & \boxed{0} & | & \boxed{4} & | & \boxed{2} & | & \boxed{,} & | & \boxed{*} & | & \boxed{2} & | & \boxed{1} & | & \boxed{6} & | & \boxed{1} & | & \boxed{,} & | \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & \uparrow & & & & & & \uparrow & & & & & & & & & & & & \end{array}$$

$$\quad \quad \quad \begin{array}{cccccccccccccccc} & & & & & & & & & & Q & & & & & & P & & & & & & & & & & & & \end{array}$$

in order to simplify the multiple-precision operations. A few other changes in the sequence of operations were made in order to use memory a little more efficiently (for example the value T_{n_0} need never be retained).

A similar method may be used for E_n . This arrangement of the computation gives a substantial advantage over Joffe's method [3] because of the “*”, and it

also has advantages over (10) for the same reason.

It remains to consider the calculation of the Bernoulli number B_{2n} from T_{2n-1} . Consider formula (12); if p is an odd prime, $2^{p-1} \equiv 1 \pmod{p}$, hence if $(p-1) \setminus 2n$, then $2^{2n} - 1$ is divisible by p . So we first compute the integer

$$(19) \quad N = (-1)^{n-1} 2n T_{2n-1} + \sum_{p \text{ prime}; (p-1) \setminus 2n} \frac{(2n)(2^{2n})(2^{2n} - 1)}{p}$$

by referring to an auxiliary table of primes that may be calculated at the beginning of the program. Then it is merely a question of computing

$$(20) \quad C_{2n} = N/2^{2n}(2^{2n} - 1) = N/2^{4n} + N/2^{6n} + N/2^{8n} + \dots$$

The calculation of $N/2^k$ is of course merely a ‘‘shift right’’ operation in a binary computer, so all the terms of the infinite series on the right side of (20) are readily computed. This series converges very rapidly, and we know C_{2n} is an integer, so we need only carry out the calculation indicated in (20) until it converges one word-size (35 bits) to the right of the decimal point. It is simple to check at the same time that C_{2n} is indeed very close to an integer, in order to verify the computations.

4. Periodicity of the Sequences. Examination of the tables produced by the computer program shows that the unit’s digits of the nonzero tangent numbers repeat endlessly in the pattern 2, 6, 2, 6, 2, 6, starting with T_3 ; furthermore the two least significant digits ultimately form a repeating period of length 10: 16, 72, 36, 92, 56, 12, 76, 32, 96, 52, 16, 72, The three least significant digits have a period of length 50, and for four digits the period-length is 250. These empirical observations suggest that theoretical investigation of period-length might prove fruitful.

THEOREM 1. *Let p be an odd prime, and let λ be the period-length of the sequence $\langle T_n \pmod{p} \rangle$. Then*

$$(21) \quad \lambda = \begin{cases} p - 1, & p \equiv 1 \pmod{4} \\ 2(p - 1), & p \equiv 3 \pmod{4} \end{cases}$$

and

$$(22) \quad T_{n+\lambda} \equiv T_n \pmod{p} \quad \text{for all } n \geq 0.$$

Proof. It is clear from the recurrence relation (7) that the sequence $\langle T_n \pmod{p} \rangle$ is determined by the recurrence equation

$$(23) \quad y_{n+1} = Ay_n$$

where the vector y_n and the matrix A are defined by

$$(24) \quad A = \begin{bmatrix} 0 & 2 & & & & & & & & & & \\ 1 & 0 & 3 & & & & & & & & & \\ & & 2 & 0 & 4 & & & & & & & \\ & & & 3 & \cdot & & & & & & & \\ & & & & & \cdot & & & & & & \\ & & & & & & \cdot & & & & & \\ & & & & & & & 0 & & & & \\ & & & & & & & 0 & p - 1 & & & \\ & & & & & & & p - 2 & 0 & & & \end{bmatrix}, \quad y_n = \begin{bmatrix} T_{n,1} \\ T_{n,2} \\ \cdot \\ \cdot \\ \cdot \\ T_{n,p-1} \end{bmatrix}.$$

For $T_{n,k}$ can contribute nothing to any subsequent value of T_n when $k \geq p$.

We will show below that the minimum polynomial equation satisfied by A is

$$(25) \quad A^{p-1} - (-1)^{(p-1)/2} I \equiv 0 \pmod{p};$$

hence (22) is valid for the value of λ given by (21). It remains to show that λ is the true period-length of the sequence, not merely a multiple of the period.

Accordingly, suppose $T_{n+\lambda'} \equiv T_n \pmod{p}$ for some positive $\lambda' \leq \lambda$ and all large n . In view of (22) this congruence must hold for all $n \geq 0$. Let $y = y_{\lambda'} - y_0$; then $p(A^n y) \equiv 0$ for all $n \geq 0$ where p denotes the projection onto the first component of the vector $A^n y$. But this implies $n! \alpha_n \equiv 0 \pmod{p}$ for all components α_n of y , hence $y \equiv 0$, i.e., $y_0 \equiv y_{\lambda'} = A^{\lambda'} y_0$. It follows that $y_n \equiv A^{\lambda'} y_n$ for all $n \geq 0$, and since the vectors y_0, \dots, y_{p-2} are obviously linearly independent we must have $A^{\lambda'} \equiv I \pmod{p}$. Therefore, λ' is $\geq \lambda$, and the proof is complete.

It remains to verify (25), which seems to be a nontrivial identity. Clearly, the minimum polynomial of A must be of degree $p - 1$, since y_0, \dots, y_{p-2} are linearly independent; therefore, it suffices to calculate the characteristic polynomial of A . Let

$$(26) \quad D_n = \det \begin{bmatrix} x & -(n-1) & & & & \\ -n & x & & -(n-2) & & \\ & & -(n-1) & & & \\ & & & \ddots & \ddots & \\ & & & & \ddots & \\ & & & & & x & -1 \\ & & & & & -2 & x \end{bmatrix};$$

then $D_n = xD_{n-1} - (n-1)nD_{n-2}$ so we have

$$D_1 = x,$$

$$D_2 = x^2 - 1 \cdot 2,$$

$$D_3 = x^3 - (1 \cdot 2 + 2 \cdot 3)x,$$

$$D_4 = x^4 - (1 \cdot 2 + 2 \cdot 3 + 3 \cdot 4)x^2 + 1 \cdot 2 \cdot 3 \cdot 4,$$

$$D_5 = x^5 - (1 \cdot 2 + 2 \cdot 3 + 3 \cdot 4 + 4 \cdot 5)x^3 + (1 \cdot 2 \cdot 3 \cdot 4 + 1 \cdot 2 \cdot 4 \cdot 5 + 2 \cdot 3 \cdot 4 \cdot 5)x,$$

and in general

$$(27) \quad D_n = x^n - s_{n1}x^{n-2} + s_{n2}x^{n-4} - s_{n3}x^{n-6} + \dots,$$

where

$$(28) \quad s_{nk} = \sum a_1(a_1 + 1)a_2(a_2 + 1) \cdots a_k(a_k + 1)$$

is summed over all values $1 \leq a_1 \ll a_2 \ll \cdots \ll a_k < n$. (Here $u \ll v$, for integers u, v , denotes $v \geq u + 2$.) Thus, s_{nk} is the sum of all products of k of the pairs $1 \cdot 2, 2 \cdot 3, \dots, (n-1) \cdot n$ with no “overlapping” pairs allowed in the same term.

To evaluate $s_{(p-1)k} \pmod{p}$, it is convenient to allow also the pairs $(p-1) \cdot p$ and $p \cdot 1$, since these contribute nothing to the sum. Thus for example,

by Kummer make it possible to establish further results about the period-length:

THEOREM 3. *Let p be an odd prime, and let λ be given by (30). Then*

$$(34) \quad T_{n+\lambda p^{k-1}} \equiv T_n \pmod{p^k}, \quad n \geq k,$$

$$(35) \quad E_{n+\lambda p^{k-1}} \equiv E_n \pmod{p^k}, \quad n \geq k.$$

Proof. Assume $n \geq k$ and define the sequence $\langle u_m \rangle$ by the rule

$$(36) \quad u_m = (-1)^{(p-1)m/2} T_{n+(p-1)m}, \quad m \geq 0.$$

Kummer's congruence for the tangent numbers may be written

$$(37) \quad \Delta^k u_m \equiv 0 \pmod{p^k}, \quad m \geq 0, \quad k \geq 1,$$

where $\Delta^k u_m$ denotes

$$u_{m+k} - \binom{k}{1} u_{m+k-1} + \binom{k}{2} u_{m+k-2} - \cdots + (-1)^k u_m.$$

We will prove that (37) implies

$$(38) \quad u_{m+pr-1} \equiv u_m \pmod{p^r}, \quad m \geq 0, \quad r \geq 1,$$

and this will establish (34). Eq. (35) follows in the same way if we let

$$u_m = (-1)^{(p-1)m/2} E_{n+(p-1)m}.$$

Assume Eq. (37) is valid for some sequence of real numbers (not necessarily integers) u_0, u_1, \dots ; thus, $\Delta^k u_m$ is an integer multiple of p^k when $k \geq 1$, but not necessarily when $k = 0$. We will prove that the sequence $u_m/p, u_{m+p}/p, u_{m+2p}/p, \dots$, for fixed m also satisfies Eq. (37), and this suffices to prove (38) by induction on r .

Let E be the operator $E u_m = u_{m+1}$. Eq. (37) may be written $(E - 1)^k u_m \equiv 0 \pmod{p^k}$, and our goal as stated in the preceding paragraph is to show that $(E^p - 1)^k (u_m/p) \equiv 0 \pmod{p^k}$, i.e. $(E^p - 1)^k u_m \equiv 0 \pmod{p^{k+1}}$. Let $f(E) = E^{p-2} + 2E^{p-3} + \cdots + (p-2)E + (p-1)$; then $E^p - 1 = (E - 1)(p + f(E)(E - 1))$, hence

$$(E^p - 1)^k u_m = \sum_{0 \leq j \leq k} \binom{k}{j} p^j (E - 1)^{2k-j} f(E)^{k-j} u_m$$

and each term in the sum on the right is an integer multiple of p^{2k} . Hence, we have proved in fact that $(E^p - 1)^k u_m \equiv 0 \pmod{p^{2k}}$, which is more than enough to complete the proof of the theorem.

Note that Eqs. (34), (35) do not necessarily give the true period-length of the sequence mod p^k when $k > 1$; although (34) is "best possible" when $p = 5$ and $k = 2, 3, 4$, the tangent numbers have the same period-length modulo 9 as they do modulo 3.

The tangent number T_{2n+1} is divisible by 2^n , so the period length of $T_n \pmod{2^r}$ is 1 for all r . Eq. (35) is valid for $\lambda = 2$ when $p = 2$, since Kummer's congruence (37) holds for $u_m = E_{n+2m}$. In particular, we may combine the results proved above to show that for any modulus m the sequences $T_n \pmod{m}$, $E_n \pmod{m}$ are periodic, and the period-length divides $2\phi(m)$.

TABLE 1. *The first 60 nonzero tangent numbers*

n	T_n
1	1.
3	2.
5	16.
7	272.
9	7936.
11	353792.
13	22368256.
15	1903757312.
17	20
19	2908
21	495149
23	101542388
25	2
27	702
29	231191
31	87139627
33	3
35	1798
37	970982
39	583203324
41	38
43	28372
45	22768137
47	1
49	1901
51	1965356
53	2195234391
55	264
57	341888
59	474090194
61	70
63	111325
65	187693125
	9865342976.
	8885112832.
	8053124096.
	6506852352.
	4692148019
	5160160394
	8418780959
	5712516929
	7294077037
	6516934508
	8107850591
	9173100439
	7635983772
	7921907431
	9129930886
	9950025215
	6956465792
	9491567180
	0676159128
	2394112879
	3831232512.
	3013357185
	2307122176.
	3513421559
	3121068032.
	3237958001
	2783100116
	5345330866
	9938250594
	2103779423
	0207983616.
	3959887872.
	7841473536.
	6170811392.
	2052957109
	8878007175
	1237939970
	4319164162
	0830318280
	9093041833
	4886002843
	7859031027
	8428175235
	8914892880
	0258358007
	0088327017
	8035017444
	7452258201
	3937369998
	1763127296.
	7003397462
	2970007552.
	7441079285
	7509625856.
	0349094912.
	7952152576.
	5494290432.
	1462400217
	5135645696.
	7183229952.
	3920777216.
	9565816634
	2859204777
	6749880539
	5270244950
	6484887310
	8470814438
	3030136589
	4659411015
	0783690575
	1846377457
	0757225472.
	5873499136.
	8829268992.
	5540243456.
	5817055122
	2678544895
	7345704226
	0902726842
	3945388146
	0015344479

67	33	4255826189	9287330816.	6877233329	3113418998	6914776308
		6377818583	5623734685	8549763072.	2938843795	4320994101
69	63965	2252421375	2870352046	4326866459	3886273130	1380715918
		4705763027	8735849943	9380084736.	2457457867	9114870464
71	128843416	2547258153	1136084889	6369630081	7058221056.	8520405728
		9576789446	5395544961	9839726592.	0603858737	0630707472
73	27	9122218698	6494595788	3516486805	8174170112.	2702370300
		4459227344	4371901652	6020216502	0717441472	4949445632.
75	61734	3680696607	0734990348	8719138436	2434251776.	3741030484
		9449829416	7370744681	8292113188	0706863741	6399568896.
77	146418390	4992863438	2622751313	9909391400	2044764392	8688298159
		5893124310	4329214126	1113545177	6754520862	281185152.
79	36	2368442192	9633491577	0144430968	5349971865	4634906097
		5660095844	0682610727	3701774928	6700552799	6370878975
81	96031	3980054983	7863741179	0567541956	0812714593	4478585859
		3027666248	1075266957	4149713570	4130828009	6173838087
83	204889663	6277121485	9942977938	1904830963	8108362187	7149167320
		2807323067	7773107678	1466558923	4594712417	0347433028
85	76	2211638598	1067039286	1794130757	6905643965	0950687716
		6519961272	4801366153	2953998553	3187841278	4592740313
87	232434	3607290907	9076131721	8780902217	3194267305	8660849712
		4131644416.	2193600440	8758468215	0799032391	5652777784
89	737792682	9433745362	9119191978	2341769921	8836921783	9513190225
		6661674060	1148258616	6583155193	7158091384	4033104110
91	244	0441500672.	1520277361	9861738770	3467010271	7097769722
		4740564012	5642227874	3431622461	5792955877	0355004525
93	849199	2622951953	3266404250	2662250632	5581949239	8924144787
		9690334355	4866184192.	6739105340		
95	3073415080	0762262559	4428836230	4508016361		
		7041570684	4923128691	9861969626		
97	1159	9540333030	1807558656.	4508016361		
		2897237829	5231282906	9861969626		
99	4560851	7879025458	2349092340	9929718418		
		5856582593	0001907712.	8854712967		
		9103698421	3924402863	6637541376.		
		6102768897	5098301378	3145169718		
		4382396370	6687569562			
		6616801111	8210438295			

TABLE 1—Continued

n	T_n					
		7042772066	0171869441	0047936547	8229870027	6817088804
		9937408986	6899187030	6963423232.		
101	1	8669279906	6534977615	9928982810	6174743255	0509816834
		2879473499	3871837828	1122719555	1754542669	2529915556
		3954320693	5127146296	4772550115	8308970496.	
103	7949	2326836383	7296825215	8440590799	5150283969	6539875280
		5263054499	4140134793	4632528787	7257788852	3638482311
		6116040368	1135561434	7362070730	0450762752.	
105	35180993	0277448013	2955727650	0727464271	4639405654	6029941974
		2060080598	1901789276	3499985629	4332559603	0384517339
		8006679743	5816406207	0224471177	9077718016.	
107	16	1717858874	5215971711	0186706465	2513397720	9248162391
		7128707035	1972782143	4957959108	6004226144	6628003769
		3458730392	9487648121	8799405564	9433217448	6336438272.
109	77155	7828380939	9490537680	2460595806	7574980560	2111631319
		7321330938	3312556087	6114515653	9836404772	1015654470
		4162805881	5541548168	6784721593	5856757008	9952935936.
111	381807444	4196147801	8966239285	9619830441	1240712916	4430020735
		8125472693	6727895619	3951931102	1421845843	7007093225
		2703193275	6005581575	1662244551	3279305256	8372641792.
113	195	8398663290	4131567170	1199172580	7974770028	4375913985
		4340241234	2038670128	5665524839	5047690425	9280405845
		2218319170	1679429091	1384499992	9227926705	5414739516
		6332256256.				
115	1040552	6070691740	8391389087	3747623961	0007069533	0048288233
		9319091564	2977785601	0534109858	0945677436	0653272241
		4725860275	1459533577	7733542817	6107197749	0669176471
		6738445312.				
117	5723585022	955589879	7004078003	1278006958	7871036923	3804707134
		9116874639	2466184489	3499287007	8763836938	6390752650
		8633084261	1483758302	7014497286	3537856412	6193750216
		2020990976.				
		2969544137	37111110813	9491520587	0894578681	8558730200
119	3257	7333881055	9724342116	8172307776	6222847786	5984664757
		3601851664	4828218413	9690510871	7176120451	6527175740
		8580920993	7947000832.			

TABLE 2. The first 61 nonzero Euler numbers

n	E_n		
0	1.		
2	1.		
4	5.		
6	61.		
8	1385.		
10	50521.		
12	2702765.		
14	199360981.		
16	1	9391512145.	
18	240	4879675441.	
20	37037	1188237525.	
22	6934887	4393137901.	
24	1551453416	3557086905.	
26	40	8707250929	3123892361.
28	12522	5964140362	9865468285.
30	4415438	9324902310	4553682821.
32	1775193915	7953928943	6664789665.
34	80	7232992358	8789806216
36	41222	0603395177	0212234707
38	23489580	5270431082	5201782857
40	1	4851150718	1149800178
42	1036	4622733519	6121193979
44	794757	9422597592	7036080405
46	666753751	6685544977	4350284747
48	60	9627864556	8542158691
50	60532	8524818862	1896314383
52	65061624	8668460884	7715870634
54	7	5466599390	0873909806
		9858645581.	
56	9420	3218964202	4120420228
		9394905945.	
58	12622019	2518062187	1990340923
		9964920041.	
60	1	8108911496	5792304965
		1410600809	5454231325.
62	2775	7101702071	5805973669
		7803378276	6889782501.
64	4535810	3330017889	1747468878
			7156776236
			8247453281.
			9671259045.
			6198947741.
			5826684425.
			5976310201.
			9519273805.
			4107684661.
			4315397653
			8810349822
			8364423676
			7367442122
			9044435185.
			5146815121.
			5385576565.
			4002471169
			5259964600
			9182559406
			4873492363
			5948009175
			4703688814

TABLE 2—Continued

n	E_n					
66	7886284206	6884383791	9695760705.	9990423947	8162972003	7689327097
68	1456	6617894181	0072074223	4700949423	2666186081	2858314932
70	2850517	5749485716	7945376961.	8862902085.	0425524177	8255239879
72	5905747207	1844380139	6315007150	5567393395	3301618182	2954929765
74	1292	9864476977	6806459548	5397447421.	7540761705	1912367260
76	2986928	8322369771	8732198729	4395713720	1850937881.	7068070281
78	7270601714	3532111069	8042754623	1891063465.	6929223693.	0790510830
80	1862	7754436545	5135032296	3235938698	0288452845.	1945185560
82	5013104	9721536598	0505026450	3180819573	2342880492	5396878225.
84	1	9736641878	6417049760	2217140605	9395592341.	2205397659
86	4196	6411370597	343870353	1565580896	60111920010	9951554801.
88	13021595	1832845769	5093074365	9281851647	3229383700	5845492837
90	4	3812833466	8980381720	4619109500	0083336722	7502043638
92	14343	0168641438	0328065169	9230304312	5318908480	
94	50817990	9583687335	6880176415	5462014428	2167040547	
96	18	2915758412	6970444824	7888100942	9771259876	
		6357710109	5681956123	6997615522	9181896262	
		9408109796	6129086936	7220694100	6080538087	
		7359623656	1571401154	7994390844	5675761398	
		4165255759	7856259916	4140694188	6771997435	
		9123907001	4684537456	3217838146	6610030678	
		0612547605.		3308186813	9174800620	
		6431640402	4471322573	9262297123	4538867236	
		0392122285	4903292185	3908186813	3021532175	
		0254969261.		9262297123	4884315911	
		9052404639	8125858691	3308186813	5507146314	
		0957582424	0428663372	9262297123	1341392681	
		4646868985.		3990906470	8819075342	
		2272406861	3990906470	5589929214	444970053	
		9082676644	5426502482	2836959052	9136078780	
		0794578239	6923579721.	2640578565		
		2127919765	8340613368	1261825484		
		1106574955	5097901968	3090736003		
		4403492151	7907250365.	7489775212		
		7245804251	6455975764	4824356715		
		3239886828	2108762470	2164140484		
		9706818956	5042330181.	9892539001		
		7833293645	2930264020	7857968115		
		6163708087	0116823642			

98	8122338310	3537309752	8077899745.	2986259565	1810672327
	3438103385	7776571876	6173678229	9223614145	2770950810
	6071243105	5015669043	2246475917		
	8421919498	1419813489	7708964641.		
100	6661097497	0546038347	6443587507	7553006646	1589450804
	9231914699	7643370625	0238893534	4712996735	4174648294
	7485105535	2869245763	2980625125.		
102	2293737892	9218210539	2954978560	9880769588	0456925359
	8783740312	5205142532	4802983023	2591646618	9556246560
	2169682143	3854077446	4648305790	3979627101.	
104	4249616990	7060022407	3584236661	3920044251	8073843505
	4049404498	0000330206	3127338662	3384973914	9760949941
	9661748773	6605063835	0121582193	8795634505.	
106	9367663470	3461698760	6526516334	5442841928	7776842645
	2795281647	8787229741	7395385346	7057217045	7147825505
	6084593759	5862589203	7569585468	8654461561.	
108	8900942482	8230249702	3358817578	9328258295	3446870840
	3452929407	1740642849	8024481433	1727650672	0170124648
	2942622666	9534375777	2589331464	9416971071	9722335885.
110	6597952932	0561911549	4263476990	4748827182	9642019740
	8516010249	8147118459	6327880271	7760330206	6276288863
	4782738106	8652979312	0790759867	3617958139	9343212021.
112	7223410855	7222702137	1534144589	0954891150	1924525644
	6700836600	5911126658	4900943112	6511622934	5791312467
	2736615820	6146238929	6672527429	0471204776	0583423048
	1160137265.				
114	0105480096	6981180852	0457223188	2248930706	6995326299
	1709670127	9605797073	3300193420	6948612331	3307158077
	6905678286	5303800832	2871113514	7775762116	5153920474
	4250822481.				
116	2064690265	3170956283	6664779364	0120107733	7276440867
	0420540847	5538272770	3976472123	6896168602	1466396893
	8327890952	8067067756	1989835334	2711105340	1493015019
	2489246645.				
118	9962192543	9749642818	8903364863	2755023029	6183651057
	0835366233	6035433477	1425729606	5830552349	7893533611
	6864465814	8786736548	3786235212	4705254397	3611068831
	8626950069	8123036941.			
	1574782987	1631690245	5408489408	2372867090	7090814055
120	5499968530	1842243985	7255460434	6369071792	7997103011
	5914025391	0784871444	2940330046	2747699810	6540373770
	6481607384	7531472025.			

TABLE 3. *The first 250 Bernoulli numbers*

$B_0 = 1, B_1 = -1/2, B_{2n+1} = 0$ for $n \geq 1$, and the values of B_{2n} for $1 \leq n \leq 125$ appear below in the form $C_{2n} - \{p_1, p_2, \dots, p_k\}$. This notation stands for $C_{2n} - 1/p_1 - \dots - 1/p_k$; thus $B_4 = 1 - \{2, 3, 5\} = 1 - 1/2 - 1/3 - 1/5 = -1/30$. The Bernoulli numbers have been expressed in this form here, since the numbers C_{2n} have not been tabulated before.

2	1	$-\{2,3\}$	
4	1	$-\{2,3,5\}$	
6	1	$-\{2,3,7\}$	
8	1	$-\{2,3,5\}$	
10	1	$-\{2,3,11\}$	
12	1	$-\{2,3,5,7,13\}$	
14	2	$-\{2,3\}$	
16	-6	$-\{2,3,5,17\}$	
18	56	$-\{2,3,7,19\}$	
20	-528	$-\{2,3,5,11\}$	
22	6193	$-\{2,3,23\}$	
24	-86579	$-\{2,3,5,7,13\}$	
26	1425518	$-\{2,3\}$	
28	-27298230	$-\{2,3,5,29\}$	
30	601580875	$-\{2,3,7,11,31\}$	
32	-1	5116315766	$-\{2,3,5,17\}$
34	42	9614643062	$-\{2,3\}$
36	-1371	1655205087	$-\{2,3,5,7,13,19,37\}$
38	48833	2318973594	$-\{2,3\}$
40	-1929657	9341940067	$-\{2,3,5,11,41\}$
42	84169304	7573682616	$-\{2,3,7,43\}$
44	-4033807185	4059455412	$-\{2,3,5,23\}$
46	21	1507486380	8199160561
48	-1208	6626522296	$-\{2,3,5,7,13,17\}$
50	75008	6674607696	$-\{2,3,11\}$
52	-5038778	1014810689	$-\{2,3,5,53\}$
54	365287764	8481812333	$-\{2,3,7,19\}$
56	-2	8498769302	6914643290
58	238	6542749968	9819192193
60	2-21399	9492572253	4765191096
62	050097	5723478097	9567231026
64	-209380059	1134637840	0279701846
66	2	2752696488	9264581471
68	-262	5771028623	0208144899
			$-\{2,3,5,17\}$
			$-\{2,3,7,23,67\}$
			$-\{2,3,5\}$

70	32125	0821027180	3251820479	2304264985	2435219412	-{2,3,11,71}
72	-4159827	8166794710	9139170744	9526235893	6689603010	-{2,3,5,7,13,19,37,73}
74	569206954	8203528002	3883456219	1210586444	8051297182	-{2,3}
76	-8	2183629419	7845756922	9065346861	7333014550	-{2,3,5}
78	1250	2904327166	9930167323	3982970289	5524177196	-{2,3,7,79}
80	-200155	8323324837	0274925329	1988132987	6872422013	2825915914
		-{2,3,5,11,17,41}				
82	33674982	9153643742	3339667690	3338753016	2195989471	9384367233
84	-5947097050	3135447718	6604968440	5154084057	9071565106	9049904703
		-{2,3,5,7,13,29,43}				
86	110	1191032362	7977559564	1307904376	9160463051	1444223148
		8626999498	-{2,3}			
88	-21355	2595452535	0118865838	5019041065	6789732987	3916346921
		1804590303	-{2,3,5,23,89}			
90	4332889	6986641192	4196166130	5937920621	8451368511	8091091449
		8655788034	-{2,3,7,11,19,31}			
92	-918855282	4166932822	620055215	5018971389	6038891627	1995959100
		4487113436	-{2,3,5,47}			
94	20	3468967763	2907449345	5027990220	0200659751	4025337827
		7023936918	4214108242	-{2,3}		
96	-4700	3833958035	7310785752	5553500606	0654596737	3697590579
		1513976356	4120483853	-{2,3,5,7,13,17,97}		
98	1131804	3445484249	2706751862	5773393426	7890365954	7507479181
		7899354166	5491176374	-{2,3}		
100	-283822495	7099370695	9264156836	4817647382	8468092801	2882128228
		5317144648	6511107027	-{2,3,5,11,101}		
102	7	4064248979	6788506297	5082714092	0984176879	7317880887
		0667311610	0348748532	8441210856	-{2,3,7,103}	
104	-2009	6454802756	6044834656	1967271536	3186867270	8225328766
		2434613019	8921356500	9779698882	-{2,3,5,53}	
106	566571	7005080594	1445719346	0305193569	6141946828	7510420621
		3875644521	5246086197	2277798401	-{2,3,107}	
108	-165845111	5413621691	5823713374	3199123014	9496261472	5464727402
		4668155898	7813771265	0743149938	-{2,3,5,7,13,19,37,109}	
110	5	0368859950	4923774192	8942191518	0154812442	3742649032
		1414152565	1322528310	9767429893	2791785388	-{2,3,11,23}
112	-1586	1468237658	1863693634	0157296643	8782740978	4127789638
		8047286451	4297311365	0988500683	1200945120	-{2,3,5,17,29,113}
114	517567	4361754562	6984073240	6825071225	6124084923	5930550859
		0621669403	1810829579	6651549771	8776632445	-{2,3,7}
116	-174889218	4021711733	9690025877	6181591451	4147616182	6544872627

TABLE 3—Continued

n	B_n								
118	6	3472158762	1228952384	0015332666	6438279520	—{2,3,5,59}	—{2,3}		
		1160519994	9521852558	2452526426	4167780767	7268467832			
		0071684324	0112735747	5076344103	1489529605	9086182634			
120	—2212	2776912707	8349422883	2345671293	2445573185	0549877801			
		5056655269	3027736635	0025726591	0252803139	1154956835			
		—{2,3,5,7,11,13,31,41,61}							
122	827227	7679877096	9854221062	4599845957	3120465051	8433566283			
		8488529885	8447202350	0718881721	8561301633	9661427406			
124	—319589251	1141570958	3591634369	1808148735	2627667109	9112273184			—{2,3}
		5042431195	3111814531	4804543981	2034228242	2969820299			
		—{2,3,5}							
126	12	7500822233	8779298231	0024302926	6798669571	9179638977			
		3295160585	7353822073	1833362242	1938478819	1283226347			
		5958141510	—{2,3,7,19,43,127}						
128	—5250	0923086774	1338994028	2462456517	5446919894	0377552432			
		6078013452	2227018183	3065745383	0640452814	1149421273			
		7075399446	—{2,3,5,17}						
130	2230181	7894241625	2098692981	9833872814	3738272150	8758785424			
		9055078103	8036345171	2245962893	1773876814	5763813725			
		8286208932	—{2,3,11,131}						
132	—976845219	3095520443	8633513398	9802393011	6690267498	5678971000			
		1706618959	8371132984	4759158434	4882999447	8018574251			
		2315481909	—{2,3,5,7,13,23,67}						
134	44	0983619784	5295427227	2622874813	1691918757	5426552811			
		4735319759	1401112942	6528175678	7997886065	2087390581			
		1078243989	1580698362	—{2,3}					
136	—20508	5708864640	8883972933	7727583015	4864565966	9040083595			
		3087398275	4818594264	3022208918	6918602388	7468948154			
		5442476427	3682977286	—{2,3,5,137}					
138	9821443	3279791277	1075729696	0209752104	1491857990	7241070558			
		3196274811	6831819391	1585658026	7855114057	4147212665			
		3082120499	9429964679	—{2,3,7,47,139}					
140	—4841260079	820880508	7891967099	6341276113	0549942324	6203851158			
		5625800263	1506521525	5521783095	3721687111	4312353272			
		7957252622	4667309228	—{2,3,5,11,29,71}					
142	245	5308880148	0982609783	4674040886	9039967369	5039984404			
		4603247983	2901257676	9302738510	9499436486	8624711701			
		5805824257	3375943467	8897524866	—{2,3}				

144	- 128069	2680408474 0952142990 0586284403 1046685811 3628000579 5802338371 7846468581 9979455214 535717777 6101250665 4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331 - {2,3,5,7,13,53,79,157}	7548782513 8427882645 5889432674 9210188859 8377113920 6450621194 9691046949 0400826798 9275574483 2915508713 3447829324 4310210906 0070196429 1365771094 9850941641 3679668394 1693845533 8600733639 4170489406 5635546610 9549792635 - {2,3,5,7,13,53,79,157}	2786017857 3276869447 5245777737 8464400436 7141426350 7331637478 7899541637 0129451551 0826629638 2313514827 8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2181183417 0578038003 - {2,3,5,7,13,17,19,37,73} 0924268134 0143698420 - {2,3}	1196320118 7383050883 7568589956 6381706690
148	- 3	9691046949 0400826798 9275574483 2915508713 3447829324 4310210906 0070196429 1365771094 9850941641 3679668394 1693845533 8600733639 4170489406 5635546610 9549792635	7899541637 0129451551 0826629638 2313514827 8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	9556814489 0704298643 222717750 2096660152 2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	5492650402 4146783802 - {2,3,5,149} 6029650951 0116095571 - {2,3,7,11,31,151}	592650402 4146783802 - {2,3,5,149} 6029650951 0116095571 - {2,3,7,11,31,151}
150	2142	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	0116095571 - {2,3,7,11,31,151}
152	- 1245672	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	
154	743457875	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	
156	- 45	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	
158	28612	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	
160	- 18437723	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	
162	1	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	
164	- 824	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	
166	572258	4155963489 7270014726 7137183695 6169042394 5820630576 5100015254 3078967455 0934831271 5357953046 0901794185 8442342331	8460575061 0678384924 6163760721 9069481888 9528102954 0520613117 4843831051 7682180940 3333223321 9267970425 2989124863	2130066048 1293313386 9458298438 4546604176 3793193519 8071487290 1182799109 4713103509 274876721 3013898315 3112539372	0116095571 - {2,3,7,11,31,151}	

TABLE 3—Continued

168	B_n -406685305	1612590641 2505910472 0247754105 7391874851 0811876203 5960920646 3214415150 3868641966 9633208761 5225651894 6888744024 0302666979 9607122917 0728895998 9752558827 6914908538 5443304812 3116736213 2912686129 1709335322 1071847423 7894009478 0532629144 0755541348 4453714786 9357883370 0442429685 4333747091 0524064563 2248654235 7169770408 5977587673 9354243243 8029314555 3618118131 0513367440 5245930722 7764248499	- {2,3,167} 6767969383 0243613769 0229357659 - {2,3,5,7,13,29,43} 4205006287 8647495422 9420754538 3030846881 5750903117 4032520852 1530497497 2550624182 0583115251 3115549539 3009714494 2073989964 5569576486 5969870858 8985838740 8734706022 0380821832 8964895965 7361911412 4958750394 7718598254 2469746205 9889765654 4756508130 2288406677 6099982659 0721498128 3839298821 3589930008 1550128675 1539809892 4294536494 2393009429	1158655602 3861568178 3840334537 5269581585 9161923004 1714359738 - {2,3,11} 5227344598 8888444081 1252796339 - {2,3,5,173} 5136066575 5993071507 9671480205 - {2,3,7,59} 4528063558 7851050763 8194471986 2109905110 8539298230 6275209074 4938813919 0825192833 6299082774 6996355108 5462169412 7079104923 1438224721 1845215263 8699480152 7775167786 4711868647 4024922061 2709241642 4930250501 1004324726	1957212176 3983391160 7310111326 1870426379 0558813869 7801102773 4836378545 1880467501 0550202209 4463854648 1102880678 1322184598 1715300443 6768715702 6442176508 - {2,3,5,17,23,89} 8964882872 4556955976 3241409316 - {2,3,179} 5932701078 3486627920 4070630607 - {2,3,5,7,11,13,19,31,37,61,181} 2446893047 5072706453 4058827108 - {2,3} 7458461988 6030431157 5453965536 8633342016 6228489712	4308330500 3693482276 6018436817 2990166491 1443409958 0113620408 3956150622 5447047651 5516797031 2066752238 3998483734 7480256819 1236000708 2774063895 5970669286 1388535128 1295923123 9410477684 9872701906 7004565489 2177774046 3371527694 5232578272 8555947991 1600926988 7645148677 1359613968 - {2,3,5,47} 3456032897
170	29					
172	-22049					
174	16812597					
176	-1					
178	1046					
180	-854328					
182	712878213					
184	-60					
186	52996					

188	-47194259	6063501191 5050538246 8560643844 1687458626 8406765706 5218109736 2388753064 2928413791 7363278709 8438797939 3197582408 - {2,3,11,191}	9038386327 7055952587 5876162116 4436462290 6708691597 8245350938 6862291852 4029810894 81118229333 2909861710 6108199054	2020855955 5890896211 7362303222 1337991110 3596491237 7323230602 9811936260 1682965410 4484492274 7109337670 4401946615	4228186636 9945430322 7002399941 3760787757 1873883437 0438746878 3979610699 7466904552 2133451584 4029317883 9172774476	5036916065 1971803519 - {2,3,7} 2492683808 0055520607 2859946730 - {2,3,5} 0981012117 5766966132 7678744934 9921781652
190	4	6744968232 1823516318 4292500115 2323956805 - {2,3,5,7,13,17,97,193}	2074434477 1283658237 6449718495 8179865950	6555429387 0982439948 4863866512 9608665263	9510665147 9570515870 4615902544 6481422248	8560005423 3033629100 7020534114 1410299256
192	-3987	0419358882 1644587349 8971887316 9505176738 - {2,3}	7138944181 6090237057 7427492089 8606080695	1613933278 9449477199 9363952932 7543999535	9822023821 9599969353 0718684812 6099438963	6264722872 0294345595 1525149224 4889003542
194	3781978	3681191243 8899411740 5368256809 2180261011 - {2,3,5,29,197}	6858082151 7456818588 2199927707 2733870153	1973487551 2959826276 7382315070 8667195714	9606834302 6472873338 1229725802 9158887055	9904344422 1245017672 1548317388 8284840257
196	-3661423368	7609027237 2031634249 7972287556 1486010629 0222961685 7264519135 6827309036 7981794273 9309586210 4087034966 3645440909 5235280258 3007125338 4497333142 9589513246	2862348855 1298519646 0266199064 5965773896 - {2,3,7,19,23,67,199}	4609298914 2855137114 2027674174 7139333352	0894775414 4863312914 3185245140 5454387835	7596881957 3587611834 3213909430 3071239515
198	361	7609027237 2031634249 7972287556 1486010629 0222961685 7264519135 6827309036 7981794273 9309586210 4087034966 3645440909 5235280258 3007125338 4497333142 9589513246	2862348855 1298519646 0266199064 5965773896 - {2,3,7,19,23,67,199}	4609298914 2855137114 2027674174 7139333352	0894775414 4863312914 3185245140 5454387835	7596881957 3587611834 3213909430 3071239515
200	-364707	7264519135 6827309036 7981794273 9309586210 4087034966 3645440909 5235280258 3007125338 4497333142 9589513246	4362138308 2185020610 0412840299 1213464712 - {2,3,5,11,41,101}	8655499449 7709861390 5376210844 6652378010	0486823468 9538979906 3710719800 6263015084	6191038737 0387496808 5516180654 0451297095
202	375087554	8345241010 2967550389 6372603520 1585898926 - {2,3}	8481489306 1934499292 6143515790 2493045836	481489306 1934499292 6143515790 2493045836	8417407585 2399095820 5731464299 9525193533	4118603710 4298817680 0768640406 4283250606

TABLE 3—Continued

204	B_n —39	3458672964 2496665007 9254127818 8070313868 5749309182 2111481900 0926738611 1203897906 2173032350 6602483011 2206179186 3585172559 3328384490 3462124353 1454621569 1031725772 9631485229 0689608783 1088954708 0426012819 2762303656 8576732638 0779505551 7546775110 8799571247 2167835881 3421242076 4911170586 7678480685 8186348324 4450416322 8314734816 9547117531 9995523753 5495854177 0689406705 2604571110 7477680645	3902826948 4757739143 0009611241 4333801645 9949979112 8200465711 5262230714 3986637022 7933278680 7664139458 5598029405 3799606865 8802899119 7170675162 2193925929 6295759279 8959297983 2201695440 5827189886 7938441124 9554015377 1720376565 0123632318 4213714925 2760829621 0322637794 3304042329 1809297698 3084385157 1367729728 5916259639 2128994899 4002045806 2584232544 2690855641 8725524544 5610846395 9040581129	9128853371 3417411584 4727926748 3321797763 —{2,3,5,7,13,103} 7111149489 1130489366 4655275319 1228521411 —{2,3} 7332559105 5970041175 2186757099 8536213237 —{2,3,5,17,53} 1981851064 4925158772 4553092124 2459182485 0725752244 2712429171 1689837517 8057368512 3445893517 9105036976 4128093634 5091056631 3100932819 3109320947 8448950602 3124444282 8561746180 3281621851 7916932745 2817155661 3288258762 2039233284 6983885871	3429355657 1178927312 9281199287 8224372602 8242731374 8334448739 4679418664 1840875841 9370917366 9308402125 4384998570 9360250776 9676853975 7204489612 5210024031 1689483118 —{2,3,7,11,31,43,71,211} 4251219952 8826924331 1550902842 1858879998 —{2,3,5,107} 5107953790 6499243600 7867121979 9856004904 —{2,3} 2957000240 2936510368 7344439893 4283324504 —{2,3,5,7,13,19,37,73,109} 4852939477 5981956117 3098394359	1403660905 4036225303 3335083984 4150845715 8983148899 3615611074 6682265708 2535715340 3618746795 9096461499 4423384432 4120246691 9962892161 7090496935 0159699351 7470399162 0385256050 4587153964 4409830023 4318266834 8103711340 5693167818 7119475720 0741960957 1395817760 0530514353 1506681060 8399788068 9681195006 8018896163 2743108529
206	42088					
208	—45902296					
210	5					
212	—5782					
214	6676248					
216	—7853530764					
218	941					

220	1769116375 1753289288 3873465183 4210113949 9461290535 2596755565 7119153292 2848785677 1045408568 5693032632 0819895653 7136781907 5955958690 2742566785 6901247289 0714040934 7099813261 - {2,3,5,17,29,113}	3413686776 4875336862 9938498599 5708268220 0793890370 2249577996 3110885047 1416320087 2263510522 9197981112 4963952936 0037356974 9309014228 2475999079 6416991911 0937943854 3598855839	8545665041 6769177869 2068055925 8399738934 2921608803 7089908426 6401867092 1224998971 2850318091 0382549614 8205790276 4842136656 5728117654 8082620122 8036907453 7362681132 6032846537	5216129798 8452631715 2671578428 4723944327 7437321421 8194281926 3758251258 4109365080 0677907520 5436614108 3397344240 8454630775 4869898086 2185060378 7669303934 - {2,3,11,47}	7772745635 5021253934 4835379696 9974452549 1307012711 3152138601 5355305441 7991300396 5783619081 1975027633 5386744234 7512564136 5609267193 6361991190 4931915475 6992433312 0376562367	4356010999 - {2,3} 4714139788 7367883712 0695460686 3855375811 - {2,3,5,11,23} 6452873285 4443377036 - {2,3,7,223} 9480952331 4617400054 9313949607 7147855342 7153769200
222	1427295874	1224998971 2850318091 0382549614 8205790276 4842136656 5728117654 8082620122 8036907453 7362681132 6032846537	1212412493 2980369933 3240064474 6948409495 9965846795	7318633684 1020735696 1961740985 2820977951 6084050515	3107545216 8180151498 9552136116 0490781228 4210865512	
224	- 180	1224998971 2850318091 0382549614 8205790276 4842136656 5728117654 8082620122 8036907453 7362681132 6032846537	1542593785 3074615208 6392836448 3402243744 7565109793	3270373100 2253504769 3066072567 2309724077 1427313172	7776186897 0479552881 6098663456 0474029979 9435753210	
226	232615	5216129798 8452631715 2671578428 4723944327 7437321421 8194281926 3758251258 4109365080 0677907520 5436614108 3397344240 8454630775 4869898086 2185060378 7669303934 - {2,3,11,47}	1542593785 3074615208 6392836448 3402243744 7565109793	3270373100 2253504769 3066072567 2309724077 1427313172	7776186897 0479552881 6098663456 0474029979 9435753210	
228	- 304957517	1549959476 5138058297 4604199461 807840321 5494865873 - {2,3,5,7,13,229}	8194281926 3758251258 4109365080 0677907520 5436614108	3270373100 2253504769 3066072567 2309724077 1427313172	7776186897 0479552881 6098663456 0474029979 9435753210	
230	40	6858060764 5580263344 7467110796 2223064607 2479879036 0657424844 0313219743 4855771006 1330610119 5401993003 7958437505	8194281926 3758251258 4109365080 0677907520 5436614108	3270373100 2253504769 3066072567 2309724077 1427313172	7776186897 0479552881 6098663456 0474029979 9435753210	
232	- 55231	0313219743 4855771006 1330610119 5401993003 7958437505	4409318639 3706834819 8186765908 5616716658 3974606553	2324279514 3594302895 9391468737 6380513825 1655771141	4462697421 0685889421 5002965153 0188758085 7225503375	

8629135810	0586514612	5521159057	3572502170	1660668994
6714386726	2918577221	9905853925	0141553115	5047192006
2584159153	7974881907	3193814078	3061938087	9790766520
0890893653	9580078697	1227136624	8264605129	3314709961
3048103966	1982928154	5191164668	-{2,3,7,83}	
1691485154	5841777278	0889247316	5504178389	9537111655
7393365156	2527151686	4037772408	1413341139	8220377591
3792860024	5560819655	4041431243	6529831158	4013811373
2371174050	5486569829	5510092809	7355456887	6734383380
4166388754	5474825140	9659524107	5021479246	8850325243
8697409702	5058507517	1554253442	1158331599	-{2,3,5}
5261467838	9394126646	2015977022	3239649247	7000034429
4569758971	5176258684	2335348377	7655844047	4285697821
8329220039	6978835905	6020603056	3580448568	1973565915
1510513686	8316837867	5226653094	2856333382	8622890759
5799693397	1198209110	9285643939	6181295360	9407215690
86222535217	4286407738	3938476752	5254881572	-{2,3,11,251}
248	-1			
250	1843			

Mathematics Department
California Institute of Technology
Pasadena, California 91109

1. THOMAS CLAUSEN, "Theorem," *Astr. Nachrichten*, v. 17, 1840, cols. 351–352.
2. S. A. JOFFE, "Calculation of the first thirty-two Eulerian numbers from central differences of zero," *Quart. J. Math.*, v. 47, 1916, pp. 103–126.
3. S. A. JOFFE, "Calculation of eighteen more, fifty in all, Eulerian numbers from central differences of zero," *Quart. J. Math.*, v. 48, 1917–1920, pp. 193–271.
4. D. H. LEHMER, "An extension of the table of Bernoulli numbers," *Duke Math. J.*, v. 2, 1936, pp. 460–464.
5. NIELS NIELSEN, *Traité Élémentaire des Nombres de Bernoulli*, Paris, 1923.
6. J. PETERS & J. STEIN, *Zehnstellige Logarithmentafel*, Berlin, 1922.
7. S. Z. SEREBRENNIKOFF, "Tables des premiers quatre vingt dix nombres de Bernoulli," *Mém. Acad. St. Petersbourg* 8, v. 16, 1905, no. 10, pp. 1–8.
8. K. G. C. VON STAUDT, "Beweis eines Lehrsatzes die Bernoullischen Zahlen betreffend," *J. für Math.*, v. 21, 1840, pp. 372–374.