

## Some Prime Numbers of the Forms $2A3^n + 1$ and $2A3^n - 1$

By **H. C. Williams** and **C. R. Zarnke**

**Abstract.** All primes of the form  $2A3^n + 1$  and of the form  $2A3^n - 1$ , where  $1 \leq A \leq 50$  and  $1 \leq n \leq 325$ , are found. Some large twin primes are also determined.

**1. Introduction.** Robinson [2] has given a table of primes of the form  $k2^n + 1$  and Williams and Zarnke [3] and Riesel [1] have given tables of primes of the form  $k2^n - 1$ . By comparing these tables, it is possible to determine some large twin primes, namely  $9 \cdot 2^{211} \pm 1$  and  $45 \cdot 2^{189} \pm 1$ . The purpose of this paper is to present a table of all primes of the form  $2A3^n + 1$  and a table of all primes of the form  $2A3^n - 1$  for  $1 \leq A \leq 50$  and  $1 \leq n \leq 325$ . By comparing these two tables, we also find some large twin primes.

**2. The Algorithm.** The following theorem was used to test the primality of integers of the form  $2A3^n \pm 1$ .

**THEOREM.** Let  $N = 2A3^n \pm 1$ , where  $(A, 3) = 1$ ,  $1 \leq A \leq 3^n$ . Let  $q$  be a prime ( $\equiv 1 \pmod{3}$ ) such that  $N^{(q-1)/3} \not\equiv 1 \pmod{q}$  and let  $4q = r^2 + 27s^2$ , where  $r \equiv 1 \pmod{3}$ . If  $(qs, N) = 1$ ,  $N$  is a prime if and only if

$$P_n \equiv \pm 1 \pmod{N},$$

where

$$P_1 \equiv K^A V_{2A} \pmod{N}$$

and

$$P_{k+1} \equiv P_k(P_k^2 - 3) \pmod{N}.$$

Here  $K$  is an integer such that  $Kq \equiv 1 \pmod{N}$  and  $V_{2A} = \alpha^{2A} + \beta^{2A}$ , where  $\alpha, \beta$  are the zeros of  $x^2 + rx + q$ .

A proof of this theorem for integers of the form  $2A3^n - 1$  is given in Williams [4]. By using methods similar to those in [4], it is not difficult to demonstrate that the theorem is also true for integers of the form  $2A3^n + 1$ . This theorem can also be generalized for integers of the form  $2Ap^n \pm 1$ , where  $p$  is any odd prime (see Williams [5]).

The above theorem was used to construct an algorithm (see [4]) which was programmed for an IBM/360-65 computer. The results of running this program are given in Table 1 and Table 2. The computer required about five hours of CPU time to complete all the calculations.

Received July 1971.

AMS 1970 subject classifications. Primary 10A25.

Key words and phrases. Primes, twin primes, algorithm.

Copyright © 1972, American Mathematical Society

TABLE 1. *Table of Primes of the Form  $2A3^n + 1$*

2A	$n$ ( $1 \leq n \leq 325$ )
2	1,2,4,5,6,9,16,17,30,54,57,60,65,132,180,320
4	1,2,3,6,14,15,39,201,249
8	2,7,8,10,22,52,58,76,130,143
10	1,3,4,7,9,12,18,22,102,112,157,162,289
14	1,2,3,18,22,26,27,33,39,57,62,94,145,246
16	3,4,5,12,24,36,77,195,296,297
20	1,2,3,4,5,8,16,19,28,50,134,280
22	1,2,4,5,10,12,14,24,34,37,52,56,65,68,96,106,128,156,169,236,254
26	1,12,15,17,20,29,31,32,35,37,77,95,193,203,224,296
28	3,4,8,11,14,15,18
32	1,4,8,9,32,36,48,74,112,186,204
34	1,2,3,5,11,15,19,25,46,65,83,85,145,211
38	4,19,115
40	5,7,15,17,18,27,29,30,33,35,53,54,59,60,150,203,229
44	2,6,9,10,90,194
46	1,4,12,39,220
50	1,4,6,8,20,38,46,49,59,60,95,148,168,308
52	1,5,17,22,37,73,96,113,205,245
56	9,20,21,45,53,59,68,113,135,168,255,299,308
58	2,3,6,15,18,32,35,36,52,172,224,255,296,303
62	4,9,40,184,297
64	1,2,7,11,13,31,41,61,121,127,157,167,181,203,229,278
68	2,24,26,30,31,32,42,54,72,119
70	1,2,5,6,8,9,12,15,19,20,21,25,39,44,49,52,55,69,85,94,115,162,195, 222,225,271
74	1,3,7,50,70,115,202
76	1,3,11,19,52,59,88,103,121,139,189,268
80	1,3,4,5,6,10,21,35,54,71,90,202,306
82	2,5,6,9,17,21,26,29,32,90,138,180,278,290
86	4,5,17,27,39,48,57,60,65,68,116,128,132,165,208
88	3,4,6,16,34,43,67
92	1,2,8,12,14,36,46,54,58,62,74,85,94,118,169,182,186
94	1,3,53,55,83,99,113,114,154,186,223
98	2,3,6,11,16,19,22,66,103,111,123,151,239
100	4,6,9,10,11,14,22,24,28,64,69,70,105,117,161,236,323

TABLE 2. *Table of Primes of the Form  $2A3^n - 1$* 

2A	$n$ ( $1 \leq n \leq 325$ )
2	1,2,3,7,8,12,20,23,27,35,56,62,68,131,222
4	1,3,5,7,15,45,95,235
8	1,2,4,10,17,50,170,184,194,209
10	1,2,3,4,8,10,14,20,22,26,30,38,39,49,54,58,70,81,84,87,102,111,140, 159,207,224
14	1,11,16,80,83,88,136,187
16	1,3,9,13,31,43,81,121,235
20	1,2,4,10,11,17,19,24,32,35,37,60,80,114,140,314
22	2,3,8,14,23,32,167
26	2,3,5,9,15,17,39,45,50,53,93,122,165
28	1,2,4,5,6,8,12,18,24,49,64,76,110,125,138,168,237
32	3,4,6,46,59,84,94,124,239,267
34	1,4,7,24,107,168,248
38	1,6,8,9,14,16,25,28,30,56,64,105,156,168,169,325
40	2,5,10,14,16,40,56,70,95,242
44	1,3,5,8,9,11,81,108,188,308,313
46	1,5,6,10,13,46,54,58,65,71,78,93,127,151,161,187,193,246
50	1,2,4,5,9,13,15,17,23,58,65,119,244,292,323
52	2,4,6,7,8,10,19,20,30,46,60,74,98,122,138,142,158
56	1,2,3,6,7,18,19,22,37,38,54,89,98,106,151,177,229,234,241
58	1,2,6,12,17,41,48,56,96,116,140,312
62	2,4,6,7,11,24,43,46,52,92,103,215,224
64	1,5,7,67,295,325
68	4,9,10,12,30,46,102,108,153,177,297
70	3,4,7,12,24,25,27,35,45,57,144,160,179,180,183,212,223
74	3,5,9,15,21,63,119
76	1,2,10,66,91,127,139,222
80	1,2,7,12,13,15,20,45,72,75,82,102,126,216,277,282,321
82	3,8,11,16,18,20,26,35,59,170,179
86	1,2,5,9,11,21,30,35,45,66,86,95,105,125,194
88	1,4,5,6,10,12,13,16,33,40,41,46,53,54,65,102,121,125,162,210,294
92	2,4,7,10,32,64,79,119
94	1,24,36,55,73,111,139,157,192,205
98	1,2,4,5,8,22,30,34,45,61,90,126,129,154,292
100	3,113,231

3. **Remarks.** Several pairs of twin primes were found by comparing Tables 1 and 2. The largest ones are

$$10 \cdot 3^{102} \pm 1, \quad 68 \cdot 3^{30} \pm 1, \quad 70 \cdot 3^{25} \pm 1, \quad 76 \cdot 3^{139} \pm 1, \quad 82 \cdot 3^{26} \pm 1, \quad 94 \cdot 3^{55} \pm 1.$$

The largest pair here,  $76 \cdot 3^{139} \pm 1$ , seems to be the largest pair of twin primes currently known.

Of the numbers analogous to the Cullen numbers, i.e., integers of the form  $n3^n + 1$ , only  $2 \cdot 3^2 + 1$ ,  $8 \cdot 3^8 + 1$  and  $32 \cdot 3^{32} + 1$  are primes for  $n \leq 100$ . Unfortunately,  $128 \cdot 3^{128} + 1$  is composite.

Department of Computer Science  
University of Manitoba  
Winnipeg 19, Manitoba, Canada

1. H. RIESEL, "Lucasian criteria for the primality of  $N = h \cdot 2^n - 1$ ," *Math. Comp.*, v. 23, 1969, pp. 869–875. MR 41 #6773.

2. R. M. ROBINSON, "A report on primes of the form  $k \cdot 2^n + 1$  and on factors of Fermat numbers," *Proc. Amer. Math. Soc.*, v. 9, 1958, pp. 673–681. MR 20 #3097.

3. H. C. WILLIAMS & C. R. ZARNKE, "A report on prime numbers of the forms  $M = (6a + 1)2^{2m-1} - 1$  and  $M' = (6a - 1)2^{2m} - 1$ ," *Math. Comp.*, v. 22, 1968, pp. 420–422. MR 37 #2680.

4. H. C. WILLIAMS, "The primality of  $2 \cdot 43^n - 1$ ," *Canad. Math. Bull.*, (To appear.)

5. H. C. WILLIAMS, "An algorithm for determining certain large primes," *Proc. Second Louisiana Conference on Combinatorics, Graph Theory and Computing*, Baton Rouge, 1971, pp. 533–556.