
VOLUME 76 NUMBER 258



APRIL 2007

MATHEMATICS OF COMPUTATION

AMERICAN MATHEMATICAL SOCIETY

EDITED BY

David W. Boyd
Susanne C. Brenner
Zhiming Chen
Bernardo Cockburn
Arjeh M. Cohen
Ronald F. A. Cools
Ricardo G. Duran
Ivan P. Gavrilyuk
Vivette Girault
Ernst Hairer
Daniel W. Lozier
John McKay
Jean-François Mestre
Marian Neamtu
Harald Niederreiter
Ricardo H. Nochetto
Stanley Osher
Joseph E. Pasciak
Lothar Reichel
Renate Scheidler
Jie Shen
Igor E. Shparlinski
Chi-Wang Shu, *Managing Editor*
Chris Smyth
Michael E. Stillman
Daniel B. Szyld
Denis Talay
Tao Tang
Paul Y. Tseng
Jinchao Xu

PROVIDENCE, RHODE ISLAND USA

ISSN 0025-5718

Available electronically at
www.ams.org/mcom/

Mathematics of Computation

This journal is devoted to research articles of the highest quality in computational mathematics. Areas covered include numerical analysis, computational discrete mathematics, including number theory, algebra and combinatorics, and related fields such as stochastic numerical methods. Articles must be of significant computational interest and contain original and substantial mathematical analysis or development of computational methodology. Reviews of books in areas related to computational mathematics are also included.

Submission information. See **Information for Authors** at the end of this issue.

Publisher Item Identifier. The Publisher Item Identifier (PII) appears at the top of the first page of each article published in this journal. This alphanumeric string of characters uniquely identifies each article and can be used for future cataloging, searching, and electronic retrieval.

Postings to the AMS website. Articles are posted to the AMS website individually after proof is returned from authors and before appearing in an issue.

Subscription information. *Mathematics of Computation* is published quarterly. Beginning in January 1996 *Mathematics of Computation* is accessible from www.ams.org/journals/. Subscription prices for Volume 76 (2007) are as follows: for paper delivery, \$486 list, \$389 institutional member, \$437 corporate member, \$316 member of CBMS organizations; \$292 individual member; for electronic delivery, \$437 list, \$350 institutional member, \$393 corporate member, \$284 member of CBMS organizations, \$262 individual member. Upon request, subscribers to paper delivery of this journal are also entitled to receive electronic delivery. If ordering the paper version, add \$18 for surface delivery outside the United States and India; \$19 to India. Expedited delivery to destinations in North America is \$27; elsewhere \$56.

Back number information. For back issues see the www.ams.org/bookstore.

Subscriptions and orders should be addressed to the American Mathematical Society, P.O. Box 845904, Boston, MA 02284-5904 USA. *All orders must be accompanied by payment.* Other correspondence should be addressed to 201 Charles Street, Providence, RI 02904-2294 USA.

Copying and reprinting. Material in this journal may be reproduced by any means for educational and scientific purposes without fee or permission with the exception of reproduction by services that collect fees for delivery of documents and provided that the customary acknowledgment of the source is given. This consent does not extend to other kinds of copying for general distribution, for advertising or promotional purposes, or for resale. Requests for permission for commercial use of material should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

Excluded from these provisions is material in articles for which the author holds copyright. In such cases, requests for permission to use or reprint should be addressed directly to the author(s). (Copyright ownership is indicated in the notice in the lower right-hand corner of the first page of each article.)

Mathematics of Computation is published quarterly by the American Mathematical Society at 201 Charles Street, Providence, RI 02904-2294 USA. Periodicals postage is paid at Providence, Rhode Island. Postmaster: Send address changes to Mathematics of Computation, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA.

© 2007 by the American Mathematical Society. All rights reserved.

This journal is indexed in *Mathematical Reviews*, *Zentralblatt MATH*, *Science Citation Index*[®], *Science Citation Index*TM-*Expanded*, *ISI Alerting Services*SM, *CompuMath Citation Index*[®], and *Current Contents*[®]/*Physical, Chemical & Earth Sciences*. This journal is archived in *Portico*.

⊗ The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.

10 9 8 7 6 5 4 3 2 1 12 11 10 09 08 07

MATHEMATICS OF COMPUTATION

CONTENTS

Vol. 76, No. 258

April 2007

Daniel Arroyo, Alexei Bespalov, and Norbert Heuer, On the finite element method for elliptic problems with degenerate and singular coefficients	509
Xiaobing Feng, Yinnian He, and Chun Liu, Analysis of finite element approximations of a phase field model for two-phase fluids	539
Susanne C. Brenner, Fengyan Li, and Li-yeng Sung, A locally divergence-free nonconforming finite element method for the time-harmonic Maxwell equations	573
James H. Bramble and Joseph E. Pasciak, Analysis of a finite PML approximation for the three dimensional time-harmonic Maxwell and acoustic scattering problems	597
Tsogtgerel Gantumur, Helmut Harbrecht, and Rob Stevenson, An optimal adaptive wavelet method without coarsening of the iterands .	615
Natalia Kopteva, Maximum norm error analysis of a 2d singularly perturbed semilinear reaction-diffusion problem	631
Todd F. Dupont and Yingjie Liu, Back and forth error compensation and correction methods for semi-Lagrangian schemes with application to level set interface computations	647
N. V. Krylov, A priori estimates of smoothness of solutions to difference Bellman equations with linear and quasi-linear operators	669
H. Holden, K. H. Karlsen, and N. H. Risebro, Convergent difference schemes for the Hunter–Saxton equation	699
A. G. Werschulz and H. Woźniakowski, Tractability of quasilinear problems II: Second-order elliptic problems	745
T. Sengadir, Discretisation of an infinite delay equation	777
Sun-Mi Kim and Lothar Reichel, Anti-Szegő quadrature rules	795
Robert S. Maier, The 192 solutions of the Heun equation	811
Knut Mørken and Martin Reimers, An unconditionally convergent method for computing zeros of splines and polynomials	845
Michael S. Floater and Tom Lyche, Two chain rules for divided differences and Faà di Bruno’s formula	867
Alfredo Deaño and Javier Segura, Transitory minimal solutions of hypergeometric recursions and pseudoconvergence of associated continued fractions	879
Kai Bittner and Karsten Urban, On interpolatory divergence-free wavelets	903
Kirill A. Kopotun, Univariate splines: Equivalence of moduli of smoothness and applications	931
Felipe Cucker, Huaian Diao, and Yimin Wei, On mixed and componentwise condition numbers for Moore–Penrose inverse and linear least squares problems	947
G. W. Wasilkowski and H. Woźniakowski, The power of standard information for multivariate approximation in the randomized setting	965
Vasile Sinescu and Stephen Joe, Good lattice rules based on the general weighted star discrepancy	989

James S. Kraft and Lawrence C. Washington , Heuristics for class numbers and lambda invariants	1005
Georges Rhin and Qiang Wu , On the smallest value of the maximal modulus of an algebraic integer	1025
Lassina Dembélé , Quaternionic Manin symbols, Brandt matrices, and Hilbert modular forms	1039
Hiroki Sumida-Takahashi , Computation of the p-part of the ideal class group of certain real abelian fields	1059
Gabriela Olteanu , Computing the Wedderburn decomposition of group algebras by the Brauer–Witt theorem	1073
Reviews and Descriptions of Tables and Books	1089
Roman Wienands and Wolfgang Joppich 1	

Editorial Information

Information on the backlog for this journal can be found on the AMS website starting from <http://www.ams.org/mcom>.

In an effort to make articles available as quickly as possible, articles are posted to the AMS website individually after proof is returned from authors and before appearing in an issue.

A Consent to Publish and Copyright Agreement is required before a paper will be published in this journal. After a paper is accepted for publication, the Providence office will send out a Consent to Publish and Copyright Agreement to all authors of the paper. By submitting a paper to this journal, authors certify that the results have not been submitted to nor are they under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors

Initial submission. The AMS uses Centralized Manuscript Processing for initial submission. Authors should submit a PDF file using the Initial Manuscript Submission form found at www.ams.org/cgi-bin/peertrack/submission.pl, or send one copy of the manuscript to the following address: Centralized Manuscript Processing, MATHEMATICS OF COMPUTATION, 201 Charles Street, Providence, RI 02904-2294 USA. If a paper copy is being forwarded to the AMS, indicate that it is for *Mathematics of Computation* and include the name of the corresponding author and contact information, such as an email address or mailing address. The author may suggest an appropriate editor for his or her paper.

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as “some remarks about” or “concerning” should be avoided. The *abstract* must be brief, reasonably self-contained, and not exceed 300 words. Included with the footnotes to the paper should be the 2000 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. The classifications are accessible from www.ams.org/msc/. The list of classifications is also available in print starting with the 1999 annual index of *Mathematical Reviews*. The Mathematics Subject Classification footnote may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. Journal abbreviations used in bibliographies are listed in the latest *Mathematical Reviews* annual index. The series abbreviations are also accessible from www.ams.org/publications/. To help in preparing and verifying references, the AMS offers MR Lookup, a Reference Tool for Linking, at www.ams.org/mrlookup/.

Electronically prepared manuscripts. For the final submission of accepted papers, the AMS encourages use of electronically prepared manuscripts, with a strong preference for $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$. To this end, the Society has prepared $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, samples, and a style file that generates the particular design specifications of that publication series. Articles properly prepared using the $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ style file and the `\label` and `\ref` commands automatically enable extensive intra-document linking to the bibliography and other elements of the article for searching electronically on the Web. Because linking must often be added manually to electronically prepared manuscripts in other forms of $\mathcal{T}\mathcal{E}\mathcal{X}$, using $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ also reduces the amount of technical intervention once the files are received by the AMS. This results in fewer errors in processing and saves the author proofreading time. $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ papers also move more efficiently through the production stream, helping to minimize publishing costs.

$\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the highly preferred format of $\mathcal{T}\mathcal{E}\mathcal{X}$, but author packages are also available in $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$. Those authors who make use of these style files from the beginning of the writing process will further reduce their own efforts. Manuscripts prepared electronically in $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ or plain $\mathcal{T}\mathcal{E}\mathcal{X}$ are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production

system. L^AT_EX users will find that $\mathcal{A}\mathcal{M}\mathcal{S}$ -L^AT_EX is the same as L^AT_EX with additional commands to simplify the typesetting of mathematics, and users of plain T_EX should have the foundation for learning $\mathcal{A}\mathcal{M}\mathcal{S}$ -L^AT_EX.

Authors may retrieve an author package from the AMS website starting from www.ams.org/tex/ or via FTP to [ftp.ams.org](ftp://ftp.ams.org) (login as `anonymous`, enter username as password, and type `cd pub/author-info`). The *AMS Author Handbook* and the *Instruction Manual* are available in PDF format following the author packages link from www.ams.org/tex/. The author package can also be obtained free of charge by sending email to tech-support@ams.org (Internet) or from the Publication Division, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA. When requesting an author package, please specify $\mathcal{A}\mathcal{M}\mathcal{S}$ -L^AT_EX or $\mathcal{A}\mathcal{M}\mathcal{S}$ -T_EX and the publication in which your paper will appear. Please be sure to include your complete email address.

After acceptance. The final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also send the final version of the paper to the Managing Editor, who will forward a copy to the Providence office. Accepted electronically prepared manuscripts can be submitted via the web at www.ams.org/submit-book-journal/, sent via email to pub-submit@ams.org (Internet), or sent on diskette to the Electronic Prepress Department, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA. When sending a manuscript electronically via email or diskette, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to send files are included in the author package.

Electronic graphics. Comprehensive instructions on preparing graphics are available starting from www.ams.org/jourhtml/authors.html. A few of the major requirements are given here.

Submit files for graphics as EPS (Encapsulated PostScript) files. This includes graphics originated via a graphics application as well as scanned photographs or other computer-generated images. If this is not possible, TIFF files are acceptable as long as they can be opened in Adobe Photoshop or Illustrator. No matter what method was used to produce the graphic, it is necessary to provide a paper copy to the AMS.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a “hairline” for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly. Variations of screens within a graphic should be no less than 10%.

AMS policy on making changes to articles after posting. Articles are posted to the AMS website individually after proof is returned from authors and before appearing in an issue. To preserve the integrity of electronically published articles, once an article is individually posted to the AMS website but not yet in an issue, changes cannot be made in place in the paper. However, an “Added after posting” section may be added to the paper right before the References when there is a critical error in the content of the paper. The “Added after posting” section gives the author an opportunity to correct this type of critical error before the article is put into an issue for printing and before it is then reposted with the issue. The “Added after posting” section remains a permanent part of the paper. The AMS does not keep author-related information, such as affiliation, current address, and email address, up to date after a paper is initially posted.

Once the article is assigned to an issue, even if the issue has not yet been posted to the AMS website, corrections may be made to the paper by submitting a traditional errata

article. The errata article will appear in a future print issue and will link back and forth on the web to the original article online.

Secure manuscript tracking on the Web and via email. Authors can track their manuscripts through the AMS journal production process using the personal AMS ID and Article ID printed in the upper right-hand corner of the Consent to Publish form sent to each author who publishes in AMS journals. Access to the tracking system is available from www.ams.org/mstrack/ or via email sent to mstrack-query@ams.org. To access by email, on the subject line of the message simply enter the AMS ID and Article ID. To track more than one manuscript by email, choose one of the Article IDs and enter the AMS ID and the Article ID followed by the word *all* on the subject line. An explanation of each production step is provided on the web through links from the manuscript tracking screen. Questions can be sent to mcom-query@ams.org.

T_EX files available upon request. T_EX files are available upon request for authors by sending email to file-request@ams.org or by contacting the Electronic Prepress Department, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA. The request should include the title of the paper, the name(s) of the author(s), the name of the publication in which the paper has or will appear, and the volume and issue numbers if known. The T_EX file will be sent to the author making the request after the article goes to the printer. If the requestor can receive Internet email, please include the email address to which the file should be sent. Otherwise please indicate a diskette format and postal address to which a disk should be mailed. **Note:** Because T_EX production at the AMS sometimes requires extra fonts and macros that are not yet publicly available, T_EX files cannot be guaranteed to run through the author's version of T_EX without errors. The AMS regrets that it cannot provide support to eliminate such errors in the author's T_EX environment.

Inquiries. Any inquiries concerning a paper that has been accepted for publication that cannot be answered via the manuscript tracking system mentioned above should be sent to mcom-query@ams.org or directly to the Electronic Prepress Department, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA.

Editorial Committee

SUSANNE C. BRENNER, Center for Computation and Technology, Johnston Hall, Louisiana State University, Baton Rouge, LA 70803 USA; *E-mail:* breunner@math.lsu.edu

RONALD F. A. COOLS, Department of Computer Science, Katholieke Universiteit Leuven, Celestijnenlaan 200A, B-3001 Heverlee, Belgium; *E-mail:* ronald.cools@cs.kuleuven.ac.be

HARALD NIEDERREITER, Department of Mathematics, National University of Singapore, 2 Science Drive 2, Singapore 117543, Republic of Singapore; *E-mail:* nied@math.nus.edu.sg

CHI-WANG SHU, Chair. Applied Mathematics Division, Brown University, P.O. Box F, 182 George St., Providence, RI 02912-0001 USA; *E-mail:* mathcomp@dam.brown.edu

Board of Associate Editors

DAVID W. BOYD, Department of Mathematics, University of British Columbia, Vancouver, BC Canada V6T 1Z2; *E-mail:* boyd@math.ubc.ca

ZHIMING CHEN, Institute of Computational Mathematics, Chinese Academy of Sciences, P.O. Box 2719, Beijing 100080, China; *E-mail:* zmchen@lsec.cc.ac.cn

BERNARDO COCKBURN, School of Mathematics, University of Minnesota, 206 Church Street SE, Minneapolis, MN 55455; *E-mail:* cockburn@math.umn.edu

ARJEH M. COHEN, Faculteit Wiskunde en Informatica, TU Eindhoven, Postbus 513, 5600 MB Eindhoven, Netherlands; *E-mail:* amc@win.tue.nl

RICARDO G. DURAN, Department of Mathematics, University of Buenos Aires, Ciudad Universitaria, Pabellon I, 1428 Buenos Aires, Argentina; *E-mail:* rduran@dm.uba.ar

IVAN P. GAVRILYUK, Berufsakademie Thüringen, Am Wartenberg 2, D-99817 Eisenach, Germany; *E-mail:* ipg@ba-eisenach.de

VIVETTE GIRAULT, Laboratoire Jacques-Louis Lions, Boite Courrier 187, Université de Pierre et Marie Curie, 4, place Jussieu, 75252 Paris Cedex 05, France; *E-mail*: girault@ann.jussieu.fr

ERNST HAIRER, Université de Genève, Section de Mathématiques, 2-4 Rue du Livre, CP 248, CH 1211 24 Genève, Switzerland; *E-mail*: ernst.hairer@math.unige.ch

DANIEL W. LOZIER, National Institute of Standards and Technology, 100 Bureau Drive, Mail Stop 8910, Gaithersburg, MD 20899-8910 USA; *E-mail*: dlozier@nist.gov

JOHN MCKAY, Department of Computer Science and Software Engineering, Concordia University, 1455 De Maisonneuve Blvd. West, Montreal, QC, H3G 1M8, Canada; *E-mail*: mckay@cse.concordia.ca

JEAN-FRANÇOIS MESTRE, UFR de Mathématiques, 2 place Jussieu, Université de Paris VII, Paris 75005, France.

MARIAN NEAMTU, 1326 Stevenson Center, Department of Mathematics, Vanderbilt University, Nashville, TN 37240; *E-mail*: neamtu@math.vanderbilt.edu

RICARDO H. NOCHETTO, Department of Mathematics, University of Maryland, Mathematics Building 084, College Park, MD 20742-0001 USA; *E-mail*: rhn@math.umd.edu

STANLEY OSHER, Department of Mathematics, University of California, P.O. Box 951555, Los Angeles, CA 90095-1555 USA; *E-mail*: sjo@math.ucla.edu

JOSEPH E. PASCIAK, Department of Mathematics, Texas A&M University, 507B Blocker Hall, MS 3368, College Station, TX 77843 USA; *E-mail*: pasciak@math.tamu.edu

LOTHAR REICHEL, Department of Mathematics & Computer Science, Kent State University, P.O. Box 5190, Kent, OH 44242-0001 USA; *E-mail*: reichel@mcs.kent.edu

RENATE SCHEIDLER, Department of Mathematics and Statistics, MS 364, University of Calgary, 2500 University Drive NW, Calgary, AB T2N 1N4, Canada; *E-mail*: rscheidl@math.ucalgary.ca

JIE SHEN, Department of Mathematics, Purdue University, West Lafayette, IN 47907; *E-mail*: shen@math.purdue.edu

IGOR E. SHPARLINSKI, Department of Computing, Macquarie University, Sydney, New South Wales 2109, Australia; *E-mail*: igor@comp.mq.edu.au

CHRIS SMYTH, School of Mathematics, The University of Edinburgh, James Clerk Maxwell Building, King's Buildings, Mayfield Road, Edinburgh, EH9 3JZ, United Kingdom; *E-mail*: C.Smyth@ed.ac.uk

MICHAEL E. STILLMAN, Department of Mathematics, Cornell University, Mallott Hall, Ithaca, NY 14853-4201 USA; *E-mail*: mike@math.cornell.edu

DANIEL B. SZYLD, Department of Mathematics, Temple University (038-16), 1805 N. Borad Street, Philadelphia, PA 19122-6094 USA; *E-mail*: szyld@temple.edu

DENIS TALAY, INRIA, 2004 Route des Lucioles, BP 93, 06902 Sophia Antipolis, Cedex, France; *E-mail*: talay@sophia.inria.fr

TAO TANG, Department of Mathematics, Hong Kong Baptist University, Kowloon Tong, Hong Kong *E-mail*: ttang@math.hkbu.edu.hk

PAUL Y. TSENG, Department of Mathematics, University of Washington, Box 354350, Seattle, WA 98195-4350 USA; *E-mail*: tseng@math.washington.edu

JINCHAO XU, Department of Mathematics, Pennsylvania State University, McAllister Building, University Park, PA 16802-6401 USA; *E-mail*: xu@math.psu.edu

(Continued from back cover)

Felipe Cucker, Huaian Diao, and Yimin Wei , On mixed and componentwise condition numbers for Moore–Penrose inverse and linear least squares problems	947
G. W. Wasilkowski and H. Woźniakowski , The power of standard information for multivariate approximation in the randomized setting	965
Vasile Sinescu and Stephen Joe , Good lattice rules based on the general weighted star discrepancy	989
James S. Kraft and Lawrence C. Washington , Heuristics for class numbers and lambda invariants	1005
Georges Rhin and Qiang Wu , On the smallest value of the maximal modulus of an algebraic integer	1025
Lassina Dembélé , Quaternionic Manin symbols, Brandt matrices, and Hilbert modular forms	1039
Hiroki Sumida-Takahashi , Computation of the p -part of the ideal class group of certain real abelian fields	1059
Gabriela Olteanu , Computing the Wedderburn decomposition of group algebras by the Brauer–Witt theorem	1073
Reviews and Descriptions of Tables and Books	1089
Roman Wienands and Wolfgang Joppich 1	

MATHEMATICS OF COMPUTATION
CONTENTS

Vol. 76, No. 258

April 2007

Daniel Arroyo, Alexei Bespalov, and Norbert Heuer , On the finite element method for elliptic problems with degenerate and singular coefficients	509
Xiaobing Feng, Yinnian He, and Chun Liu , Analysis of finite element approximations of a phase field model for two-phase fluids	539
Susanne C. Brenner, Fengyan Li, and Li-yeng Sung , A locally divergence-free nonconforming finite element method for the time-harmonic Maxwell equations	573
James H. Bramble and Joseph E. Pasciak , Analysis of a finite PML approximation for the three dimensional time-harmonic Maxwell and acoustic scattering problems	597
Tsogetgerel Gantumur, Helmut Harbrecht, and Rob Stevenson , An optimal adaptive wavelet method without coarsening of the iterands .	615
Natalia Kopteva , Maximum norm error analysis of a 2d singularly perturbed semilinear reaction-diffusion problem	631
Todd F. Dupont and Yingjie Liu , Back and forth error compensation and correction methods for semi-Lagrangian schemes with application to level set interface computations	647
N. V. Krylov , A priori estimates of smoothness of solutions to difference Bellman equations with linear and quasi-linear operators	669
H. Holden, K. H. Karlsen, and N. H. Risebro , Convergent difference schemes for the Hunter–Saxton equation	699
A. G. Werschulz and H. Woźniakowski , Tractability of quasilinear problems II: Second-order elliptic problems	745
T. Sengadir , Discretisation of an infinite delay equation	777
Sun-Mi Kim and Lothar Reichel , Anti-Szegő quadrature rules	795
Robert S. Maier , The 192 solutions of the Heun equation	811
Knut Mørken and Martin Reimers , An unconditionally convergent method for computing zeros of splines and polynomials	845
Michael S. Floater and Tom Lyche , Two chain rules for divided differences and Faà di Bruno’s formula	867
Alfredo Deaño and Javier Segura , Transitory minimal solutions of hypergeometric recursions and pseudoconvergence of associated continued fractions	879
Kai Bittner and Karsten Urban , On interpolatory divergence-free wavelets	903
Kirill A. Kopotun , Univariate splines: Equivalence of moduli of smoothness and applications	931

(Continued on inside back cover)



0025-5718(200704)76:258;1-0