
VOLUME 80 NUMBER 274



APRIL 2011

MATHEMATICS OF COMPUTATION

A M E R I C A N M A T H E M A T I C A L S O C I E T Y

EDITED BY

Remi Abgrall
Susanne C. Brenner
Daniela Calvetti
Zhiming Chen
Ronald F. A. Cools
Jean-Marc Couveignes
Ricardo G. Duran
Ivan P. Gavriluk
Vivette Girault
Ernst Hairer
Fred J. Hickernell
Gregor Kemper
Michael J. Mossinghoff
Francis J. Narcowich
Stanley Osher
Gilles Pagès
Cheryl E. Praeger
Renate Scheidler
Christoph Schwab
Jie Shen
Zuwei Shen
Igor E. Shparlinski
Chi-Wang Shu, *Managing Editor*
Chris Smyth
Michael E. Stillman
Daniel B. Szyld
Tao Tang
Paul Y. Tseng
Hans Volkmer
Ya-xiang Yuan
Zhimin Zhang

PROVIDENCE, RHODE ISLAND USA

ISSN 0025-5718

Available electronically at
www.ams.org/mcom/

Mathematics of Computation

This journal is devoted to research articles of the highest quality in computational mathematics. Areas covered include numerical analysis, computational discrete mathematics, including number theory, algebra and combinatorics, and related fields such as stochastic numerical methods. Articles must be of significant computational interest and contain original and substantial mathematical analysis or development of computational methodology. Reviews of books in areas related to computational mathematics are also included.

Submission information. See **Information for Authors** at the end of this issue.

Publisher Item Identifier. The Publisher Item Identifier (PII) appears at the top of the first page of each article published in this journal. This alphanumeric string of characters uniquely identifies each article and can be used for future cataloging, searching, and electronic retrieval.

Postings to the AMS website. Articles are posted to the AMS website individually after proof is returned from authors and before appearing in an issue.

Subscription information. *Mathematics of Computation* is published quarterly and is also accessible electronically from www.ams.org/journals/. Subscription prices for Volume 80 (2011) are as follows: for paper delivery, US\$554 list, US\$443.20 institutional member, US\$498.60 corporate member, US\$360.10 member of CBMS organizations; US\$332.40 individual member; for electronic delivery, US\$499 list, US\$399.20 institutional member, US\$449.10 corporate member, US\$324.35 member of CBMS organizations, US\$299.40 individual member. Upon request, subscribers to paper delivery of this journal are also entitled to receive electronic delivery. If ordering the paper version, add US\$30 for surface delivery outside the United States and India; US\$41 to India. Expedited delivery to destinations in North America is US\$30; elsewhere US\$77. Subscription renewals are subject to late fees. See www.ams.org/help-faq for more journal subscription information.

Back number information. For back issues see the www.ams.org/bookstore.

Subscriptions and orders should be addressed to the American Mathematical Society, P.O. Box 845904, Boston, MA 02284-5904 USA. *All orders must be accompanied by payment.* Other correspondence should be addressed to 201 Charles Street, Providence, RI 02904-2294 USA.

Copying and reprinting. Material in this journal may be reproduced by any means for educational and scientific purposes without fee or permission with the exception of reproduction by services that collect fees for delivery of documents and provided that the customary acknowledgment of the source is given. This consent does not extend to other kinds of copying for general distribution, for advertising or promotional purposes, or for resale. Requests for permission for commercial use of material should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

Excluded from these provisions is material in articles for which the author holds copyright. In such cases, requests for permission to use or reprint should be addressed directly to the author(s). (Copyright ownership is indicated in the notice in the lower right-hand corner of the first page of each article.)

Mathematics of Computation (ISSN 0025-5718) is published quarterly by the American Mathematical Society at 201 Charles Street, Providence, RI 02904-2294 USA. Periodicals postage is paid at Providence, Rhode Island. Postmaster: Send address changes to *Mathematics of Computation*, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA.

© 2011 by the American Mathematical Society. All rights reserved.

This journal is indexed in *Mathematical Reviews*, *Zentralblatt MATH*, *Science Citation Index*[®], *Science Citation Index*TM-*Expanded*, *ISI Alerting Services*SM, *CompuMath Citation Index*[®], and *Current Contents*[®]/*Physical, Chemical & Earth Sciences*. This journal is archived in *Portico*.

⊗ The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.

10 9 8 7 6 5 4 3 2 1 16 15 14 13 12 11

MATHEMATICS OF COMPUTATION
CONTENTS

Vol. 80, No. 274

April 2011

Khamron Mekchay, Pedro Morin, and Ricardo H. Nochetto, AFEM for the Laplace-Beltrami operator on graphs: Design and conditional contraction property	625
Carsten Carstensen and Hella Rabus, An optimal adaptive mixed finite element method	649
Shangyou Zhang, Divergence-free finite elements on tetrahedral grids for $k \geq 6$	669
Hagen Eichel, Lutz Tobiska, and Hehu Xie, Supercloseness and superconvergence of stabilized low-order finite element discretizations of the Stokes Problem	697
Bernardo Cockburn, Jayadeep Gopalakrishnan, Ngoc Cuong Nguyen, Jaume Peraire, and Francisco-Javier Sayas, Analysis of HDG methods for Stokes flow	723
Sören Bartels and Rüdiger Müller, Quasi-optimal and robust a posteriori error estimates in $L^\infty(L^2)$ for the approximation of Allen-Cahn equations past singularities	761
V. Girault and F. Guillén-González, Mixed formulation, approximation and decoupling algorithm for a penalized nematic liquid crystals model	781
Helge Holden, Kenneth H. Karlsen, Nils Henrik Risebro, and Terence Tao, Operator splitting for the KdV equation	821
G. Berikelashvili, O. Jokhadze, S. Kharibegashvili, and B. Miodashvili, Finite difference solution of a nonlinear Klein-Gordon equation with an external source	847
W. Hundsdorfer and M. N. Spijker, Boundedness and strong stability of Runge-Kutta methods	863
Flavia Lanzara, Vladimir Maz'ya, and Gunther Schmidt, On the fast computation of high dimensional volume potentials	887
Josef Dick, Gerhard Larcher, Friedrich Pillichshammer, and Henryk Woźniakowski, Exponential convergence and tractability of multivariate integration for Korobov spaces	905
Bernhard Beckermann, Valeriy Kalyagin, Ana C. Matos, and Franck Wielonsky, How well does the Hermite-Padé approximation smooth the Gibbs phenomenon?	931
S. Amat, K. Dadourian, and J. Liandrat, On a nonlinear subdivision scheme avoiding Gibbs oscillations and converging towards C^s functions with $s > 1$	959
Deter de Wet, Subsequence convergence in subdivision	973
J. Arias de Reyna, High precision computation of Riemann's zeta function by the Riemann-Siegel formula, I	995
Cristinel Mortici, Sharp bounds of the Landau constants	1011
Markus Hegland and Robert S. Anderssen, Dilational interpolatory inequalities	1019
Jorge F. Sawyer and Clifford A. Reiter, Perfect parallelepipeds exist .	1037
James McKee, Computing totally positive algebraic integers of small trace	1041

Igor E. Shparlinski , On the average distribution of pseudorandom numbers generated by nonlinear permutations	1053
James Currie and Narad Rampersad , A proof of Dejean’s conjecture .	1063
Matthew Greenberg and John Voight , Computing systems of Hecke eigenvalues associated to Hilbert modular forms	1071
Ihsen Yengui , Stably free modules over $\mathbf{R}[X]$ of rank $> \dim \mathbf{R}$ are free ..	1093
Omer Kucuksakalli , Class numbers of ray class fields of imaginary quadratic fields	1099
Andries E. Brouwer and Jan Draisma , Equivariant Gröbner bases and the Gaussian two-factor model	1123
Martin Kreuzer and Henk Poulisse , Subideal border bases	1135
Sándor Szabó , Verifying a conjecture of L. Rédei for $p = 13$	1155
J. S. Friedman, J. Jorgenson, and J. Kramer , An effective bound for the Huber constant for cofinite Fuchsian groups	1163
Alexander Hulpke, Petteri Kaski, and Patric R. J. Östergård , The number of Latin squares of order 11	1197
Yves Gallot, Pieter Moree, and Wadim Zudilin , The Erdős–Moser equation $1^k + 2^k + \dots + (m-1)^k = m^k$ revisited using continued fractions	1221

Editorial Information

Information on the backlog for this journal can be found on the AMS website starting from <http://www.ams.org/mcom>.

In an effort to make articles available as quickly as possible, articles are posted to the AMS website individually after proof is returned from authors and before appearing in an issue.

A Consent to Publish and Copyright Agreement is required before a paper will be published in this journal. After a paper is accepted for publication, the Providence office will send out a Consent to Publish and Copyright Agreement to all authors of the paper. By submitting a paper to this journal, authors certify that the results have not been submitted to nor are they under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors

Initial submission. The AMS uses Centralized Manuscript Processing for initial submission. Authors should submit a PDF file using the Initial Manuscript Submission form found at www.ams.org/submit/mcom, or send one copy of the manuscript to the following address: Centralized Manuscript Processing, MATHEMATICS OF COMPUTATION, 201 Charles Street, Providence, RI 02904-2294 USA. If a paper copy is being forwarded to the AMS, indicate that it is for *Mathematics of Computation* and include the name of the corresponding author and contact information, such as an email address or mailing address. The author may suggest an appropriate editor for his or her paper.

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as “some remarks about” or “concerning” should be avoided. The *abstract* must be brief, reasonably self-contained, and not exceed 300 words. Included with the footnotes to the paper should be the 2010 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. The classifications are accessible from www.ams.org/msc/. The Mathematics Subject Classification footnote may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. Journal abbreviations used in bibliographies are listed in the latest *Mathematical Reviews* annual index. The series abbreviations are also accessible from www.ams.org/msnhtml/serials.pdf. To help in preparing and verifying references, the AMS offers MR Lookup, a Reference Tool for Linking, at www.ams.org/mrlookup/.

Electronically prepared manuscripts. For the final submission of accepted papers, the AMS encourages use of electronically prepared manuscripts, with a strong preference for $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$. To this end, the Society has prepared $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, samples, and a style file that generates the particular design specifications of that publication series. Articles properly prepared using the $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ style file and the `\label` and `\ref` commands automatically enable extensive intra-document linking to the bibliography and other elements of the article for searching electronically on the Web. Because linking must often be added manually to electronically prepared manuscripts in other forms of $\mathcal{T}\mathcal{E}\mathcal{X}$, using $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ also reduces the amount of technical intervention once the files are received by the AMS. This results in fewer errors in processing and saves the author proofreading time. $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ papers also move more efficiently through the production stream, helping to minimize publishing costs.

$\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the highly preferred format of $\mathcal{T}\mathcal{E}\mathcal{X}$, but author packages are also available in $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$. Those authors who make use of these style files from the beginning of the writing process will further reduce their own efforts. Manuscripts prepared electronically in $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ or plain $\mathcal{T}\mathcal{E}\mathcal{X}$ are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production system. $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ users will find that $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the same as $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ with additional

commands to simplify the typesetting of mathematics, and users of plain $\text{T}_\text{E}\text{X}$ should have the foundation for learning $\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}\text{A}\text{T}_\text{E}\text{X}$.

Authors may retrieve an author package for *Mathematics of Computation* from www.ams.org/mcom/mcomauthorpac.html or via FTP to [ftp.ams.org](ftp://ftp.ams.org) (login as `anonymous`, enter your complete email address as password, and type `cd pub/author-info`). The *AMS Author Handbook* and the *Instruction Manual* are available in PDF format from the author package link. The author package can also be obtained free of charge by sending email to tech-support@ams.org or from the Publication Division, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA. When requesting an author package, please specify $\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}\text{A}\text{T}_\text{E}\text{X}$ or $\mathcal{A}\mathcal{M}\mathcal{S}\text{-T}_\text{E}\text{X}$ and the publication in which your paper will appear. Please be sure to include your complete email address.

After acceptance. The source files for the final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also submit a PDF of the final version of the paper to the Managing Editor, who will forward a copy to the Providence office. Accepted electronically prepared manuscripts can be submitted via the web at www.ams.org/submit-book-journal/, sent via email to pub-submit@ams.org, or sent on CD to the Electronic Prepress Department, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA. When sending a manuscript electronically via email or CD, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to send files are included in the author package.

Electronic graphics. Comprehensive instructions on preparing graphics are available starting from www.ams.org/authors/journals.html. A few of the major requirements are given here.

Submit files for graphics as EPS (Encapsulated PostScript) files. This includes graphics originated via a graphics application as well as scanned photographs or other computer-generated images. If this is not possible, TIFF files are acceptable as long as they can be opened in Adobe Photoshop or Illustrator.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a “hairline” for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly. Variations of screens within a graphic should be no less than 10%.

AMS policy on making changes to articles after posting. Articles are posted to the AMS website individually after proof is returned from authors and before appearing in an issue. To preserve the integrity of electronically published articles, once an article is individually posted to the AMS website but not yet in an issue, changes cannot be made in place in the paper. However, an “Added after posting” section may be added to the paper right before the References when there is a critical error in the content of the paper. The “Added after posting” section gives the author an opportunity to correct this type of critical error before the article is put into an issue for printing and before it is then reposted with the issue. The “Added after posting” section remains a permanent part of the paper. The AMS does not keep author-related information, such as affiliation, current address, and email address, up to date after a paper is initially posted.

Once the article is assigned to an issue, even if the issue has not yet been posted to the AMS website, corrections may be made to the paper by submitting a traditional errata article. The errata article will appear in a future print issue and will link back and forth on the web to the original article online.

Secure manuscript tracking on the Web. Authors can track their manuscripts through the AMS journal production process using the personal AMS ID and Article ID printed in the upper right-hand corner of the Consent to Publish form sent to each author who publishes in AMS journals. Access to the tracking system is available from www.ams.org/mstrack/. An explanation of each production step is provided on the web through links from the manuscript tracking screen. Questions can be sent to mcom-query@ams.org.

Inquiries. Any inquiries concerning a paper that has been accepted for publication that cannot be answered via the manuscript tracking system mentioned above should be sent to mcom-query@ams.org or directly to the Electronic Prepress Department, American Mathematical Society, 201 Charles Street, Providence, RI 02904-2294 USA.

Editorial Committee

SUSANNE C. BRENNER, Center for Computation and Technology, Johnston Hall, Louisiana State University, Baton Rouge, LA 70803 USA; *E-mail:* brenner@math.lsu.edu

RONALD F. A. COOLS, Department of Computer Science, Katholieke Universiteit Leuven, Celestijnenlaan 200A, B-3001 Heverlee, Belgium; *E-mail:* ronald.cools@cs.kuleuven.ac.be

IGOR E. SHPARLINSKI, Department of Computing, Macquarie University, Sydney, New South Wales 2109, Australia; *E-mail:* igor@comp.mq.edu.au

CHI-WANG SHU, Chair, Applied Mathematics Division, Brown University, P.O. Box F, 182 George St., Providence, RI 02912-0001 USA; *E-mail:* mathcomp@dam.brown.edu

Board of Associate Editors

REMI ABGRALL, INRIA & Institut Polytechnique de Bordeaux, Team Bacchus and Institut de Mathématiques de Bordeaux, Bat A29 bis, 351 cours de la Liberation, 33 405 Talence, Cedex France; *E-mail:* abgrall@math.u-bordeaux.fr

DANIELA CALVETTI, Department of Mathematics, Case Western Reserve University, Yost Hall, 10900 Euclid Avenue., Cleveland, OH 44106 USA; *E-mail:* daniela.calvetti@case.edu

ZHIMING CHEN, Institute of Computational Mathematics, Chinese Academy of Sciences, P.O. Box 2719, Beijing 100080, China; *E-mail:* zmchen@lsec.cc.ac.cn

JEAN-MARC COUVEIGNES, Département de Mathématiques et Informatique, Université Toulouse 2, 5, allées Antonio Machado, 31058 Toulouse Cedex 9, France; *E-mail:* couveig@univ-tlse2.fr

RICARDO G. DURAN, Department of Mathematics, University of Buenos Aires, Ciudad Universitaria, Pabellon I, 1428 Buenos Aires, Argentina; *E-mail:* rduran@dm.uba.ar

IVAN P. GAVRILYUK, Berufsakademie Thüringen, Am Wartenberg 2, D-99817 Eisenach, Germany; *E-mail:* ipg@ba-eisenach.de

VIVETTE GIRAULT, Laboratoire Jacques-Louis Lions, Boite courrier 187, Université de Pierre et Marie Curie, 4, place Jussieu, 75252 Paris Cedex 05, France; *E-mail:* girault@ann.jussieu.fr

ERNST HAIRER, Université de Genève, Section de Mathématiques, 2-4 Rue du Lièvre, CP 248, CH-1211 Genève 4, Switzerland; *E-mail:* ernst.hairer@unige.ch

FRED J. HICKERNELL, Department of Applied Mathematics, Illinois Institute of Technology, E1 Building, Room 208, 10 W. 32nd Street, Chicago, IL 60616-3793 USA; *E-mail:* hickernell@iit.edu

GREGOR KEMPER, Technische Universität München, Zentrum Mathematik M 11, Boltzmannstr 3, 85748 Garching, Germany; *E-mail:* kemper@ma.tum.de

MICHAEL J. MOSSINGHOFF, Department of Mathematics, Davidson College, Davidson, NC 28035-6996 USA; *E-mail:* mimossinghoff@davidson.edu

FRANCIS J. NARCOWICH, Department of Mathematics, Texas A&M University, College Station, TX 77843 USA; *E-mail:* fnarc@math.tamu.edu

STANLEY OSHER, Department of Mathematics, University of California, P.O. Box 951555, Los Angeles, CA 90095-1555 USA; *E-mail:* sjo@math.ucla.edu

GILLES PAGES, University of Paris VI, Case courrier 188, 4, place Jussieu, 75252 Paris, Cedex 05, France; *E-mail*: gilles.pages@upmc.fr

CHERYL E. PRAEGER, School of Mathematics and Statistics, M019, University of Western Australia, 35 Stirling Highway, Crawley 6009, Western Australia, Australia; *E-mail*: praeger@maths.uwa.edu.au

RENATE SCHEIDLER, Department of Mathematics and Statistics, MS 364, University of Calgary, 2500 University Drive NW, Calgary, AB T2N 1N4, Canada; *E-mail*: rscheidl@math.ucalgary.ca

CHRISTOPH SCHWAB, Seminar of Applied Mathematics, ETHZ, 8092 Zurich, Switzerland; *E-mail*: christoph.schwab@sam.math.ethz.ch

JIE SHEN, Department of Mathematics, Purdue University, West Lafayette, IN 47907 USA; *E-mail*: shen@math.purdue.edu

ZUOWEI SHEN, Department of Mathematics, National University of Singapore, Block S17 10, Lower Kent Ridge Road, 119076 Singapore; *E-mail*: matzuows@nus.edu.sg

CHRIS SMYTH, School of Mathematics, The University of Edinburgh, James Clerk Maxwell Building, King's Buildings, Mayfield Road, Edinburgh, EH9 3JZ, United Kingdom; *E-mail*: C.Smyth@ed.ac.uk

MICHAEL E. STILLMAN, Department of Mathematics, Cornell University, Mallott Hall, Ithaca, NY 14853-4201 USA; *E-mail*: mike@math.cornell.edu

DANIEL B. SZYLD, Department of Mathematics, Temple University (038-16), 1805 N. Borad Street, Philadelphia, PA 19122-6094 USA; *E-mail*: szyld@temple.edu

TAO TANG, Department of Mathematics, Hong Kong Baptist University, Kowloon Tong, Hong Kong *E-mail*: ttang@math.hkbu.edu.hk

PAUL Y. TSENG, Department of Mathematics, University of Washington, Box 354350, Seattle, WA 98195-4350 USA; *E-mail*: tseng@math.washington.edu

HANS VOLKMER, Department of Mathematical Sciences, University of Wisconsin-Milwaukee, P.O. Box 413, Milwaukee, WI 53201-0413 USA; *E-mail*: volkmer@csd.uwm.edu

YA-XIANG YAUN, Chinese Academy of Science, LSEC AMSS, Beijing, 100190 Peoples Republic of China; *E-mail*: yyx@lsec.cc.ac.cn

ZHIMIN ZHANG, Department of Mathematics, Wayne State University, Detroit, MI 48202 USA; *E-mail*: z Zhang@math.wayne.edu

(Continued from back cover)

Cristinel Mortici , Sharp bounds of the Landau constants	1011
Markus Hegland and Robert S. Anderssen , Dilational interpolatory inequalities	1019
Jorge F. Sawyer and Clifford A. Reiter , Perfect parallelepipeds exist .	1037
James McKee , Computing totally positive algebraic integers of small trace	1041
Igor E. Shparlinski , On the average distribution of pseudorandom numbers generated by nonlinear permutations	1053
James Currie and Narad Rampersad , A proof of Dejean's conjecture .	1063
Matthew Greenberg and John Voight , Computing systems of Hecke eigenvalues associated to Hilbert modular forms	1071
Ihsen Yengui , Stably free modules over $\mathbf{R}[X]$ of rank $> \dim \mathbf{R}$ are free ..	1093
Omer Kucuksakalli , Class numbers of ray class fields of imaginary quadratic fields	1099
Andries E. Brouwer and Jan Draisma , Equivariant Gröbner bases and the Gaussian two-factor model	1123
Martin Kreuzer and Henk Poulisse , Subideal border bases	1135
Sándor Szabó , Verifying a conjecture of L. Rédei for $p = 13$	1155
J. S. Friedman, J. Jorgenson, and J. Kramer , An effective bound for the Huber constant for cofinite Fuchsian groups	1163
Alexander Hulpke, Petteri Kaski, and Patric R. J. Östergård , The number of Latin squares of order 11	1197
Yves Gallot, Pieter Moree, and Wadim Zudilin , The Erdős–Moser equation $1^k + 2^k + \dots + (m-1)^k = m^k$ revisited using continued fractions	1221

MATHEMATICS OF COMPUTATION
CONTENTS

Vol. 80, No. 274

April 2011

Khamron Mekchay, Pedro Morin, and Ricardo H. Nochetto, AFEM for the Laplace-Beltrami operator on graphs: Design and conditional contraction property	625
Carsten Carstensen and Hella Rabus, An optimal adaptive mixed finite element method	649
Shangyou Zhang, Divergence-free finite elements on tetrahedral grids for $k \geq 6$	669
Hagen Eichel, Lutz Tobiska, and Hehu Xie, Supercloseness and superconvergence of stabilized low-order finite element discretizations of the Stokes Problem	697
Bernardo Cockburn, Jayadeep Gopalakrishnan, Ngoc Cuong Nguyen, Jaume Peraire, and Francisco-Javier Sayas, Analysis of HDG methods for Stokes flow	723
Sören Bartels and Rüdiger Müller, Quasi-optimal and robust a posteriori error estimates in $L^\infty(L^2)$ for the approximation of Allen-Cahn equations past singularities	761
V. Girault and F. Guillén-González, Mixed formulation, approximation and decoupling algorithm for a penalized nematic liquid crystals model	781
Helge Holden, Kenneth H. Karlsen, Nils Henrik Risebro, and Terence Tao, Operator splitting for the KdV equation	821
G. Berikelashvili, O. Jokhadze, S. Kharibegashvili, and B. Miodashvili, Finite difference solution of a nonlinear Klein-Gordon equation with an external source	847
W. Hundsdorfer and M. N. Spijker, Boundedness and strong stability of Runge-Kutta methods	863
Flavia Lanzara, Vladimir Maz'ya, and Gunther Schmidt, On the fast computation of high dimensional volume potentials	887
Josef Dick, Gerhard Larcher, Friedrich Pillichshammer, and Henryk Woźniakowski, Exponential convergence and tractability of multivariate integration for Korobov spaces	905
Bernhard Beckermann, Valeriy Kalyagin, Ana C. Matos, and Franck Wielonsky, How well does the Hermite-Padé approximation smooth the Gibbs phenomenon?	931
S. Amat, K. Dadourian, and J. Liandrat, On a nonlinear subdivision scheme avoiding Gibbs oscillations and converging towards C^s functions with $s > 1$	959
Deter de Wet, Subsequence convergence in subdivision	973
J. Arias de Reyna, High precision computation of Riemann's zeta function by the Riemann-Siegel formula, I	995

(Continued on inside back cover)



0025-5718(201104)80:274;1-5