

¹ H. S. UHLER, "Log π and other basic constants," *Nat. Acad. Sci., Proc.*, v. 24, 1938, p. 23-30.

² J. W. WRENCH, JR. & L. B. SMITH, "Values of the terms of the Gregory series for arccot 5 and arccot 239 to 1120 and 1150 decimal places, respectively," *MTAC*, v. 4, 1950, p. 160-161.

³ J. W. WRENCH, JR. & L. B. SMITH, "A new approximation to π ," *MTAC*, v. 2, 1947, p. 245-248; v. 3, 1948, p. 18-19.

⁴ SRINIVASA RAMANUJAN, "Modular equations and approximations to π ," *Quart. Jn. Math.*, v. 45, 1914, p. 350-372, *Collected papers of Srinivasa Ramanujan*. Cambridge, 1927, p. 23-39.

⁵ GEORGE W. REITWIESNER, "An ENIAC determination of π and e to more than 2000 decimal places," *MTAC*, v. 4, 1950, p. 11-15.

QUERY

43. INCOMPLETE HANKEL FUNCTION. Has the Incomplete Hankel function

$$f(x, y) = \int_x^{\infty} dt \exp(-iyt)/(t^2 - 1)^{\frac{1}{2}}$$

been tabulated? If so, where can such a table be obtained?

A. P. BURGER

Olympiaplein 32,
Amsterdam-Z.
Holland

CORRIGENDUM

V. 7, p. 275, l. —2, for MAG read MAC.