# QUARTERLY

OF

## APPLIED MATHEMATICS

#### EDITED BY

G. DASSIOS	W. E. OLMSTEAD
P. J. DAVIS	J. R. RICE
S. GEMAN	B. SANDSTEDE
G. IOOSS	L. SIROVICH
J. HUNTER	M. SLEMROD
I. KONTOYIANNIS	J. WILKENING
D. MUMFORD	
	P. J. DAVIS S. GEMAN G. IOOSS J. HUNTER I. KONTOYIANNIS

CONSTANTINE DAFERMOS

Managing Editor

GOVIND MENON Associate Managing Editor

MANAGING EDITOR 1965–2014 WALTER FREIBERGER

FOUNDER, AND MANAGING EDITOR 1943–1965 W. PRAGER

VOLUME LXXIV DECEMBER • 2016 NUMBER 4

#### Quarterly of Applied Mathematics

This journal is devoted to original papers in applied mathematics which have an intimate connection with applications. It is expected that each paper will be of a high scientific standard; that the presentation will be of such character that the paper can be easily read by those to whom it would be of interest; and that the mathematical argument, judged by the standard of the field of application, will be of an advanced character.

In accordance with their general policy, the Editors welcome particularly contributions which will be of interest both to mathematicians and to scientists or engineers. Authors will receive galley proof, and offprints will be provided in electronic form free of charge. A downloadable and printable PDF of each published article will be available to authors immediately after publication. Detailed instructions will be sent with galley proofs.

Submission information. The Quarterly of Applied Mathematics uses Centralized Manuscript Processing for initial submission. Authors should submit a PDF file using the Initial Manuscript Submission form found at www.ams.org/submission/qam. The final decision on acceptance of a manuscript for publication is made by the Managing Editor. Simultaneous submissions (i.e., concurrent submissions to another journal) are not accepted. See Suggestions Concerning the Preparation of Manuscripts for the Quarterly of Applied Mathematics at the end of this issue.

**Publication on the AMS website.** Articles are published on the AMS website individually after proof is returned from authors and before appearing in an issue.

Copying and reprinting. Material in this journal may be reproduced by any means for educational and scientific purposes without fee or permission with the exception of reproduction by services that collect fees for delivery of documents and provided that the customary acknowledgment of the source is given. This consent does not extend to other kinds of copying for general distribution, for advertising or promotional purposes, or for resale. Requests for permission for commercial use of material should be addressed to the Division of Applied Mathematics, Brown University, 182 George Street, Box F, Providence, RI 02912.

Excluded from these provisions is material in articles for which the author holds copyright. In such cases, requests for permission to use or reprint should be addressed directly to the author(s). (Copyright ownership is indicated in the notice in the lower right-hand corner of the first page of each article.)

Subscription information. Beginning March 2005 the Quarterly of Applied Mathematics is accessible from www.ams.org/journals/. Subscription prices for Volume 74 (2016) are as follows: for paper delivery, US\$184; for electronic delivery, US\$163. Subscription renewals are subject to late fees. See www.ams.org/journals-faq for more journal subscription information. Upon request, subscribers to paper delivery of this journal are also entitled to receive electronic delivery. For back volume/back issue prices and availability, go to www.ams.org/bookstore/backvols/. For paper delivery, subscribers inside the United States must pay a postage surcharge of US\$5; subscribers outside the United States must pay a postage surcharge of US\$13. Subscriptions and orders for back volumes must be addressed to the American Mathematical Society, P.O. Box 845904, Boston, MA 02284-5904, USA. All orders must be accompanied by payment. Other subscription correspondence should be addressed to the American Mathematical Society, 201 Charles St., Providence, RI 02904-2294, USA.

#### © 2016 Brown University

This journal is indexed in Mathematical Reviews, Zentralblatt MATH, Science Citation  $Index^{\textcircled{\$}}$ , Science Citation  $Index^{\textcircled{\$}}$ , Science Citation  $Index^{\textcircled{\$}}$ , ISI Alerting Services  $S^{M}$ , CompuMath Citation  $Index^{\textcircled{\$}}$ , Current Contents  $S^{\textcircled{\$}}$ / Engineering, Computing  $S^{\textcircled{\$}}$  Technology. It is also indexed by Applied Science  $S^{\textcircled{\$}}$  Technology Index and abstracted by Applied Science  $S^{\textcircled{\$}}$  Technology Abstracts. Periodicals postage paid at Providence, RI and additional mailing offices.

POSTMASTER: Send address changes to Quarterly of Applied Mathematics, Membership and Customer Services Department, American Mathematical Society, 201 Charles St., Providence, RI 02904-2294, USA. Publication number 808680. Quarterly of Applied Mathematics (ISSN 0033-569X (print); ISSN 1552-4485 (online)) is published four times per year (March, June, September, and December) by Brown University, Division of Applied Mathematics, 182 George St., Providence, RI 02912, USA.

Printed in the United States of America.

The paper used in this journal is acid-free and falls within the guidelines established to ensure permanence and durability.

# QUARTERLY

OF

## APPLIED MATHEMATICS

#### EDITED BY

S. S. ANTMAN	G. DASSIOS	W. E. OLMSTEAD
Z. ARTSTEIN	P. J. DAVIS	J. R. RICE
H. T. BANKS	S. GEMAN	B. SANDSTEDE
H. COHEN	G. IOOSS	L. SIROVICH
A. CONSTANTIN	J. HUNTER	M. SLEMROD
J. D. COWAN	I. KONTOYIANNIS	J. WILKENING
	D. MUMFORD	

CONSTANTINE DAFERMOS

Managing Editor

GOVIND MENON Associate Managing Editor

MANAGING EDITOR 1965–2014 WALTER FREIBERGER

FOUNDER, AND MANAGING EDITOR 1943–1965 W. PRAGER

VOLUME LXXIV 2016

#### ANNUAL INDEX

Ackleh, Azmy S., Baoling Ma, and Robert Miller. A general nonlinear model for the interaction of a size-structured population and its environment: Well-posedness and approximation, 671

Auchmuty, Giles, and Douglas R. Simpkins. Spectral representations, and approximations, of divergence-free vector fields, 429

Belozerov, Alexander A. See Romenski, Evgeniy

Caginalp, G. See Merdan, H.

Carvajal, Xavier, and Mahendra Panthee. Sharp local well-posedness of KdV type equations with dissipative perturbations, 571

Chan, C. Y., and H. T. Liu. A maximum principle for fractional diffusion differential equations, 421 Choi, Sun-Ho, and Seung-Yeal Ha. Time-delayed interactions and synchronization of identical Lohe oscillators, 297

Choudhury, S. Roy. See Russo, Matthew

Cimatti, Giovanni. The space charge problem and the nonlinear resistor, 49

Claeys, X. Asymptotics of the eigenvalues of the Dirichlet-Laplace problem in a domain with thin tube excluded, 595

Dassios, George. On the solutions of the polynomic Laplacian equation, 643

Dassios, George, and Vasiliki Christina Panagiotopoulou. On the stability of an ellipsoidal tumour, 399 Deng, Keng, and Qian Wang. Global existence and blow-up for the fast diffusion equation with a memory boundary condition, 189

Destuynder, Philippe, and Caroline Fabre. Singularities occurring in multimaterials with transparent boundary conditions, 443

Fabre, Caroline. See Destuynder, Philippe

Franke, Brice, and Nejib Yaakoubi. On how to use drift to push the spectral gap of a diffusion on S<sup>2</sup> to infinity, 321

Funchess, Gregory. See Meklachi, Taoufik

Gamboa, Pedro, Vilmos Komornik, and Octavio Vera. Partial reachability of a thermoelastic plate with memory, 235

Germain, Pierre, and Laurent Thomann. On the high frequency limit of the LLL equation, 633

Golden, J. M. The minimum and other free energies for non-linear materials with memory, 137

\_\_\_\_\_. Unique characterization of materials with memory, 361

Guo, Boling. See Pu, Xueke

 $\operatorname{Ha},$  Seung-Yeal.  $\:\:See$  Choi, Sun-Ho

Hanaç, E. See Leach, J. A.

Hari, Lydia Peres, Jacob Rubinstein, and Peter Sternberg. Reduced equations for the hydroelastic waves in the cochlea: The spring model, 647

Huang, Feimin, Yi Wang, Yong Wang, and Tong Yang. Justification of limit for the Boltzmann equation related to Kortewey theory, 719

Johns, Russell T. See Khorsandi, Saeid

Khludnev, A. M., and T. S. Popova. Junction problem for Euler-Bernoulli and Timoshenko elastic inclusions in elastic bodies, 705

Khorsandi, Saeid, Wen Shen, and Russell T. Johns. Global Riemann solver and front tracking approximation of three-component gas floods, 607

Komornik, Vilmos. See Gamboa, Pedro

Leach, J. A., and E. Hanaç. On the evolution of travelling wave solutions of the Burgers-Fisher equation, 337

Lee, Young S. See Pak, C. H.

Li, Yingwei. Scalar Green function bounds for instantaneous shock location and one-dimensional stability of viscous shock waves, 499

Liu, H. T. See Chan, C. Y.

Liu, Jing, Xin Yang Lu, and Noel J. Walkington. Analysis of a dislocation model for earthquakes, 765 Lu, Xin Yang. See Liu, Jing

Luna-Elizarrarás, M. E., J. Morais, M. A. Pérez-de la Rosa, and M. Shapiro. On a version of quaternionic function theory related to Chebyshev polynomials and modified Sturm-Liouville operators, 165

Ma, Baoling. See Ackleh, Azmy S.

Meklachi, Taoufik, Graeme W. Milton, Daniel Onofrei, Andrew E. Thaler, and Gregory Funchess. Sensitivity of anomalous localized resonance phenomena with respect to dissipation, 201

#### ANNUAL INDEX

Meng, Y., and Y.-G. Wang. A uniform estimate for the incompressible magneto-hydrodynamics equations with a slip boundary condition, 27

Merdan, H., G. Caginalp, and W. C. Troy. Bifurcation analysis of a single-group asset flow model, 275 Miller, Robert. See Ackleh, Azmy S.

Milton, Graeme W. See Meklachi, Taoufik

Miranville, Alain, and Ramon Quintanilla. A Caginal pphase-field system based on type III heat conduction with two temperatures, 375

Morais, J. See Luna-Elizarrarás, M. E.

Nicholls, David P. A high-order perturbation of surfaces (HOPS) approach to Fokas integral equations: Three-dimensional layered-media scattering, 61

Nika, Grigor, and Bogdan Vernescu. Dilute emulsions with surface tension, 89

Onofrei, Daniel. See Meklachi, Taoufik

Pak, C. H., and Young S. Lee. Bifurcation of coupled-mode responses by modal coupling in cubic nonlinear systems, 1

Panagiotopoulou, Vasiliki Christina. See Dassios, George

Panthee, Mahendra. See Carvajal, Xavier

Peralta, Gilbert, and Georg Propst. Global smooth solution to a hyperbolic system on an interval with dynamic boundary conditions, 539

Pérez-de la Rosa, M. A. See Luna-Elizarrarás, M. E.

Peshkov, Ilya M. See Romenski, Evgeniy

Popova, T. S. See Khludnev, A. M.

Propst, Georg. See Peralta, Gilbert

Pu, Xueke, and Boling Guo. Quasineutral limit of the pressureless Euler-Poisson equation for ions, 245

Quintanilla, Ramon. See Miranville, Alain

Romenski, Evgeniy, Alexander A. Belozerov, and Ilya M. Peshkov. Conservative formulation for compressible multiphase flows, 113

Rubinstein, Jacob. See Hari, Lydia Peres

Russo, Matthew, and S. Roy Choudhury. Integrable spatiotemporally varying KdV and MKdV equations: Generalized Lax pairs and an extended Estabrook-Wahlquist method, 465

Shapiro, M. See Luna-Elizarrarás, M. E.

Shen, Wen. See Khorsandi, Saeid

Simpkins, Douglas R. See Auchmuty, Giles

Sternberg, Peter. See Hari, Lydia Peres

Thaler, Andrew E. See Meklachi, Taoufik

Thomann, Laurent. See Germain, Pierre

Troy, W. C. See Merdan, H.

Vera, Octavio. See Gamboa, Pedro

Vernescu, Bogdan. See Nika, Grigor

Walkington, Noel J. See Liu, Jing

Wang, Qian. See Deng, Keng Wang, Y.-G. See Meng, Y.

Wang, Yi. See Huang, Feimin

Wang, Yong. See Huang, Feimin

Yaakoubi, Nejib. See Franke, Brice

Yang, Tong. See Huang, Feimin

### SUGGESTIONS CONCERNING THE PREPARATION OF MANUSCRIPTS FOR THE QUARTERLY OF APPLIED MATHEMATICS

The editors will appreciate the authors' cooperation in taking note of the following directions for the preparation of manuscripts. These directions have been drawn up with a view toward eliminating unnecessary correspondence, avoiding the return of papers for changes, and reducing the charges made for "author's corrections."

### Submission of Accepted Manuscripts:

Submission of electronically-prepared manuscripts is required, with a strong preference for  $\mathcal{A}_{\mathcal{M}}\mathcal{S}$ -IATEX. To assist authors in preparing electronic manuscripts, the AMS has prepared author packages. The author package includes instructions for preparing electronic manuscripts, the AMS Author Handbook, samples, graphic creation instructions, and a style file. When choosing a style file for the Quarterly of Applied Mathematics, choose the QAM-specific journal package, made available by the American Mathematical Society at www.ams.org/distribution/qam/qamauthorpac.html. For more technical information, please visit www.ams.org/authors/author-faq.html.

Contributions to the *Quarterly of Applied Mathematics* should be submitted in final form. Only typographical errors should be corrected in proof; composition charges for any major deviations from the manuscript will be passed on to the *Quarterly of Applied Mathematics*. An abstract is required for all QAM manuscripts.

After the contribution has been accepted for publication, electronic files (.tex files along with .eps (or .tiff) files for figures) should be submitted via the web at www.ams.org/submit-book-journal, or sent via email to pub-submit@ams.org, or sent on CD to the Electronic Prepress Department, American Mathematical Society, 201 Charles St., Providence, RI 02904-2294 USA. When submitting electronic manuscripts via email or CD, please include a message indicating that the paper has been accepted for publication in the Quarterly of Applied Mathematics.

### **Electronic Graphics:**

Comprehensive instructions on preparing graphics are included in PDF format in the author package. Submit files for graphics as EPS (Encapsulated PostScript) files. This includes graphics originating via a graphics application as well as scanned photographs or other computer-generated images. If this is not possible, TIFF files are acceptable as long as they can be opened in Adobe Photoshop or Illustrator.

Authors using graphics packages for the creation of electronic art should avoid the use of any lines thinner than 0.5 points in width at 100%. Many graphics packages allow the user to specify a "hairline" for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens that fall outside of this range are too light or too dark to print correctly. Variations of screens within a graphic should be no less than 10%.

Any graphics created in color will be rendered in grayscale for the printed QAM issue unless color printing is authorized by the Managing Editor and paid for by the authors. In general, color graphics will appear in color in the online QAM issue.

### CONTENTS

Vol. LXXIV, No. 4 December	2016
X. Claeys, Asymptotics of the eigenvalues of the Dirichlet-Laplace problem in a domain with thin tube excluded	595
SAEID KHORSANDI, WEN SHEN, AND RUSSELL T. JOHNS, Global Riemann solver and front tracking approximation of three-component gas floods	607
PIERRE GERMAIN AND LAURENT THOMANN, On the high frequency limit of the LLL equation	633
George Dassios, On the solutions of the polynomic Laplacian equation	643
Lydia Peres Hari, Jacob Rubinstein, and Peter Sternberg, Reduced equations for the hydroelastic waves in the cochlea: The spring model	647
AZMY S. ACKLEH, BAOLING MA, AND ROBERT MILLER, A general nonlinear model for the interaction of a size-structured population and its environment: Well-posedness and approximation	671
A. M. Khludnev and T. S. Popova, Junction problem for Euler-Bernoulli and Timoshenko elastic inclusions in elastic bodies	705
Feimin Huang, Yi Wang, Yong Wang, and Tong Yang, Justification of limit for the Boltzmann equation related to Korteweg theory	719
JING LIU, XIN YANG LU, AND NOEL J. WALKINGTON, Analysis of a dislocation model for earthquakes	765



0033-569X(201612)74:4\*;1-5